

Clinical Trial Protocol

Iranian Registry of Clinical Trials

04 Jun 2026

Effect of inhalation aromatherapy with lavender essence versus placebo on physiological indicators and intensity of venipuncture pain in hospitalized preschool children in pediatric unit: a single blinded non randomized clinical trial

Protocol summary

Summary

Objective: effect of inhalation aromatherapy with lavender essence on physiological indicators and intensity of venipuncture pain in hospitalized preschool children in pediatric unit. Design: single blinded non randomized clinical trial. Setting and conduct: the children with following criteria will be enrolled into the study; a) Age 3 to 6 years; b) Having normal children's mental, verbal, visual and auditory abilities; c) Absence of any acute or chronic pain before venipuncture; d) Absence of diseases such as asthma, allergies, dermatitis and rhinitis according to the discretion of the physician. Exclusion criteria included: a) Incidence any kind of allergy to lavender essence during aromatherapy according to the discretion of the physician; b) Existence any problem to continue participating in the study. Intervention1: the physiological indicators of children will be measured in half an hour before entering into the venipuncture room and the children inhale 5 drops of lavender essence 2% which was poured onto 10×10 cm gauze attached to collar of children shirt in 20 minutes. Then, physiological indicators will be measured immediately after fixation of catheter and in minutes of 5 and 10 after exiting of venipuncture room. Intensity of pain will be measured in times of immediately, 5 and 10 after exiting of venipuncture room. Intervention2: The physiological indicators of children will be measured in half an hour before entering into the venipuncture room and the children inhale 5 drops of distilled water (placebo) which was poured onto 10×10 cm gauze attached to collar of children shirt in 20 minutes. Then, physiological indicators will be measured immediately after fixation of catheter and in minutes of 5 and 10 after exiting of venipuncture room. Intensity of pain will be measured in times of immediately, 5 and 10 after exiting of venipuncture room. Blinding: both lavender essence

and distilled water (placebo) are prepared in dark and similar containers so children will not be aware of the kind of inhaler. Main outcome measures: heart rate and percent of arterial oxygen saturation will be measured by pulse-oximetry, respiratory rate by counting in one minute. Intensity of pain will be measured by Oucher pain scale.

General information

Acronym

IRCT registration information

IRCT registration number: **IRCT201503089759N6**

Registration date: **2015-06-14, 1394/03/24**

Registration timing: **registered_while_recruiting**

Last update:

Update count: **0**

Registration date

2015-06-14, 1394/03/24

Registrant information

Name

Ali Bikmoradi

Name of organization / entity

Hamadan University of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 81 1838 0439

Email address

bikmoradi@umsha.ac.ir

Recruitment status

Recruitment complete

Funding source

Vice chancellor for research, Hamadan University of Medical Sciences

Expected recruitment start date

2015-04-30, 1394/02/10

Expected recruitment end date

2015-07-01, 1394/04/10

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Effect of inhalation aromatherapy with lavender essence versus placebo on physiological indicators and intensity of venipuncture pain in hospitalized preschool children in pediatric unit: a single blinded non randomized clinical trial

Public title

Effect of aromatherapy on physiological indicators and intensity of pain

Purpose

Supportive

Inclusion/Exclusion criteria

Inclusion Criteria: a) Age 3 to 6 years; b) Having normal children's mental, verbal, visual and auditory abilities; c) Absence of any acute or chronic pain before venipuncture; d) Absence of diseases such as asthma, allergies, dermatitis and rhinitis according to the discretion of the physician. Exclusion criteria: a) Incidence any kind of allergy to lavender essence during aromatherapy according to the discretion of the physician; b) Existence any problem to continue participating in the study.

Age

From **3 years** old to **6 years** old

Gender

Both

Phase

N/A

Groups that have been masked

No information

Sample size

Target sample size: **60**

Randomization (investigator's opinion)

Not randomized

Randomization description**Blinding (investigator's opinion)**

Single blinded

Blinding description**Placebo**

Used

Assignment

Parallel

Other design features

Sampling is conventional and eligible children to enter the study in two separate stages on two experimental and control groups will be entered in the study.

Secondary Ids

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Hamadan University of Medical Sciences

Street address

Hamadan University of Medical Sciences, Shahid Fahmideh Street, Hamadan

City

Hamadan

Postal code

6517838678

Approval date

2015-04-11, 1394/01/22

Ethics committee reference number

UMSHA.REC.1394,20

Health conditions studied**1****Description of health condition studied**

pain

ICD-10 code

R52.9

ICD-10 code description

Pain, unspecified

Primary outcomes**1****Description**

Physiological indicators (heart rate, percent of arterial oxygen saturation, respiratory rate)

Timepoint

30 min before entering into the venipuncture room, immediately after fixation of catheter and 5 and 10 minutes after leaving the venipuncture room.

Method of measurement

Heart rate and percent of arterial oxygen saturation will be measured by pulse oximetry, respiratory rate by count researcher in one minute

Secondary outcomes**1****Description**

Intensity of pain

Timepoint

Immediately, 5 and 10 minutes after leaving the venipuncture room

Method of measurement

Oucher pain scale

Intervention groups

1

Description

Intervention1: the physiological indicators of children will be measured in half an hour before entering into the venipuncture room and the children inhale 5 drops of lavender essence 2% which was poured onto 10×10 cm gauze attached to collar of children shirt in 20 minutes. Then, physiological indicators will be measured immediately after fixation of catheter and in minutes of 5 and 10 after exiting of venipuncture room. Intensity of pain will be measured in times of immediately, 5 and 10 after exiting of venipuncture room.

Category

Treatment - Drugs

2

Description

Intervention2: The physiological indicators of children will be measured in half an hour before entering into the venipuncture room and the children inhale 5 drops of distilled water (placebo) which was poured onto 10×10 cm gauze attached to collar of children shirt in 20 minutes. Then, physiological indicators will be measured immediately after fixation of catheter and in minutes of 5 and 10 after exiting of venipuncture room. Intensity of pain will be measured in times of immediately, 5 and 10 after exiting of venipuncture room.

Category

Placebo

Recruitment centers

1

Recruitment center

Name of recruitment center

Besat Educational and Therapeutic Center

Full name of responsible person

Masoome Khaleghverdi

Street address

Department of Medical Surgical Nursing, Nursing and Midwifery School, Hamadan University of Medical Sciences, Shahid Fahmideh Street, Hamadan

City

Hamadan

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

vice chancellor for research, Hamadan University of Medical Sciences

Full name of responsible person

Dr. Saeid Bashirian

Street address

vice chancellor for research Hamadan University of

Medical Sciences, Hamadan University of Medical Sciences, Shahid Fahmide Street, Hamadan

City

Hamadan

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

vice chancellor for research, Hamadan University of Medical Sciences

Proportion provided by this source

100

Public or private sector

empty

Domestic or foreign origin

empty

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

empty

Person responsible for general inquiries

Contact

Name of organization / entity

Department of Medical Surgical Nursing

Full name of responsible person

Dr. Ali Bikmoradi

Position

Medical Education Management

Other areas of specialty/work

Street address

Department of Medical Surgical Nursing, Nursing and Midwifery School, Hamadan University of Medical Sciences, Shahid Fahmideh Street, Hamadan

City

Hamedan

Postal code

6517838698

Phone

+98 81 3838 0535

Fax

+98 81 3838 0447

Email

bikmoradi@umsha.ac.ir; abeikmoradi@yahoo.com

Web page address

www.umsha.ac.ir

Person responsible for scientific inquiries

Contact

Name of organization / entity

Department of Medical Surgical Nursing

Full name of responsible person

Dr. Ali Bikmoradi

Position

Medical Education Management

Other areas of specialty/work

Street address

Department of Medical Surgical Nursing, Nursing and Midwifery School, Hamadan University of Medical Sciences, Shahid Fahmideh, Hamadan

City

Hamadan

Postal code

6517838698

Phone

+98 81 3838 0535

Fax

+98 81 3838 0447

Email

bikmoradi@umsha.ac.ir; abeikmoradi@yahoo.com

Web page address

www.umsha.ac.ir

Sciences, Shaheed Fahmideh Street, Hamadan

City

Hamadan

Postal code

6517838698

Phone

+98 81 3838 0535

Fax

+98 81 3838 0447

Email

bikmoradi@umsha.ac.ir; abeikmoradi@yahoo.com

Web page address

www.umsha.ac.ir

Person responsible for updating data**Contact****Name of organization / entity**

Department of Medical Surgical Nursing

Full name of responsible person

Dr. Ali Bikmoradi

Position

Medical Education Management

Other areas of specialty/work**Street address**

Department of Medical Surgical Nursing, Nursing and Midwifery School, Hamadan University of Medical

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

empty

Study Protocol

empty

Statistical Analysis Plan

empty

Informed Consent Form

empty

Clinical Study Report

empty

Analytic Code

empty

Data Dictionary

empty