

Clinical Trial Protocol

Iranian Registry of Clinical Trials

11 Sep 2026

The effect of Family-Centered Empowerment Model implementation on family caregivers' burden and ability to perform daily living activities of hospitalized patients with stroke in selected teaching hospitals of Shahid Beheshti University of Medical Sciences

Protocol summary

Summary

The purpose of the study is to determine the effect of family-centered empowerment model on family caregivers' burden and the ability to perform daily activities of life in patients with stroke admitted to selected educational hospitals affiliated to Shahid Beheshti University of Medical Sciences Design Study: Randomized, blind, controlled, single center, stage one trial Population of the study: All patients with stroke admitted to the neurology wards of hospitals affiliated to Shahid Beheshti University of Medical Sciences and their family caregivers Main entry criteria of the study: Patient entry criteria: 1. Having disability degree of 3, 4 or 5 according to the standard Rankin scale. 2. Educability. 3. Age 45 years and up. Family Caregiver Entry criteria: 1. Age 18 years old. 2. Having reading and writing skills and ability to speak Persian. 3. Calling possibility. Patient exit criteria: 1. Readmission or death of the patient before the final evaluation. Family care exit criteria: 1. Changing of the family caregiver. Research Area: The neurology wards of selected educational hospitals affiliated to Shahid Beheshti University of Medical Sciences (Imam Hossein, Martyrs of Tajrish and Loghman Hakim Hospitals) Sample size: n=90 (n1=n2=45) B- Intervention: Family-centered empowerment model implementation for caregivers of patients with stroke C- time of intervention: about 6 months (4 days for every caregiver and his/her patient) D-Primary outcomes of the study: Increasing the ability to perform activities of daily living in patients with stroke and reducing the caregivers' burden in the intervention group Secondary outcomes: Increased perceived threat of family caregivers, increased self-efficacy of family caregivers, increased self-esteem of family caregivers, internalization of Health Locus of Control in family caregivers

General information

Acronym

IRCT registration information

IRCT registration number: **IRCT2017071835170N1**

Registration date: **2017-07-29, 1396/05/07**

Registration timing: **prospective**

Last update:

Update count: **0**

Registration date

2017-07-29, 1396/05/07

Registrant information

Name

Narjes Deyhoul

Name of organization / entity

Faculty of Nursing and Midwifery, Shahid Beheshti University of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 21 23871

Email address

narges.deyhoul@sbmu.ac.ir

Recruitment status

Recruitment complete

Funding source

Faculty of Nursing and Midwifery, Shahid Beheshti University of Medical Sciences

Expected recruitment start date

2017-12-26, 1396/10/05

Expected recruitment end date

2018-03-20, 1396/12/29

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

The effect of Family-Centered Empowerment Model implementation on family caregivers' burden and ability to perform daily living activities of hospitalized patients with stroke in selected teaching hospitals of Shahid Beheshti University of Medical Sciences

Public title

The effect of Family-Centered Empowerment Model in stroke

Purpose

Supportive

Inclusion/Exclusion criteria

Patient entry criteria: 1. Having stroke. 2. disability degree of 3, 4 or 5 in accordance with the standard Rankin scale. 3. Educability. 4. Age 45 years and up. 5. Hospital admission for at least 4 days. 6. Transfer to the home after discharge and being under the care of the family care provider. Family caregiver entry criteria: 1. Lack of previous care of another patient with chronic illness. 2. Not having academic education in the field of medical science in the caregiver or other family members of the patient. 3. Age 18 years old and up. 4. Having reading and writing skills and ability to speak Persian 5. Calling possibility. Patient exit criteria: 1. Readmission or death of the patient before the final evaluation. 2. Not participating in implementation of the education participatory step of family-centered empowerment model. 3. Receiving an educational program except the normal schedule of the hospital during the study period. Family caregiver exit criteria: 1. Changing of the family caregiver. 2. Lack of regular participation in the implementation of family-center empowerment model steps. 3. Receiving an educational program except the normal schedule of the hospital during the study period.

AgeFrom **45 years** old to **99 years** old**Gender**

Both

Phase

N/A

Groups that have been masked*No information***Sample size**Target sample size: **90****Randomization (investigator's opinion)**

Randomized

Randomization description**Blinding (investigator's opinion)**

Single blinded

Blinding description**Placebo**

Not used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Shahid Beheshti University of Medical Sciences Ethics committee

Street address

Valiasr Street intersection of Niayesh across the Shahid Rajaei Hospital

City

Tehran

Postal code**Approval date**

2016-05-16, 1395/02/27

Ethics committee reference number

IR.SBMU.PHNM.1395.391

Health conditions studied**1****Description of health condition studied**

Stroke

ICD-10 code

I64

ICD-10 code description

Stroke, not specified as haemorrhage or infarction

Primary outcomes**1****Description**

Ability to do daily life activities

Timepoint

Before intervention, immediately after intervention, 2 weeks after intervention, 2 months after intervention

Method of measurement

Barthel Index

2**Description**

Burden of care

Timepoint

Before intervention, immediately after intervention, 2 weeks after intervention, 2 months after intervention

Method of measurement

Novak & Guest Caregiver Burden Inventory

Secondary outcomes**1****Description**

Perceived threat

Timepoint

Before intervention, immediately after intervention, 2 weeks after intervention, 2 months after intervention

Method of measurement

Researcher-made Questionnaire of Perceived Threat

2

Description

Self-efficacy

Timepoint

Before intervention, immediately after intervention, 2 weeks after intervention, 2 months after intervention

Method of measurement

General Self Efficacy-10

3

Description

Self-Esteem

Timepoint

Before intervention, immediately after intervention, 2 weeks after intervention, 2 months after intervention

Method of measurement

Rosenberg Self_Esteem Scale

4

Description

Health Locus of Control

Timepoint

Before intervention, immediately after intervention, 2 weeks after intervention, 2 months after intervention

Method of measurement

Multidimensional Health Locus of Control scale

Intervention groups

1

Description

Intervention group: Implementation of family-centered empowerment model for family caregivers in the intervention group, in 4 sessions of two hours and in 4 consecutive days during the hospitalization of the patient in the classroom in the ward. The following is a detailed description of the interventions of each step in this model.

- o The first step (to increase the perceived threat): At this stage, the perceived threat of family caregivers will increase, through the mechanism of perceived susceptibility and perceived severity with increasing knowledge and attitudes towards stroke, the risk and its complications for family members. Accordingly the researcher will explain educational materials to the family caregiver including the importance of stroke, definition, symptoms, risk factors, prevention, treatment, complications and the proper care of patients focused on providing the solutions to enhance the ability to perform daily activities of life (personal grooming, bathing, eating, toilet and purity, going up and down stairs, getting dressed, bowel control, bladder control, gait and mobility) face to face and through methods lectures, discussion of questions and answers, Using the

educational slides and practical illustrations, during two 2-hour sessions in 2 consecutive days. The perceived threat of family caregivers before, immediately, 2 weeks, and 2 months after the implementation of the family-centered empowerment model will be examined by the researcher-made questionnaire of perceived threat.

- o The second step (increasing self-efficacy): At this stage, self-efficacy and a sense of control over the conditions in the caregiver will be enhanced through problem-solving. Researcher and caregiver will have a face-to-face consultation and discussion session during a two-hour meeting. At this stage, family caregivers are faced with their problems and the process of problem solving, and will be discussed by the researcher, with objective examples of their own situation and what to do to improve the similar problem. So they can learn skills needed to find solutions and apply the problem solving process. Self-efficacy of family caregivers will be examined before, immediately, 2 weeks and 2 months after the implementation of the family-centered empowerment model by the general self-efficacy scale-10.
- o Step Three (Increasing self-esteem): At this stage, self-esteem will be promoted through collaborative education. It should be noted that in implementing this step from the family-centered empowerment model, learning to increase self-esteem is considered. So, the pamphlets and educational package will be provided to family caregivers, and he/she will be asked to provide a summary of the lessons taught and in a simple and understandable way to the patient family member during the two-hour session in the presence of the researcher. In this way, the researcher will implement a strategy to increase self-esteem in family caregivers and ensure the accuracy of learning the contents taught in previous steps. The family caregiver is also requested to explain again educational package to the patient in the first week of discharge. At the end of the session. Self-esteem of family caregivers will be examined before, immediately, 2 weeks and 2 months after the implementation of the family-centered empowerment model by Rosenberg Self-esteem Scale.
- o Step four (Evaluation): This step of the model will be carried out in two ways: the process evaluation (process evaluation is evaluation of the steps of model mentioned above including the evaluation of the effectiveness of implementing family-centered empowerment model on perceived threat, self-efficacy, self-esteem and health locus of control of family caregivers) and the final evaluation. The final evaluation is also evaluation the effect of implementing the family-centered empowerment model on family caregivers' burden and the ability to perform activities of daily life in patients with stroke before, immediately, 2 weeks, and 2 months after full implementation of the model steps.

Category

Lifestyle

2

Description

Control group: there are no interventions in this group. Measures for measuring the variables of the research will be carried out as in the intervention group.

Category

N/A

Recruitment centers**1****Recruitment center****Name of recruitment center**

Imam Hossein Hospital (AS)

Full name of responsible person

Narjes Deyhoul

Street address**City**

Tehran

2**Recruitment center****Name of recruitment center**

Shahdaye Tajrish Hospital

Full name of responsible person

Narjes Deyhoul

Street address**City**

Tehran

3**Recruitment center****Name of recruitment center**

Loghman Hakim Hospital

Full name of responsible person

Narjes Deyhoul

Street address**City**

Tehran

Sponsors / Funding sources**1****Sponsor****Name of organization / entity**Faculty of Nursing and Midwifery, Shahid Beheshti
University of Medical Sciences**Full name of responsible person**

Parvaneh Vasli

Street addressValiasr Street intersection of Niayesh across the
Shahid Rajaei Hospital**City**

Tehran

Grant name**Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

Title of funding sourceFaculty of Nursing and Midwifery, Shahid Beheshti
University of Medical Sciences**Proportion provided by this source**

100

Public or private sector*empty***Domestic or foreign origin***empty***Category of foreign source of funding***empty***Country of origin****Type of organization providing the funding***empty***Person responsible for general inquiries****Contact****Name of organization / entity**Faculty of Nursing and Midwifery, Shahid Beheshti
University of Medical Sciences**Full name of responsible person**

Narjes Deyhoul

Position

MSc Student of Community Health Nursing

Other areas of specialty/work**Street address**Valiasr Street intersection of Niayesh across the
Shahid Rajaei Hospital**City**

Tehran

Postal code**Phone**

+98 21 8865 5366

Fax**Email**

narges.deyhoul@sbmu.ac.irnarges.dyhl@gmail.com

Web page address**Person responsible for scientific inquiries****Contact****Name of organization / entity**Faculty of Nursing and Midwifery, Shahid Beheshti
University of Medical Sciences**Full name of responsible person**

Parvaneh Vasli

Position

Ph.D of Nursing

Other areas of specialty/work**Street address**Valiasr Street intersection of Niayesh across the
Shahid Rajaei Hospital**City**

Tehran

Postal code**Phone**

+98 21 8865 5366

Fax**Email**

p-vasli@sbmu.ac.irparvanehvasli@yahoo.com

Web page address

Person responsible for updating data

Contact

Name of organization / entity

Faculty of Nursing and Midwifery, Shahid Beheshti
University of Medical Sciences

Full name of responsible person

Narges Deyhoul

Position

MSc Student Community Health Nursing

Other areas of specialty/work**Street address**

Valiasr Street intersection of Niayesh across the
Shahid Rajaei Hospital

City

Tehran

Postal code**Phone**

+98 21 8865 5366

Fax**Email**

narges.deyhoul@sbmu.ac.irnarges.dyhl@gmail.com

Web page address

Sharing plan

Deidentified Individual Participant Data Set (IPD)

empty

Study Protocol

empty

Statistical Analysis Plan

empty

Informed Consent Form

empty

Clinical Study Report

empty

Analytic Code

empty

Data Dictionary

empty