

Clinical Trial Protocol

Iranian Registry of Clinical Trials

10 Jun 2026

Comparison of the effect of TENS and music therapy on pain relief in labor and postpartum: A randomized clinical trial

Protocol summary

Study aim

Comparison of the effect of TENS and music therapy on pain relief in labor and postpartum

Design

A randomized control trial, community base with 3 groups of TENS(n=50) , music (n=50) and control (n=50), not blinded.

Settings and conduct

women with singleton pregnancy who refer to Shohada hospital with inclusion criteria would enter to this study. At first the score of pain with VAS ruler will determine. Then women in music group(n=50) will listen to their favorite music during labor until 4 hours after delivery. TENS electrodes will be stucked to lumbar region(T10 - S2) of women in TENS group(n=50) during labor till 4 hours after delivery. Women in control group receive routine care(n=50). Every one hour during labor and every 2 hours during 4 hours after delivery and every 6 hours till 24 hours after delivery, women will be asked about the score of pain according to VAS ruler. In addition length of active phase, stage II of labor, maternal and neonatal complications, neonatal APGAR score, score of pain after delivery, analgesic usage during 24 hours after delivery and patients satisfaction will check and analyze with SPSS 21.

Participants/Inclusion and exclusion criteria

main inclusion criteria:women with singleton pregnancy which begins spontaneous labor pain and they are in the active phase of labor main exclusion criteria: patient unwillingness of cooperation in the study, indication for augmentation or cesarean section

Intervention groups

TENS(transcutaneous electrical nerve stimulation) group: patients who use TENS during active phase. Music group: patients who listen to their favorite music during active phase of labor. Control group: patients who use nothing during active phase.

Main outcome variables

pain score during labor and postpartum; duration of

active phase and stage2 of labor, patient satisfaction, analgesic use, APGAR and umbilical cord PH.

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20160722029027N5**

Registration date: **2018-05-04, 1397/02/14**

Registration timing: **retrospective**

Last update: **2018-05-04, 1397/02/14**

Update count: **0**

Registration date

2018-05-04, 1397/02/14

Registrant information

Name

Leila Nazari

Name of organization / entity

Shahid Beheshti University of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 21 2271 8000

Email address

nazari@sbmu.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2016-09-21, 1395/06/31

Expected recruitment end date

2018-03-20, 1396/12/29

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date
empty

Scientific title
Comparison of the effect of TENS and music therapy on pain relief in labor and postpartum: A randomized clinical trial

Public title
Comparison of the effect of TENS and music therapy on pain relief in labor and postpartum: A randomized clinical trial

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
singleton pregnancy estimated fetal weight 2500-4000 cephalic presentation normal FHR no use of analgesic and opium from 48h before entrance into trial spontaneous labor pain normal back skin no history of cesarean section no contraindication of NVD no history of cardiorespiratory disease no history of psychology disorders no history of hearing disorders active phase of labor
Exclusion criteria:
patient unwillingness to continue cooperation indications for augmentation during labor indications for emergent C/S

Age
No age limit

Gender
Female

Phase
N/A

Groups that have been masked
No information

Sample size
Target sample size: **150**
Actual sample size reached: **150**

Randomization (investigator's opinion)
Randomized

Randomization description
In this study,the patients will randomly and with random number tables and computerized, divided in 3 groups; TENS, music and control after initiation of active phase of labor

Blinding (investigator's opinion)
Not blinded

Blinding description

Placebo
Not used

Assignment
Factorial

Other design features

Secondary Ids
empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics committee of Shahid Beheshti University

Street address

Shahid chamran highway, Evin, next to Taleghani hospital

City

Tehran

Province

Tehran

Postal code

1983969411

Approval date

2015-10-12, 1394/07/20

Ethics committee reference number

IR.SBMU.SM.REC.1394.48

Health conditions studied

1

Description of health condition studied

delivery

ICD-10 code

O80

ICD-10 code description

Single spontaneous delivery

Primary outcomes

1

Description

Pain score during labor

Timepoint

Before intervention, every 1 hour during active phase of labor till delivery

Method of measurement

visual analogue scale for measurement of pain with questionnaire

2

Description

Pain score in postpartum

Timepoint

Every 2 hours till 4 hours after delivery and every 6 hours till 24 hours after delivery.

Method of measurement

visual analogue scale for measurement of pain with questionnaire

Secondary outcomes

1

Description

Satisfaction
Timepoint
24 hours after delivery
Method of measurement
questionnaire

2

Description
duration of active phase
Timepoint
From entrance to active phase till full dilatation of cervix
Method of measurement
hour

3

Description
duration of stage 2 labor
Timepoint
From full cervical dilatation till delivery
Method of measurement
minuets

4

Description
neonatal APGAR
Timepoint
1 and 5 minutes after birth
Method of measurement
APGAR scoring system

5

Description
Analgesic usage in postpartum
Timepoint
24 hours after delivery
Method of measurement
Questionnaire

Intervention groups

1

Description
Intervention group 1(TENS:trans cutaneous electrical nerve stimulation): TENS electrodes will stick to lumbar region of patients in this group from T10 to S2, from entrance of active phase till 4 hours after delivery. Electrical impulses are under control of the patient.
Category
Treatment - Devices

2

Description
Intervention group 2(music group): patients in this group will listen to their favorite musics from entrance to the active phase till 4 hours after delivery.
Category
Treatment - Other

3

Description
Control group: patients who enter to active phase of labor which receive routine care.
Category
Other

Recruitment centers

1

Recruitment center
Name of recruitment center
Tajrish shohada's hospital
Full name of responsible person
Dr. Leila Nazari
Street address
Tajrish square
City
Teharn
Province
Tehran
Postal code
1989934148
Phone
+98 21 25719
Email
nazari@sbmu.ac.ir

Sponsors / Funding sources

1

Sponsor
Name of organization / entity
Shahid Beheshti University of Medical Sciences
Full name of responsible person
Afshin Zarghi
Street address
Shahid Beheshti University of Medical Sciences,
Yaman st, Velenjak, Chamran highway
City
Tehran
Province
Tehran
Postal code
1985717434
Phone
+98 21 2243 9781
Email
zarghi@sbmu.ac.ir
Grant name
Grant code / Reference number
Is the source of funding the same sponsor organization/entity?
Yes
Title of funding source
Shahid Beheshti University of Medical Sciences
Proportion provided by this source
100
Public or private sector

Public
Domestic or foreign origin
Domestic
Category of foreign source of funding
empty
Country of origin
Type of organization providing the funding
Academic

Person responsible for general inquiries

Contact

Name of organization / entity
Shahid Beheshti University of Medical Sciences
Full name of responsible person
Athena Behforouz
Position
Obstetric and Gynecology resident
Latest degree
Medical doctor
Other areas of specialty/work
Gynecology and Obstetrics
Street address
Tajrish square, Shohada's hospital
City
Tehran
Province
Tehran
Postal code
1989934148
Phone
+98 21 25719
Email
behforouz.a@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity
Shahid Beheshti University of Medical Sciences
Full name of responsible person
leila nazari
Position
Fellowship of Infertility
Latest degree
Specialist
Other areas of specialty/work
Gynecology and Obstetrics
Street address
Tajrish square, Shohada's hospital
City
Tehran
Province
Tehran
Postal code
1989934148
Phone
+98 21 25719
Email
nazari@sbmu.ac.ir

Person responsible for updating data

Contact

Name of organization / entity
Shahid Beheshti University of Medical Sciences
Full name of responsible person
Athena Behforouz
Position
Obstetric and Gynecology resident
Latest degree
Medical doctor
Other areas of specialty/work
Gynecology and Obstetrics
Street address
Tajrish square, shohada's hospital
City
Tehran
Province
Tehran
Postal code
1989934148
Phone
+98 21 25719
Email
behforouz.a@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available

Title and more details about the data/document

IPD collected for the primary outcome measure will be shared

When the data will become available and for how long

starting 6 months after publication

To whom data/document is available

people working in academic institutions

Under which criteria data/document could be used

increasing the clinical information and for review articles

From where data/document is obtainable

Via email: behforouz.a@gmail.com

What processes are involved for a request to access data/document

Access will be done with the opinion of the professors involved in the work

Comments

