

Clinical Trial Protocol

Iranian Registry of Clinical Trials

20 Jun 2026

Comparative study of the effect of subcutaneous and intracutaneous injection of distilled sterilized water and normal saline on the severity of pain, duration, and some outcomes of labor in primipara women

Protocol summary

Study aim

Determine the effect of intracutaneous and subcutaneous injection of distilled sterilized water on the severity of pain and the duration of the active phase of the first stage of labor in primipara women

Design

The clinical trial included two intervention groups and two control groups, with parallel groups, triple blind, randomized trials, randomized using cards with numbers from 1 to 4, design of 164 sample, sampling from 05/05/2013 to 23/09/2014

Settings and conduct

Based on the inclusion criteria and obtaining a written consent of the samples about how to do the study, information about pain intensity at 5 minutes before injection and 30, 60, 90, 120, 150, 180 minutes after injection, duration of the active phase of the first stage of labor, duration of the second stage of labor, delivery type, delivery satisfaction, perineum status, type and degree of rupture through the examination and interviews were collected. The severity of pain was measured by McGill's visual analogue scale pain. In order to randomize, the cards are prepared and four numbers 1, 2, 3, and 4 are written and placed inside the packets in an unspecified manner and research unit remove one of the envelopes, if there is a number 1 in the group of intracutaneous of injection distilled sterilized water, number 2 subcutaneous injection of distilled sterilized water, number 3 in the group intracutaneous of injection normal saline and number 4 in the subcutaneous group of injection normal saline are placed. In groups 1 and 3, at each point Michael 's rhomboid 0.15 cc and in groups 2 and 4, at each point a 0.5 ml distilled sterilized water or normal saline was injected. Injection is performed in each of the four groups at intervals between contractions in the sitting position by insulin syringe. In order to blind the study the assessor from the group assigned to the

samples is not aware. The researcher does not know from the group assigned to the specimens.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Pregnant women aged between 18 and 35 years old, primiparous women, Gestational age between full 37-41 weeks, singleton pregnancy; non-compliance criterion: All high risk pregnant women (preeclampsia, diabetes, oligo-hydramnious, polyhydramnious, etc.), using any pharmacological or non-pharmacological method to reduce pain in the course of labor

Intervention groups

Intracutaneous injection of distilled sterilized water, subcutaneous injection of distilled sterilized water, intracutaneous injection of normal saline, subcutaneous injection of normal saline

Main outcome variables

The main consequences include the severity of labor pain; duration of the active phase of the first stage of labor; duration of the second stage of labor; type of delivery; satisfaction of delivery

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20180128038535N1**

Registration date: **2018-02-22, 1396/12/03**

Registration timing: **retrospective**

Last update: **2018-02-22, 1396/12/03**

Update count: **0**

Registration date

2018-02-22, 1396/12/03

Registrant information

Name

Mehri Rezaie

Name of organization / entity**Country**

Iran (Islamic Republic of)

Phone

+98 86 4223 0789

Email address

me.rezaei@savehums.ac.ir

Recruitment status

Recruitment complete

Funding source**Expected recruitment start date**

2013-05-05, 1392/02/15

Expected recruitment end date

2014-05-05, 1393/02/15

Actual recruitment start date

2013-05-05, 1392/02/15

Actual recruitment end date

2014-09-23, 1393/07/01

Trial completion date

empty

Scientific title

Comparative study of the effect of subcutaneous and intracutaneous injection of distilled sterilized water and normal saline on the severity of pain, duration, and some outcomes of labor in primipara women

Public title

The effect of subcutaneous and intracutaneous injection of distilled sterilized water and normal saline on the severity of childbirth pain

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

Pregnant women aged between 18 and 35 years old
Primiparous women Gestational age between 37-41 full weeks
Singleton pregnancy Head presentation
There are at least 3 contractions in 10 minutes
Dilatation of cervix 4-6 cm
Fetus station -1 to down
Effacement of cervix more than 50%

Exclusion criteria:

All high risk pregnant women (preeclampsia, diabetes, oligo-hydramnios, polyhydramnios, etc)
Applying any pharmacological or non-pharmacological method to reduce labor pain
Drug abuse
Fetal distress

Age

From **18 years** old to **35 years** old

Gender

Female

Phase

N/A

Groups that have been masked

- Care provider
- Investigator
- Outcome assessor

Sample size

Target sample size: **164**

Actual sample size reached: **164**

Randomization (investigator's opinion)

Randomized

Randomization description

In order to randomize, the cards are prepared and four numbers 1, 2, 3, and 4 are written and placed inside the packets in an unspecified manner and research unit remove one of the envelopes, if there is a number 1 in the group of intracutaneous of injection distilled sterilized water, number 2 subcutaneous injection of distilled sterilized water, number 3 in the group intracutaneous of injection normal saline and number 4 in the subcutaneous group of injection normal saline are placed.

Blinding (investigator's opinion)

Triple blinded

Blinding description

Clinical care (interventionist) is unaware of the goals of the study. The assessor from the group assigned to the samples is not aware. The researcher does not know from the group assigned to the specimens.

Placebo

Not used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Jahrom University of Medical Sciences

Street address

Ostad Motahari Blvd, University campus

City

Jahrom

Province

Fars

Postal code

7414846199

Approval date

2013-02-01, 1391/11/13

Ethics committee reference number

IR.JUMS.REC.139.076

Health conditions studied**1****Description of health condition studied**

Study of the effect of injection distilled sterilized water and normal saline on the severity of labor pain

ICD-10 code

R52.9

ICD-10 code description

Pain, unspecified

Primary outcomes

1

Description

Severity of labor pain

Timepoint

5 minutes before the intervention and 30, 60, 90, 120, 150 and 180 minutes after the intervention

Method of measurement

Visual analogue Scale of McGill Pain

2

Description

Duration of the active phase of the first stage of labor

Timepoint

Immediately after intervention

Method of measurement

Kronometer

3

Description

Duration of the second stage of labor پس از مداخله

Timepoint

After the intervention

Method of measurement

Kronometer

4

Description

Satisfaction of delivery

Timepoint

After the intervention

Method of measurement

questionnaire

5

Description

Type of delivery

Timepoint

After the intervention

Method of measurement

observation

Secondary outcomes

1

Description

Perineum status after delivery

Timepoint

after the intervention

Method of measurement

Observation and examination

2

Description

Tear type

Timepoint

after the intervention

Method of measurement

Observation and examination

3

Description

Rupture degree

Timepoint

after the intervention

Method of measurement

Observation and examination

Intervention groups

1

Description

Intervention group: Intracutaneous injection of distilled sterilized water

Category

Treatment - Other

2

Description

Intervention group: Subcutaneous injection of distilled sterilized water

Category

Treatment - Other

3

Description

control group: Intracutaneous normal saline injection

Category

Treatment - Other

4

Description

Control group: Subcutaneous normal saline injection

Category

Treatment - Other

Recruitment centers

1

Recruitment center

Name of recruitment center

Ostad Motahari hospital of Jahrom

Full name of responsible person

Mehri Rezaie

Street address

Ostad Motahari Blvd

City

Jahrom

Province

Fars

Postal code

5415713597

Phone

+98 71 5433 3002

Email

mehrangize_rezai@yahoo.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Jahrom University of Medical Sciences

Full name of responsible person

Kavoos Solhjoui

Street address

University campus, Ostad Motahari Blvd

City

Jahrom

Province

Fars

Postal code

7414846199

Phone

+98 71 5433 4545

Email

solhjouk@yahoo.com

Grant name

HSR

Grant code / Reference number

94

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Jahrom University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Jahrom University of Medical Sciences

Full name of responsible person

Mehri Rezaie

Position

Non-faculty midwife

Latest degree

Master

Other areas of specialty/work

Midwifery

Street address

Ostad Motahari Blvd

City

Jahrom

Province

Fars

Postal code

5415713597

Phone

+98 71 5433 3002

Email

mehrangize_rezai@yahoo.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Jahrom University of Medical Sciences

Full name of responsible person

Mehri Rezaie

Position

Non-faculty midwife

Latest degree

Master

Other areas of specialty/work

Midwifery

Street address

Ostad Motahari Blvd

City

Jahrom

Province

Fars

Postal code

5415713597

Phone

+98 71 5433 3002

Email

mehrangize_rezai@yahoo.com

Person responsible for updating data

Contact

Name of organization / entity

Jahrom University of Medical Sciences

Full name of responsible person

Meri Rezaie

Position

Non-faculty midwife

Latest degree

Master

Other areas of specialty/work

Midwifery

Street address

Ostad Motahari Blvd

City

Jahrom

Province

Fars

Postal code

5415713597

Phone

+98 71 5433 3002

Email

mehrangize_rezai@yahoo.com

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to

make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available