

# Clinical Trial Protocol

## Iranian Registry of Clinical Trials

05 Jun 2026

### Anesthetic efficacy of Dexamethasone added to Lidocaine for inferior alveolar nerve block in patients with symptomatic irreversible pulpitis

#### Protocol summary

##### Study aim

The purpose of this study was to compare the success rate of IAN block injection carried out with two cartridges of 2% lidocaine with 1:100000 epinephrine each combined with 0.2ml dexamethasone versus two cartridges of 2% lidocaine with 1:100000 epinephrine each combined with 0.2 ml sterile distilled water for endodontic treatment of mandibular molars with symptomatic irreversible pulpitis.

##### Design

Randomised, double-blinded clinical trial with a parallel group design of 100 patients randomly divided into two groups of 50 subjects each, using random number generator software.

##### Settings and conduct

Department of Endodontics, Dental School, Isfahan Each random number will be kept in a separate sealed opaque envelope. This procedure is done by a third person who has no clue and has not involved in the rest of the study and only the random number is used on the data collection sheets to further blind the experiment.

##### Participants/Inclusion and exclusion criteria

One hundred adult patients participated in this clinical trial. All of the subjects were in good health as determined by a health history and oral questioning. Exclusion criteria were as follows: Under 18 years of age, allergy to local anesthetics or sulfites, pregnancy, lactating and the inability to give written informed consent or understand the use of pain scales. Also patients with a periapical lesion (except for a widened periodontal ligament) were not included in this study. Therefore, to qualify for the study, each patient had a vital mandibular molar tooth with a clinical diagnosis of symptomatic irreversible pulpitis.

##### Intervention groups

Intervention group: 2 cartridges of 1.8 mL of 2% lidocaine with epinephrine each combined with 0.2 ml dexamethasone being injected. Control group: 2 cartridges of 1.8 mL of 2% lidocaine with epinephrine

each combined with 0.2 ml sterile distilled water being injected.

##### Main outcome variables

Pain

#### General information

##### Reason for update

##### Acronym

##### IRCT registration information

IRCT registration number: **IRCT20091004002541N7**

Registration date: **2018-05-17, 1397/02/27**

Registration timing: **retrospective**

Last update: **2018-05-17, 1397/02/27**

Update count: **0**

##### Registration date

2018-05-17, 1397/02/27

##### Registrant information

##### Name

Masoud Saatchi

##### Name of organization / entity

School of Dentistry, Isfahan University of Medical Sciences

##### Country

Iran (Islamic Republic of)

##### Phone

+98 31 1792 2822

##### Email address

saatchi@dnt.mui.ac.ir

##### Recruitment status

**Recruitment complete**

##### Funding source

##### Expected recruitment start date

2016-08-01, 1395/05/11

##### Expected recruitment end date

2017-08-01, 1396/05/10

**Actual recruitment start date**

2016-08-01, 1395/05/11

**Actual recruitment end date**

2017-07-23, 1396/05/01

**Trial completion date**

empty

**Scientific title**

Anesthetic efficacy of Dexamethasone added to Lidocaine for inferior alveolar nerve block in patients with symptomatic irreversible pulpitis

**Public title**

Anesthetic efficacy of Dexamethasone added to Lidocaine for inferior alveolar nerve block in patients with symptomatic irreversible pulpitis

**Purpose**

Treatment

**Inclusion/Exclusion criteria****Inclusion criteria:**

Eighteen years of age and over Being in good health condition Having a mandibular molar tooth with symptomatic irreversible pulpitis Normal periapical radiographic appearance (except for a widened periodontal ligament) Not having severe periodontal problem No history of allergy to local anesthesia or sulfite

**Exclusion criteria:**

Pregnancy or lactation Taking any medications that might cause altered pain sensation Any swelling or sinus tract near the target tooth Active sites of pathosis in the area of injection Inability of the patient to give an informed consent Lack of lip numbness within 15 minutes after injection

**Age**

From **18 years** old to **60 years** old

**Gender**

Both

**Phase**

2-3

**Groups that have been masked**

- Participant
- Care provider
- Investigator
- Outcome assessor

**Sample size**

Target sample size: **100**

Actual sample size reached: **100**

**Randomization (investigator's opinion)**

Randomized

**Randomization description**

Patients choose the envelope with simple random sampling protocol to determine which anesthetic solution will be administered.

**Blinding (investigator's opinion)**

Double blinded

**Blinding description**

Five-digit random numbers are being generated by using computer random numbers and they are written on a label on the anesthetic solutions. Each random number will be kept in a separate sealed opaque envelope. All

these procedures is done by a third person who has no clue and has not involved in the rest of the study and only the random number is used on the data collection sheets to further blind the experiment.

**Placebo**

Used

**Assignment**

Parallel

**Other design features****Secondary Ids**

empty

**Ethics committees****1****Ethics committee****Name of ethics committee**

Ethics committee of Isfahan University of Medical Sciences

**Street address**

Isfahan University of Medical Sciences, Hezar Jarib Street, Isfahan, Iran.

**City**

Isfahan

**Province**

Isfahan

**Postal code**

81744-73461

**Approval date**

2016-07-01, 1395/04/11

**Ethics committee reference number**

396731

**Health conditions studied****1****Description of health condition studied**

Irreversible pulpitis

**ICD-10 code**

K04.0

**ICD-10 code description**

Pulpitis

**Primary outcomes****1****Description**

Pain

**Timepoint**

Before treatment and after initiating root canal therapy

**Method of measurement**

Heft-Parker visual analog scale (VAS)

**Secondary outcomes**

## 1

### Description

Post pain

### Timepoint

During procedure

### Method of measurement

Heft-Parker visual analog scale (VAS)

## Intervention groups

## 1

### Description

Intervention group: 2 cartridges of 1.8 mL of 2% lidocaine with epinephrine each combined with 0.2 ml dexamethasone applied by using conventional inferior alveolar nerve block injection technique.

### Category

Treatment - Drugs

## 2

### Description

Control group: 2 cartridges of 1.8 mL of 2% lidocaine with epinephrine each combined with 0.2 ml sterile distilled water applied by using conventional inferior alveolar nerve block injection technique.

### Category

Placebo

## Recruitment centers

## 1

### Recruitment center

#### Name of recruitment center

Department of Endodontics, Dental School, Isfahan

#### Full name of responsible person

Masoud Saatchi

#### Street address

Isfahan University of Medical Sciences, Hezar Jarib Street, Isfahan, Iran.

#### City

Isfahan

#### Province

Isfahan

#### Postal code

81746-73461

#### Phone

+98 31 3792 2822

#### Email

saatchi@dnt.mui.ac.ir

## Sponsors / Funding sources

## 1

### Sponsor

#### Name of organization / entity

Vice chancellor for research, Isfahan University of Medical Sciences

### Full name of responsible person

Masoud Saatchi

### Street address

Vice chancellor for research, Isfahan University of Medical Sciences, Hezar Jarib Street, Isfahan, Iran.

### City

Isfahan

### Province

Isfahan

### Postal code

81746-73461

### Phone

+98 31 3792 2822

### Email

saatchi@dnt.mui.ac.ir

### Grant name

### Grant code / Reference number

### Is the source of funding the same sponsor organization/entity?

Yes

### Title of funding source

Vice chancellor for research, Isfahan University of Medical Sciences

### Proportion provided by this source

100

### Public or private sector

Public

### Domestic or foreign origin

Domestic

### Category of foreign source of funding

*empty*

### Country of origin

### Type of organization providing the funding

Academic

## Person responsible for general inquiries

### Contact

#### Name of organization / entity

Isfahan University of Medical Sciences

#### Full name of responsible person

Masoud Saatchi

#### Position

Professor

#### Latest degree

Specialist

#### Other areas of specialty/work

Dentistry

#### Street address

Isfahan University of Medical Sciences, Hezar Jarib Street, Isfahan, Iran. P.O.Box: 81744-176

#### City

isfahan

#### Province

Isfahan

#### Postal code

81746-73461

#### Phone

+98 31 3792 2822

#### Fax

#### Email

saatchi@dnt.mui.ac.ir

**Web page address**

## Person responsible for scientific inquiries

### Contact

**Name of organization / entity**

Esfahan University of Medical Sciences

**Full name of responsible person**

Masoud Saatchi

**Position**

Professor

**Latest degree**

Specialist

**Other areas of specialty/work**

Dentistry

**Street address**

Isfahan University of Medical Sciences, Hezar Jarib Street, Isfahan, Iran. P.O.Box: 81744-176

**City**

Isfahan

**Province**

Isfahan

**Postal code**

81746-73461

**Phone**

+98 31 3792 2822

**Fax**

**Email**

saatchi@dnt.mui.ac.ir

**Web page address**

## Person responsible for updating data

### Contact

**Name of organization / entity**

Esfahan University of Medical Sciences

**Full name of responsible person**

Masoud Saatchi

**Position**

Professor

**Latest degree**

Specialist

**Other areas of specialty/work**

Dentistry

**Street address**

Isfahan University of Medical Sciences, Hezar Jarib Street, Isfahan, Iran. P.O.Box: 81744-176

**City**

Isfahan

**Province**

Isfahan

**Postal code**

81746-73461

**Phone**

+98 31 3792 2822

**Fax**

**Email**

saatchi@dnt.mui.ac.ir

**Web page address**

## Sharing plan

**Deidentified Individual Participant Data Set (IPD)**

Undecided - It is not yet known if there will be a plan to make this available

**Study Protocol**

Undecided - It is not yet known if there will be a plan to make this available

**Statistical Analysis Plan**

Undecided - It is not yet known if there will be a plan to make this available

**Informed Consent Form**

Undecided - It is not yet known if there will be a plan to make this available

**Clinical Study Report**

Undecided - It is not yet known if there will be a plan to make this available

**Analytic Code**

Undecided - It is not yet known if there will be a plan to make this available

**Data Dictionary**

Undecided - It is not yet known if there will be a plan to make this available