

Clinical Trial Protocol

Iranian Registry of Clinical Trials

23 Feb 2026

The effect of Curcumin, Nigella Sativa, and Curcumin-Nigella Sativa on cellular- molecular and clinical outcomes related to primary osteoporosis among postmenopausal women: A triple blind randomized controlled trial

Protocol summary

Study aim

To determine and comparison of the effect of Curcumin, Nigella Sativa, Curcumin and Nigella Sativa on cellular-molecular and clinical outcomes in postmenopausal women with primary osteoporosis.

Design

In this triple-blind randomized, controlled trial with four parallel arms, 120 postmenopausal women with primary osteoporosis will be randomly assigned into four groups using block randomization with block sizes of 4 and 8, and the ratio of 1: 1: 1: 1, receiving 1) Nigella Sativa, 2) Curcumin nano-missile, 3) Nigella Sativa and Curcumin nano-missile, or 4) both placebo, and will receive the intervention for 6 months.

Settings and conduct

Eligible women will be selected using the information available in Tabriz's health centers, after necessary assessments and receiving written informed consent and will be randomized into one of the four groups, receiving the treatments for six months. Participants, investigators, and statistical analyst will be blinded.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Postmenopausal women aged 50 to 65; Low bone density (T-score <-2.5) in lumbar spine or hip (total and femoral neck) Exclusion criteria: T-score≤-4 in the lumbar spine, T-score≤-3.5 in the hip and femoral neck; taking drugs affecting bone metabolism; systemic diseases and hormonal disorders; coagulation disorders; gastrointestinal ulcers; gallstone

Intervention groups

Receiving the following daily treatments: group 1: one 1000 mg Nigella Sativa oil capsule and one Curcumin placebo; group 2: one 80 mg Curcumin-nanomicelle capsule and one Nigella Sativa placebo group 3: one Curcumin and one Nigella Sativa capsule; and group 4: placebo of both drugs.

Main outcome variables

Bone mineral density, serum levels of bone turnover markers (Osteocalcin, Osteopontin, Total ALP), and serum levels of some inflammatory and oxidative factors (TAC, SOD, MDA, TNF- α , HS-CRP, IL-6)

General information

Reason for update

Hi, Hereby, the study protocol in the measuring part of serum level "CTX", "BSAP", "P1NP" was changed to "osteopontin" and "alkaline phosphatase (ALP)" as alternatives due to high cost and impossibility of assaying. Please agree.

Acronym

IRCT registration information

IRCT registration number: **IRCT20131009014957N4**

Registration date: **2018-07-16, 1397/04/25**

Registration timing: **prospective**

Last update: **2023-01-21, 1401/11/01**

Update count: **3**

Registration date

2018-07-16, 1397/04/25

Registrant information

Name

Azizeh Farshbaf-khalili

Name of organization / entity

Tabriz university of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 41 1333 9151

Email address

farshbafa@tbzmed.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2018-08-16, 1397/05/25

Expected recruitment end date

2019-12-16, 1398/09/25

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

The effect of Curcumin, Nigella Sativa, and Curcumin-Nigella Sativa on cellular- molecular and clinical outcomes related to primary osteoporosis among postmenopausal women: A triple blind randomized controlled trial

Public title

The effect of Curcumin, Nigella Sativa, and Curcumin-Nigella Sativa on outcomes related to primary osteoporosis among postmenopausal women

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

Postmenopausal women aged 50 to 65 years Ability to self-care Resident of Tabriz city Menstrual cessation for at least 12 consecutive months Low bone density (T-score <-2.5) in lumbar spine or hip (total and femoral neck) No fracture history The ability to communicate verbally for answering questions

Exclusion criteria:

T-score≤-4 in lumbar spine or T-score≤-3.5 in femoral neck bone Renal failure and diseases Bone disease other than osteoporosis The use of medications that affect bone metabolism, including intravenous bisphosphonate over the past 5 years, oral bisphosphonate use in the last 6 months, cumulative oral bisphosphonate use for more than 3 years, or more than 1 month between 6-12 months before the study, Use of parathyroid hormone analogues over the past 12 months or strontium, fluoride or cathepsin k inhibitor at any time, use of hormonal medications or corticosteroids during the study or within 3 months before (or more). Chronic liver disease Other systemic diseases, such as diabetes, gastrointestinal disorders, and endocrine disorders Mental illness, as reported by the woman The malignancy, as reported by the woman Taking anti-coagulants, and coagulation disorders Stomach ulcers and gallstones The levels of 25-hydroxyvitamin D less than 20ng/ ml Current Hypercalcemia or hypocalcemia

Age

From **50 years** old to **65 years** old

Gender

Female

Phase

3

Groups that have been masked

- Participant

- Care provider
- Investigator
- Outcome assessor
- Data analyser
- Data and Safety Monitoring Board

Sample size

Target sample size: **120**

Randomization (investigator's opinion)

Randomized

Randomization description

Women with primary osteoporosis were randomly assigned into four groups receiving: 1) Nigella Sativa capsule and curcumin placebo; 2) curcumin capsule and Nigella Sativa placebo; 3) Nigella Sativa and curcumin capsule ; or 4) placebo capsules of Nigella Sativa and curcumin. Allocation sequence will be determined using random blocking of blocks 4 and 8 in RAS software (Random Allocation Software) using a 1: 1: 1: 1 assignment ratio. To conceal the allocation, the medications will be placed inside a consecutively numbered sealed opaque envelopes. Preparation of envelopes and sequence generation will be done by a person not involved in participant recruitment or data collection.

Blinding (investigator's opinion)

Triple blinded

Blinding description

The medications and their placebo will be prepared by the pharmaceutical company in identical shape, color and smell. Investigators, health care providers, outcome assessors, and statistical analyst will be blinded.

Placebo

Used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Tabriz University of Medical Sciences

Street address

Research Vice-chancellor of Tabriz University of Medical Sciences., End of Gholgasht Ave., Tabriz., Iran

City

Tabriz

Province

East Azarbaijan

Postal code

5166614766

Approval date

2018-05-14, 1397/02/24

Ethics committee reference number

IR.TBZMED.REC.1397.131

Health conditions studied

1

Description of health condition studied

Postmenopausal osteoporosis

ICD-10 code

M81

ICD-10 code description

Osteoporosis without current pathological fracture

Primary outcomes

1

Description

Bone mineral density

Timepoint

At the baseline (before intervention) and just after completion of the intervention (6 months after beginning the intervention)

Method of measurement

Dual-energy X-ray absorptiometry (DXA)

2

Description

Serum levels of bone turnover markers (Osteocalcin, Osteopontin, Total Alkaline Phosphatase)

Timepoint

At the baseline (before intervention) and just after completion of the intervention (6 months after beginning of intervention)

Method of measurement

Using the ELISA method

3

Description

Serum levels of some inflammatory factors (TNF- α , hs-CRP, IL-6)

Timepoint

At the baseline (before intervention) and just after completion of the intervention (6 months after beginning of intervention)

Method of measurement

Using calorimeter and ELISA method

Secondary outcomes

1

Description

Serum levels of osteoporosis MicroRNA (miR422a, miR-133a, miR-21 , miR-503)

Timepoint

At the baseline (before intervention) and completion of the intervention (6 months after beginning intervention)

Method of measurement

Using the Real-Time PCR method

2

Description

Quality of life score

Timepoint

At the baseline (before intervention) and 1,3, and 6 months after beginning intervention

Method of measurement

Using the MENQOL questionnaire

3

Description

Body composition analysis score (PBF, MBF, SLM, LBM, VFM, TBW, Mineral)

Timepoint

At the baseline (before intervention) and completion of the intervention (6 months after beginning intervention)

Method of measurement

Body Composition Analyzer

4

Description

The 10-year probability of fracture

Timepoint

At the baseline (before intervention) and completion of intervention (6 months after beginning of study)

Method of measurement

Fracture Risk Assessment Tool (FRAX)

5

Description

Serum levels of some oxidative stress indices (TAC, SOD, MDA)

Timepoint

At the baseline (before intervention) and just after completion of the intervention (6 months after beginning of intervention)

Method of measurement

Using Spectrophotometer and ELISA method

6

Description

Serum levels of Insulin-like Growth Factor-I and binding proteins (TAC, SOD, MDA)

Timepoint

At the baseline (before intervention) and completion of intervention (6 months after beginning of study)

Method of measurement

Using Spectrophotometer and ELISA method

7

Description

Lipid profile

Timepoint

At the baseline (before the intervention) and completion of the intervention (6 months after the beginning of the study)

Method of measurement

biochemical methods

8

Description

Glycemic control indices

Timepoint

At the baseline (before intervention) and completion of the intervention (6 months after the beginning of the study)

Method of measurement

biochemical methods

9

Description

Serum 17-β estradiol

Timepoint

At the baseline (before intervention) and completion of the intervention (6 months after the beginning of the study)

Method of measurement

Using ELISA method

Intervention groups

1

Description

Intervention group 1: One Nigella Sativa oil soft-gel capsule 1000 mg once a day prepared by Baryj Essence pharmaceutical company and one Curcumin placebo capsule containing 80 mg carboxymethyl cellulose once a day produced by Exir Nano Sina company, orally by for 6 months,

Category

Treatment - Drugs

2

Description

Intervention group 2: One Curcumin soft-gel capsule containing 80 mg Curcumin as nanomicelle once a day prepared by Exir Nano Sina company, and one Nigella Sativa placebo capsule containing 1000 mg carboxymethyl cellulose once a day produced by Baryj Essence pharmaceutical company, orally for 6 months.

Category

Treatment - Drugs

3

Description

Intervention group 3: One Nigella Sativa oil soft-gel capsule 1000 mg once a day prepared by Baryj Essence pharmaceutical company and one Curcumin soft-gel capsule containing 80 mg Curcumin as nanomicelle once a day prepared by Exir Nano Sina company, orally for 6 months.

Category

Treatment - Drugs

4

Description

Control group: One Nigella Sativa placebo soft-gel capsule containing 1000 mg carboxymethyl cellulose once a day prepared by Baryj Essence pharmaceutical company and one Curcumin placebo capsule containing 80 mg carboxymethyl cellulose once a day prepared by Exir Nano Sina company, orally for 6 months.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Public health Departments in Tabriz

Full name of responsible person

Dr Mitra Yeghaneh

Street address

Nesfrah Sqre., Tabriz health center

City

Tabriz

Province

East Azarbaijan

Postal code

51837

Phone

+98 41 3444 0057

Email

yeghanehm@tbzmed.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Tabriz University of Medical Sciences

Full name of responsible person

Dr. Abolghasem Jouyban

Street address

No. 2 Central building of the university, Golgasht street, Azadi street

City

Tabriz

Province

East Azarbaijan

Postal code

5166614766

Phone

+98 41 3335 7310

Fax

+98 41 3334 4280

Email

research-vice@tbzmed.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Tabriz University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding*empty***Country of origin****Type of organization providing the funding**

Academic

Person responsible for general inquiries**Contact****Name of organization / entity**

Tabriz University of Medical Sciences

Full name of responsible person

Dr. Azizeh Farshbaf-Khalili

Position

Assistant Professor

Latest degree

Ph.D.

Other areas of specialty/work

Nutrition

Street addressGolgashat Street, Imam Reza Hospital, Ground Floor,
Research Center of Physical Medicine and
Rehabilitation**City**

Tabriz

Province

East Azarbaijan

Postal code

5166614766

Phone

+98 41 3336 1928

Email

farshbafa@tbzmed.ac.ir

Person responsible for scientific inquiries**Contact****Name of organization / entity**

Tabriz University of Medical Sciences

Full name of responsible person

Dr. Azizeh Farshbaf-Khalili

Position

Assistant Professor

Latest degree

Ph.D.

Other areas of specialty/work

Nutrition

Street addressGolgashat Street, Imam Reza Hospital, Ground Floor,
Research Center of Physical Medicine and
Rehabilitation**City**

Tabriz

Province

East Azarbaijan

Postal code

5166614766

Phone

+98 41 3336 1928

Email

farshbafa@tbzmed.ac.ir

Person responsible for updating data**Contact****Name of organization / entity**

Tabriz University of Medical Sciences

Full name of responsible person

Dr. Azizeh Farshbaf-Khalili

Position

Assistant Professor

Latest degree

Ph.D.

Other areas of specialty/work

Nutrition

Street addressGolgashat Street, Imam Reza Hospital, Ground Floor,
Research Center of Physical Medicine and
Rehabilitation**City**

Tabriz

Province

East Azarbaijan

Postal code

5166614766

Phone

+98 41 3336 1928

Email

farshbafa@tbzmed.ac.ir

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

Yes - There is a plan to make this available

Study Protocol

No - There is not a plan to make this available

Statistical Analysis Plan

No - There is not a plan to make this available

Informed Consent Form

No - There is not a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic CodeUndecided - It is not yet known if there will be a plan to
make this available**Data Dictionary**Undecided - It is not yet known if there will be a plan to
make this available**Title and more details about the data/document**Requested data will be provided to researchers for
statistical analysis of the submitted proposal (meta-
analysis).**When the data will become available and for how long**

starting immediately after publication

To whom data/document is available

Data will be available to researchers as well as to

journals.

Under which criteria data/document could be used

The data will be available to researchers upon request and submission of a proposal to perform meta-analysis using IPD data after being unidentified. Also, in exceptional cases, data will be made available to journals for checking.

From where data/document is obtainable

Refer to the email address (farshbafa@tbzmed.ac.ir).

What processes are involved for a request to access data/document

The requests will be sent by email and data will be available within a week.

Comments