

# Clinical Trial Protocol

## Iranian Registry of Clinical Trials

01 Jun 2026

### Comparison of oral Midazolam with oral Zolpidem on the anxiety of children undergoing eye evaluation under general anesthesia

#### Protocol summary

##### Study aim

Comparison of efficacy of oral Midazolam and oral Zolpidem on children's anxiety before surgery

##### Design

A double-blind, randomized clinical trial with community-based and pragmatic control group and parallel group design

##### Settings and conduct

In this double-blind randomized clinical trial, the children undergoing eye examination under general anesthesia at Rasool Akram Hospital, Tehran, Iran will enter to study. The selected patients will be randomly assigned to receive either midazolam 0.25 mg/kg oral 30 minutes before surgery or zolpidem 0.25 mg/kg oral 30 minutes before surgery. The randomization is done by a computer program and children will be blind to medications. The anxiety is measured using an observational device called the Modified Yale Preoperative Anxiety Scale which will be filled out by an anesthesiologist who is blind to the type of intervention.

##### Participants/Inclusion and exclusion criteria

Inclusion criteria: Male or female patients aged between 3 to 9; being in class 1 and 2 according to the American Association of Anesthesiologists; eye evaluation under general anesthesia. Exclusion criteria: Contraindication to pre-operative sedation; known allergy or sensitivity to drugs; patient's weight below the fifth or above 95th percentile on the CDC-developed growth chart; Children with metabolic, endocrine, cardiopulmonary or hepatic diseases

##### Intervention groups

Control group: At first anxiety score is measured half an hour before entering the operating room, and .25 mg/kg of midazolam is given orally. Then the anxiety score is measured at the time of entering the operating room and seeing the anesthetic mask. Intervention group: At first, the anxiety score is measured half an hour before entering the operating room and .25 mg/kg of zolpidem is given orally then the anxiety score is measured at the

time of entering the operating room and seeing the anesthetic mask .

##### Main outcome variables

Child anxiety score

#### General information

##### Reason for update

##### Acronym

##### IRCT registration information

IRCT registration number: **IRCT20141127020112N7**

Registration date: **2018-10-19, 1397/07/27**

Registration timing: **retrospective**

Last update: **2018-10-19, 1397/07/27**

Update count: **0**

##### Registration date

2018-10-19, 1397/07/27

##### Registrant information

##### Name

Pooya Derakhshan

##### Name of organization / entity

Birjand University of Medical Sciences

##### Country

Iran (Islamic Republic of)

##### Phone

+98 56 3234 1410

##### Email address

pooya\_derakhshan@bums.ac.ir

##### Recruitment status

**Recruitment complete**

##### Funding source

##### Expected recruitment start date

2018-07-27, 1397/05/05

##### Expected recruitment end date

2018-08-27, 1397/06/05

##### Actual recruitment start date

empty

**Actual recruitment end date**  
empty

**Trial completion date**  
empty

**Scientific title**  
Comparison of oral Midazolam with oral Zolpidem on the anxiety of children undergoing eye evaluation under general anesthesia

**Public title**  
Effect of Zolpidem and Midazolam on anxiety of children

**Purpose**  
Treatment

**Inclusion/Exclusion criteria**  
**Inclusion criteria:**  
Pediatric patients ages 2-9 years ASA class I-II undergoing eye evaluation under general anesthesia  
**Exclusion criteria:**  
contraindication to preoperative sedation, known allergy or sensitivity to the study medications parents' unwillingness on the children's participation in the study Patients with weights below the 5th percentile or above the 95th percentile according to the current published CDC growth chart Children with metabolic, endocrine, cardiac, pulmonary or hepatic diseases

**Age**  
From **2 years** old to **9 years** old

**Gender**  
Both

**Phase**  
3

**Groups that have been masked**

- Participant
- Care provider
- Investigator
- Outcome assessor
- Data analyser

**Sample size**  
Target sample size: **56**

**Randomization (investigator's opinion)**  
Randomized

**Randomization description**  
Patients are randomly divided into 2 groups. Randomization is done by a computer program and the host does not know. For random assignment, the random-between command in Excel software is used. Individuals with an even code are assigned to the Midazolam group and individuals with the odd code are assigned to the Zolpidem group.

**Blinding (investigator's opinion)**  
Double blinded

**Blinding description**  
Both medicines given to patients ,are dissolved in same juice and kept in the same containers. The parents of patients and the collectors of the data, do not know the type of drug administered to the child.

**Placebo**  
Not used

**Assignment**

Parallel

**Other design features**

## Secondary Ids

empty

## Ethics committees

### 1

#### Ethics committee

##### Name of ethics committee

Ethics committee of Iran University of Medical Sciences

##### Street address

Iran University of Medical Sciences, Next to Milad tower, Hemmat highway

##### City

Tehran

##### Province

Tehran

##### Postal code

۱۴۴۹۶۱۴۵۳۵

#### Approval date

2017-10-14, 1396/07/22

#### Ethics committee reference number

IR.IUMS.FMD.REC 1396.9411174011

## Health conditions studied

### 1

#### Description of health condition studied

Anxiety in children before surgery

#### ICD-10 code

#### ICD-10 code description

## Primary outcomes

### 1

#### Description

Anxiety score

#### Timepoint

Measuring the anxiety level at the beginning of the study (before the intervention) and thirty minutes after taking the drug

#### Method of measurement

Modified Yale preoperative anxiety scale

## Secondary outcomes

empty

## Intervention groups

### 1

#### Description

Intervention group 1: 0.25 mg/kg of midazolam ; oral use; 30 minutes before surgery.

**Category**

Treatment - Drugs

**2****Description**

Intervention group 2: 0.25 mg/kg of zolpidem; oral; 30 minutes before surgery.

**Category**

Treatment - Drugs

**Recruitment centers****1****Recruitment center****Name of recruitment center**

Hazrat Rasool Medical complex

**Full name of responsible person**

Pooya Derakhshan

**Street address**

Niayesh ave, Sattar Khan street,

**City**

Tehran

**Province**

Tehran

**Postal code**

۱۴۴۵۶۱۳۱۳۱

**Phone**

+98 21 86701

**Email**

SchoolOFMedicine@iums.ac.ir

**Web page address**<http://hrmc.iums.ac.ir/>**Sponsors / Funding sources****1****Sponsor****Name of organization / entity**

Iran University of Medical Sciences

**Full name of responsible person**

Dr.Kazem Malakooti

**Street address**

Next to Milad tower; Hemmat Highway

**City**

Tehran

**Province**

Tehran

**Postal code**

۱۴۴۹۶۱۴۵۳۵

**Phone**

+98 21 86701

**Email**

PR@iums.ac.ir

**Web page address**<http://vcr.iums.ac.ir>**Grant name****Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

**Title of funding source**

Iran University of Medical Sciences

**Proportion provided by this source**

100

**Public or private sector**

Public

**Domestic or foreign origin**

Domestic

**Category of foreign source of funding***empty***Country of origin****Type of organization providing the funding**

Academic

**Person responsible for general inquiries****Contact****Name of organization / entity**

Iran University of Medical Sciences

**Full name of responsible person**

Pooya derakhshan

**Position**

Associate professor

**Latest degree**

Specialist

**Other areas of specialty/work**

Anesthesiology

**Street address**

Hazrat Rasool medical complex, Niayesh ave, Sattar Khan street

**City**

Tehran

**Province**

Tehran

**Postal code**

۱۴۴۵۶۱۳۱۳۱

**Phone**

+98 56 3234 1410

**Fax**

+98 56 3234 1410

**Email**

pooya\_derakhshan@bums.ac.ir

**Person responsible for scientific inquiries****Contact****Name of organization / entity**

Iran University of Medical Sciences

**Full name of responsible person**

Pooya Derakhshan

**Position**

Associate professor

**Latest degree**

Specialist

**Other areas of specialty/work**

Anesthesiology

**Street address**

Hazrat Rasool medical complex, Niayesh ave, Sattar Khan street

**City**

Tehran  
**Province**  
Tehran  
**Postal code**  
۱۴۴۵۶۱۳۱۳۱  
**Phone**  
+98 56 3234 1410  
**Fax**  
+98 56 3234 1410  
**Email**  
pooya\_derakhshan@bums.ac.ir

## Person responsible for updating data

### Contact

**Name of organization / entity**  
Iran University of Medical Sciences  
**Full name of responsible person**  
Pooya Derakhshan  
**Position**  
Associate professor  
**Latest degree**  
Specialist  
**Other areas of specialty/work**  
Anesthesiology  
**Street address**  
Hazrat Rasool medical complex, Niayesh ave, Sattar  
Khan street  
**City**  
Tehran  
**Province**  
Tehran  
**Postal code**  
۱۴۴۵۶۱۳۱۳۱  
**Phone**  
+98 56 3234 1410  
**Fax**  
+98 56 3234 1410  
**Email**  
pooya\_derakhshan@bums.ac.ir

## Sharing plan

### Deidentified Individual Participant Data Set (IPD)

Yes - There is a plan to make this available

### Study Protocol

Yes - There is a plan to make this available

### Statistical Analysis Plan

Yes - There is a plan to make this available

### Informed Consent Form

Yes - There is a plan to make this available

### Clinical Study Report

Yes - There is a plan to make this available

### Analytic Code

Yes - There is a plan to make this available

### Data Dictionary

Yes - There is a plan to make this available

### Title and more details about the data/document

The total potential data can be shared after making people unidentifiable

### When the data will become available and for how long

Start the access period 6 months after printing the results

### To whom data/document is available

Data will be available to researchers working in academia and, and those in the industry can also take action.

### Under which criteria data/document could be used

Uses that lead to better interaction between the physician and the surgeon with the patient And reducing parental stress and worries

### From where data/document is obtainable

Pooya\_derakhshan@bums.ac.ir Anesthesiology department, Hazrat rasool complex, Sattar Khan Ave. Postal code: Pooya\_derakhshan@bums.ac.ir

### What processes are involved for a request to access data/document

After six months from the publication of the article, qualified people can immediately receive the data by mentioning the reasons for the need for the data.

### Comments