

Clinical Trial Protocol

Iranian Registry of Clinical Trials

03 Aug 2026

Evaluation of the effect of local injection of Lidocaine on post-tonsillectomy pain in children aged 5 -12 years old

Protocol summary

Study aim

Determining the effect of local Injection of Lidocaine on reducing pain after tonsillectomy in children

Design

Clinical trial, randomized, parallel group design of 134 patients, triple blind

Settings and conduct

The present study is a Triple-Blind clinical trial that will be done at Persian Gulf Martyr's Hospital, Bushehr, on 134 children aged 5 to 12 years old need tonsillectomy. For random allocation of patients, the surgeon uses a double block to divide the patients into two groups of intervention (Lidocaine recipients) and control (Normal saline recipients). the patient, person evaluating pain and data analyzer will get full blindness on this study and only the surgeon will be fully informed. The Children's Hospital of Eastern Ontario Pain Scale, On this scale, 6 components, which include: crying, facial, child verbal, torso, touch and legs, are evaluated. During evaluation In each part there will be given 0 or 1+ or 2+ points in the various modes, except screaming mode in the cry section that has 3+ points. More points indicate more pain and discomfort. .

Participants/Inclusion and exclusion criteria

Inclusion criteria: 1.Age between 5-12 years, 2.Chronic tonsillitis or recurrent tonsillitis, 3.Severe tonsil hypertrophy causing mechanical obstruction Exclusion criteria: 1.Coagulation disorder, 2.Cardiovascular patients, 3.Disagreement of parents

Intervention groups

In the intervention group: for patients before tonsillectomy operation using lidocaine ampoule of 20 mg/ml from Darou Paksh company, will be injected at the dose of 1 mg/kg in the tonsillar bed. Lidocaine injection following general anesthesia is performed once by the surgeon. In the control group: before tonsillectomy operation, 2 cc normal saline will be injected as a placebo in the tonsillar bed.

Main outcome variables

Evaluation of pain after tonsillectomy

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20180825040859N1**

Registration date: **2019-01-16, 1397/10/26**

Registration timing: **prospective**

Last update: **2019-01-16, 1397/10/26**

Update count: **0**

Registration date

2019-01-16, 1397/10/26

Registrant information

Name

ali mosaddegh

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 77 3437 2670

Email address

a.mosaddegh@bpums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2019-01-30, 1397/11/10

Expected recruitment end date

2019-06-20, 1398/03/30

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty Scientific title Evaluation of the effect of local injection of Lidocain on post-tonsilectomy pain in children aged 5 -12 years old Public title Evaluation of the effect of localized Lidocaine Injection on post-tonsilectomy pain Purpose Treatment Inclusion/Exclusion criteria Inclusion criteria: Age between 5-12 year's old Chronic tonsillitis or recurrent tonsillitis Peritonsillar abscess Tonsillogenic septicemia Focal symptoms following tonsillitis Severe tonsil hypertrophy causing mechanical obstruction Suspicious to tonsil tumor Resistant carriers of diphtheria bacilli Bad and resistant mouth odor due to the high production of tonsillar plaques Tuberculous lymphadenitis, in which the tonsils are possible entry point Exclusion criteria: Metabolic disorders Coagulopathy Mental retardation Developmental dysfunction Drug allergy Psychotic disorders Chronic pain and those who received analgesic Heart patients Disagreement of the parents with their child's participation in the study Age From 5 years old to 12 years old Gender Both Phase 3 Groups that have been masked • Participant • Outcome assessor • Data analyser	the assigned codes. When analyzing data, the data analyzer does not know the partitioning of the groups and the codes assigned to them, and the comparisons are performed under two unspecified groups. Blinding (investigator's opinion) Triple blinded Blinding description In this study, only the surgeon (project executive) knew the type of intervention and patients, the person assessing the severity of pain and the person analyzing the information, are not aware of the type of intervention group or control group. To blind patients after describing the goals of the study and obtain written consent for participation in the study, participants are divided into intervention recipient groups and control groups without any knowledge of the patient of the type of intervention by block method (by assigning different codes). After performing the intervention by the researcher, to assess the severity of pain in patients, the outcome evaluator was not aware of the type of intervention performed and evaluated the patients with the assigned codes. When analyzing data, the data analyzer does not know the partitioning of the groups and the codes assigned to them, and the comparisons are performed under two unspecified groups. Placebo Used Assignment Parallel Other design features
Sample size Target sample size: 134 Randomization (investigator's opinion) Randomized Randomization description Among the patients referring to the elective tonsillectomy, the population of the sample was selected as simple sampling based on the satisfaction of the company in the study. For random allocation, the participants were divided into two groups of intervention (lidocaine receptor) and control group (normal saline recipients) using four balanced blocks. Random sequence generation is done using Excel software and the size of all blocks is equal. To blind patients after describing the goals of the study and obtain written consent for participation in the study, participants are divided into intervention recipient groups and control groups without any knowledge of the patient of the type of intervention by block method (by assigning different codes). After performing the intervention by the researcher, to assess the severity of pain in patients, the outcome evaluator was not aware of the type of intervention performed and evaluated the patients with	Secondary Ids empty Ethics committees 1 Ethics committee Name of ethics committee Ethics committee of Bushehr University of Medical Sciences Street address Bushehr University of Medical Sciences, Salman Farsi Ave, Rishahr, Bushehr City Bushehr Province Boushehr Postal code 7517933755 Approval date 2018-08-21, 1397/05/30 Ethics committee reference number IR.BPUMS.REC.1397.049 Health conditions studied 1 Description of health condition studied

Pain control after tonsillectomy

ICD-10 code

J35.1

ICD-10 code description

Hypertrophy of tonsils

Primary outcomes

1

Description

Post tonsillectomy pain based on Children's Hospital of Eastern Ontario Pain Scale

Timepoint

In the minutes 15, 30, 60, 120, 240, 360 after tonsillectomy

Method of measurement

Children's Hospital of Eastern Ontario Pain Scale

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group: before tonsillectomy, once using lidocaine ampoule of 20 mg/ml from Darou Pakhsh company, will be injected at the dose of 1 mg/kg in the tonsillar bed.

Category

Treatment - Drugs

2

Description

Control group: Before tonsillectomy, 2 cc normal saline will be injected as a placebo in the tonsillar bed.

Category

Placebo

Recruitment centers

1

Recruitment center

Name of recruitment center

Persian Gulf Martyr's Hospital, Bushehr

Full name of responsible person

Ali Mosaddegh

Street address

Persian Gulf Martyr's Hospital, Taleghani Ave,
Bushehr Town

City

Bushehr

Province

Boushehr

Postal code

7517933755

Phone

+98 77 3345 5381

Email

a.mosaddegh@bpums.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Boushehr University of Medical Sciences

Full name of responsible person

Gholamreza Khamisipour

Street address

Bushehr University of Medical Sciences, Salman Farsi
Ave, Reishehr, Bushehr

City

Bushehr

Province

Boushehr

Postal code

7518759577

Phone

+98 77 3332 2081

Email

Khamisipour@bpums.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Boushehr University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Boushehr University of Medical Sciences

Full name of responsible person

Ali Mosaddegh

Position

Medical student

Latest degree

A Level or less

Other areas of specialty/work

Medical student

Street address

Shahid Keshtekar Ave, Khoshab Village, Borazjan
Town

City

Borazjan
Province
Boushehr
Postal code
7561146551
Phone
+98 77 3437 2670
Email
mosaddegh.med@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity
Boushehr University of Medical Sciences
Full name of responsible person
Allahkaram Akhlaghi
Position
Assistant Professor
Latest degree
Specialist
Other areas of specialty/work
Ear, Nose, and Throat
Street address
unit 16, Fatemeh Al Zahra Doctors' Hospital, Moallem Squ
City
Bushehr
Province
Boushehr
Postal code
7517933755
Phone
+98 77 3332 9190
Email
akhlaghidr@gmail.com

Person responsible for updating data

Contact

Name of organization / entity
Boushehr University of Medical Sciences
Full name of responsible person
Ali Mosaddegh
Position
Medical student
Latest degree
A Level or less
Other areas of specialty/work
Medical student

Street address
Shahid keshtkar Ave, Khoshab village, Borazjan Town
City
Borazjan
Province
Boushehr
Postal code
7561146551
Phone
+98 77 3437 2670
Fax
Email
a.mosaddegh@bpums.ac.ir

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Yes - There is a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Yes - There is a plan to make this available

Data Dictionary

Yes - There is a plan to make this available

Title and more details about the data/document

Yes, the title of the study and how the study is carried out will be published in the form of medical ethics once the results of the study are published

When the data will become available and for how long

Yes, the data will become available 3 months after the results are printed

To whom data/document is available

Yes, after the study is completed, data will be available for academic and research institutes

Under which criteria data/document could be used

After the completion of the project, it will be specified

From where data/document is obtainable

Yes, after publishing the results, you can receive documents or data by e-mail
mosaddegh.med@gmail.com or phone number
00989178744511 (Ali Mossaddegh).

What processes are involved for a request to access data/document

The release plan is still unknown

Comments