

Clinical Trial Protocol

Iranian Registry of Clinical Trials

10 Jun 2026

Effectiveness of Lactuca Sativa in Postoperative Pain Control Following Surgical Removal of Impacted Mandibular Third Molars (Wisdom Tooth): Double Blind Randomized Clinical Trial.

Protocol summary

Study aim

Evaluation of effectiveness of Lactuca sativa in postoperative pain control following surgical removal of impacted mandibular third molars.

Design

Clinical trial with control group, parallel groups, double blind, randomized

Settings and conduct

Effectiveness of Lactuca Sativa after mandibular third molar surgery was evaluated in terms of patient's pain. The split mouth was divided into Lactuca Sativa or placebo syrup. In this double blinded study, patients and researchers were unaware of the outcome of treatment with Lactuca Sativa or placebo. The study was conducted at the faculty of dentistry of Arak University of Medical Sciences. The pain intensity of the patients was evaluated on the first to fourth day after surgery with the VAS scale.

Participants/Inclusion and exclusion criteria

All patients with symmetrical mandibular third molars with full bone or relative bone, in the same classification (in terms of spatial orientation and position of tooth, depth of impaction and relationship with Ramus in radiography) and with same degree of surgical difficulty, painless up to day surgery, without systemic disease, and history of allergy or bleeding problems.

Intervention groups

Intervention group :Use of Lactuca Sativa after mandibular third molar surgery that will be used 3 days before surgery, 3 times a day, and each time a bowl of spoon will be consumed half an hour after the meal, and the same way, until 4 days after surgery It will continue. Control group: Use of placebo syrup after mandibular third molar surgery that will be used 3 days before surgery, 3 times a day, and each time a bowl of spoon will be consumed half an hour after the meal, and the same way, until 4 days after surgery It will continue.

Main outcome variables

Postoperative pain

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20180828040899N2**

Registration date: **2020-07-16, 1399/04/26**

Registration timing: **retrospective**

Last update: **2020-07-16, 1399/04/26**

Update count: **0**

Registration date

2020-07-16, 1399/04/26

Registrant information

Name

Hadi Jafari

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 86 3425 4409

Email address

hadj2424der@yahoo.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2018-11-22, 1397/09/01

Expected recruitment end date

2019-01-21, 1397/11/01

Actual recruitment start date

empty

Actual recruitment end date

empty
Trial completion date
empty

Scientific title
Effectiveness of Lactuca Sativa in Postoperative Pain Control Following Surgical Removal of Impacted Mandibular Third Molars (Wisdom Tooth): Double Blind Randomized Clinical Trial.

Public title
Effectiveness of Lactuca Sativa in Postoperative Pain Control Following Surgical Removal of Impacted Mandibular Third Molars (Wisdom Tooth).

Purpose
Treatment

Inclusion/Exclusion criteria

Inclusion criteria:

All patients with symmetrical mandibular third molars with full bone or relative bone in the same classification (in terms of spatial orientation and position of tooth, depth of impaction and relationship with Ramus in radiography) with same degree of surgical difficulty require Surgery of Impacted mandibular third molars All patients have good health painless up to day surgery

Exclusion criteria:

Patients with a previous medical history or report of systemic disease history of allergy Smokers Patients with a history of long-term use of antibiotics and corticosteroids Pregnant women

Age
From **18 years** old to **35 years** old

Gender
Female

Phase
2

Groups that have been masked
No information

Sample size
Target sample size: **35**

Randomization (investigator's opinion)
Randomized

Randomization description
To determine the surgical side of surgery, the number 1 for lettuce syrup and the number 2 for placebo will be considered. There are 70 envelopes of similar appearance that will be in 35 envelopes number 1 and 35 envelopes number 2, envelopes numbered from 1 to 70, and a random number table will be counted for the first surgery that the patient will be blindfolded. He puts on a number, we give the envelope to the patient while the patient does not know the number is 1 or 2 in the envelope.

Blinding (investigator's opinion)
Double blinded

Blinding description
The study is designed double blinded, so that the participants (patients) initially did not know if the Lactuca Sativa was given or the placebo was unaware, as well as the experts reviewing the results of the two interventions for the type of intervention They are unaware of the patient. In order to achieve the goals of

blindness in this study, it needs to be explained that the surgeon specializing in evaluating the results from the use of Lactuca Sativa and placebo syrup is different, and the expert assessing the results is completely unaware of the Lactuca Sativa or placebo syrup and it is someone. Which is selected from the outside of the therapeutic system.

Placebo
Used

Assignment
Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics committee of Arak University of Medical Sciences

Street address

Science Arak University of Medical Sciences, Basij Square, Sardasht, Khalij Fars Boulevards

City

Arak

Province

Markazi

Postal code

3848153793

Approval date

2020-02-16, 1398/11/27

Ethics committee reference number

IR.ARAKMU.REC.1398.315

Health conditions studied

1

Description of health condition studied

The patient's pain after mandibular third molars extraction surgery following consumption of Lactuca Sativa

ICD-10 code

Z00-Z99

ICD-10 code description

Factors influencing health status and contact with health services

Primary outcomes

1

Description

Pain scale based on VAS scale

Timepoint

From day one to fourth after surgery

Method of measurement

visual analog scale (VAS)

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group :Use of Lactuca Sativa after mandibular third molar surgery that will be used 3 days before surgery, 3 times a day, and each time a bowl of spoon will be consumed half an hour after the meal, and the same way, until 4 days after surgery It will continue.

Category

Treatment - Drugs

2

Description

Control group: Use of placebo syrup after mandibular third molar surgery that will be used 3 days before surgery, 3 times a day, and each time a bowl of spoon will be consumed half an hour after the meal, and the same way, until 4 days after surgery It will continue.

Category

Placebo

Recruitment centers

1

Recruitment center

Name of recruitment center

Arak Dental School

Full name of responsible person

Research committee of Arak University of Medical Science . Dr. Mohammad Arjmandzadegan

Street address

Between Andisheh 5 and 6 Alleys, Ghadir Blvd., Nabaei town, Sardasht

City

Arak

Province

Markazi

Postal code

3848153793

Phone

+98 86 3272 4522

Email

hadj2424der@yahoo.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Arak University of Medical Sciences

Full name of responsible person

Dr. Mohammad Arjmandzadegan

Street address

Arak University of Medical Sciences, Basij Square, Sardasht, Khalij Fars Boulevard

City

Arak

Province

Markazi

Postal code

3848153793

Phone

+98 86 3417 3505

Email

Arjmandzadegan@arakmu.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Arak University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Arak University of Medical Sciences

Full name of responsible person

Hadi Jafari

Position

Dentistry student

Latest degree

A Level or less

Other areas of specialty/work

Dentistry

Street address

Between Andisheh 5 and 6 Alleys, Ghadir Blvd., Nabaei town, Sardasht

City

Arak

Province

Markazi

Postal code

3848153793

Phone

+98 86 3272 4522

Email

hadj2424der@yahoo.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Arak University of Medical Sciences

Full name of responsible person

Hadi Jafari

Position

Dentistry student

Latest degree

A Level or less

Other areas of specialty/work

Dentistry

Street address

Between Andisheh 5 and 6 Alleys, Ghadir Boulevard,
Nabaei town

City

Arak

Province

Markazi

Postal code

3848159345

Phone

+98 86 3272 4522

Email

hadj2424der@yahoo.com

Person responsible for updating data

Contact

Name of organization / entity

Arak University of Medical Sciences

Full name of responsible person

Hadi Jafari

Position

Dentistry student

Latest degree

A Level or less

Other areas of specialty/work

Dentistry

Street address

Between Andisheh 5 and 6 Alleys, Ghadir Blvd.,
Nabaei town, Sardasht

City

Arak

Province

Markazi

Postal code

3848153793

Phone

+98 86 3272 4522

Email

hadj2424der@yahoo.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

No - There is not a plan to make this available

Justification/reason for indecision/not sharing IPD

After the publication of this article in a journal if the privacy of patients is not invaded information will be given to the respected center.

Study Protocol

No - There is not a plan to make this available

Statistical Analysis Plan

No - There is not a plan to make this available

Informed Consent Form

No - There is not a plan to make this available

Clinical Study Report

No - There is not a plan to make this available

Analytic Code

No - There is not a plan to make this available

Data Dictionary

No - There is not a plan to make this available