

Clinical Trial Protocol

Iranian Registry of Clinical Trials

04 Jun 2026

Comparing efficacy of pentoxifyllin ointment and placebo in treatment of bed sore in patients hospitalized in intensive care unit

Protocol summary

Summary

The goal of this study is comparing efficacy of pentoxifyllin ointment and placebo in treatment of bed sore. In a double blinded randomized clinical trial, 100 critically ill patients with grade 1 or 2 of bed sore will be simply randomized in two equal groups; topical pentoxifyllin 5% or placebo ointment. Patients with history of pentoxifyllin hypersensitivity, severe bed sore requiring antibiotic therapy, less than 14 days in ICU hospitalization and worsening of bed sore during treatment course will be excluded from the study. Recruited patients will be received pentoxifyllin or placebo ointment twice daily topically for 14 days. Pentoxifyllin and placebo ointments are same in packaging and the responsible researchers and patients will be blinded. Grade of bed sore will be evaluated at baseline and after 14 days of interventions based on the 2-digit Stirling scale.

General information

Acronym

IRCT registration information

IRCT registration number: **IRCT201402233449N16**

Registration date: **2014-03-13, 1392/12/22**

Registration timing: **registered_while_recruiting**

Last update:

Update count: **0**

Registration date

2014-03-13, 1392/12/22

Registrant information

Name

Hossein Khalili

Name of organization / entity

Tehran University of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 21 6695 4715

Email address

khalilih@tums.ac.ir

Recruitment status

Recruitment complete

Funding source

Vice Chancellor for Research, Tehran University of Medical Sciences

Expected recruitment start date

2014-02-01, 1392/11/12

Expected recruitment end date

2016-02-01, 1394/11/12

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Comparing efficacy of pentoxifyllin ointment and placebo in treatment of bed sore in patients hospitalized in intensive care unit

Public title

Pentoxifyllin ointment in treatment of bed sore

Purpose

Treatment

Inclusion/Exclusion criteria

Inclusion Criteria: Critically ill patients with grade 1 or 2 of bed sore, who will be hospitalized in Intensive Care Unit (ICU) for at-least 14 days and without history of pentoxifyllin hypersensitivity. Exclusion Criteria: Patients with severe bed sore requiring antibiotic therapy and worsening of bed sore during treatment course will be excluded from the study.

Age

From **18 years** old to **65 years** old

Gender

Both

Phase

2-3

Groups that have been masked

No information

Sample size

Target sample size: **100**

Randomization (investigator's opinion)

Randomized

Randomization description**Blinding (investigator's opinion)**

Double blinded

Blinding description**Placebo**

Used

Assignment

Parallel

Other design features

Method of randomization: based on the random number table

Secondary Ids

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics Committee of Tehran University of Medical Sciences

Street address

Ghods Ave.

City

Tehran

Postal code**Approval date**

2014-02-01, 1392/11/12

Ethics committee reference number

92-03-33-24364

Health conditions studied**1****Description of health condition studied**

Bedsore

ICD-10 code

L89.0

ICD-10 code description

The ulcer appears as a defined area of persistent redness (erythema) in lightly pigmented skin, whereas in darker skin tones, the ulcer may appear with persistent red, blue or purple hues, without skin loss

Primary outcomes**1****Description**

Grade of bedsore

Timepoint

At ICU admission and then day 14 of hospitalization

Method of measurement

2-digit Stirling scale

Secondary outcomes

empty

Intervention groups**1****Description**

Pentoxifyllin 5% ointment (formulated in the faculty of pharmacy affiliated to Tehran University of Medical Sciences) twice daily topically cover all sores area for 14 days

Category

Treatment - Drugs

2**Description**

Placebo ointment (formulated in the faculty of pharmacy affiliated to Tehran University of Medical Sciences) twice daily topically cover all sores area for 14 days

Category

Placebo

Recruitment centers**1****Recruitment center****Name of recruitment center**

Imam Khomeini Hospital

Full name of responsible person

Hossein Khalili

Street address**City**

Tehran

Sponsors / Funding sources**1****Sponsor****Name of organization / entity**

Vice Chancellor for Research, Tehran University of Medical Sciences

Full name of responsible person

Masoud Yunesian

Street address

Ghods Ave.

City

Tehran

Grant name

Grant code / Reference number**Is the source of funding the same sponsor organization/entity?**

Yes

Title of funding source

Vice Chancellor for Research, Tehran University of Medical Sciences

Proportion provided by this source

100

Public or private sector*empty***Domestic or foreign origin***empty***Category of foreign source of funding***empty***Country of origin****Type of organization providing the funding***empty***Person responsible for general inquiries****Contact****Person responsible for scientific inquiries****Contact****Name of organization / entity**

Tehran University of Medical Sciences

Full name of responsible person

Hossein Khalili

Position

Pharm. D

Other areas of specialty/work**Street address**

Department of Clinical Pharmacy, Faculty of Pharmacy, Tehran University of Medical Sciences

City

Tehran

Postal code**Phone**

+98 21 6695 4715

Fax**Email**

khalilih@tums.ac.ir

Web page address**Person responsible for updating data****Contact****Name of organization / entity**

Tehran University of Medical Sciences

Full name of responsible person

Hossein Khalili

Position

Pharm. D

Other areas of specialty/work**Street address**

Department of Clinical Pharmacy, Faculty of Pharmacy, Tehran University of Medical Sciences

City

Tehran

Postal code**Phone**

+98 21 6695 4715

Fax**Email**

khalilih@tums.ac.ir

Web page address**Sharing plan****Deidentified Individual Participant Data Set (IPD)***empty***Study Protocol***empty***Statistical Analysis Plan***empty***Informed Consent Form***empty***Clinical Study Report***empty***Analytic Code***empty***Data Dictionary***empty*