

Clinical Trial Protocol

Iranian Registry of Clinical Trials

02 Jul 2026

Acute effect of single high-dose vitamin D3 and the chronic effect of normal levels of 25-OHD on perioperative complications and clinical outcomes in brain tumor surgery patients

Protocol summary

Study aim

Determination of the acute effect of single high dose of vitamin D3 and chronic normal levels of vitamin D3 on surgical complications and clinical outcomes in patients undergoing brain tumor surgery

Design

Quasi-experimental study without randomization but with control group and sample size of 60 patients. This study is phase 3 and one-sided blind

Settings and conduct

The present study will conduct on 60 patients with inclusion criteria hospitalized in ShohadaTajrish hospital . Based on serum levels of 25OHD , patients will be divided into intervention group (≤ 20) and control group (more than 30). After preparing the results of vitamin D, albumin, phosphorus and calcium tests, patients with deficiency and without hypercalcemia or hyperphosphatemia will receive 300,000 units of vitamin D in the form of intramuscular injection. The changes in these markers will be determined on the 5th day postop in the intervention group. The incidence of complications and clinical outcomes intra and post surgery, mortality in one and six months in both groups will be compared.

Participants/Inclusion and exclusion criteria

The willingness to cooperate and complete the informed consent Age of patients ≥ 18 Definitive diagnosis of brain tumor and need craniotomy for resection Levels of 25-OHD ≤ 20 ng/mL for intervention group Levels of 25-OHD > 30 ng/mL for normal group ; Unwillingness to cooperate Participation in other clinical trials Pregnancy and lactation Hypercalcemia Hyperphosphatemia

Intervention groups

Intervention group: The group with a serum level of vitamin D 3 less than 20 ng / mL. Intervention as intramuscular injection of a single dose of vitamin D contains 300,000 units of vitamin D. Control group: normal serum levels of vitamin D3 (greater than 30)

Main outcome variables

Changes in serum levels of 25OHD before and after injection and surgery

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20190126042496N1**

Registration date: **2019-07-24, 1398/05/02**

Registration timing: **registered_while_recruiting**

Last update: **2019-07-24, 1398/05/02**

Update count: **0**

Registration date

2019-07-24, 1398/05/02

Registrant information

Name

Mohammadrez Shahmohammadi

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 2271 8001

Email address

mr_shahmohammadi@sbmu.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2019-04-06, 1398/01/17

Expected recruitment end date

2019-10-08, 1398/07/16

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Acute effect of single high-dose vitamin D3 and the chronic effect of normal levels of 25-OHD on perioperative complications and clinical outcomes in brain tumor surgery patients

Public title

Effect of vitamin D in enhanced recovery after brain surgery

Purpose

Supportive

Inclusion/Exclusion criteria**Inclusion criteria:**

The willingness to cooperate and complete the informed consent form by the patient or legal surrogate The patient's age ≥ 18 Definitive diagnosis of brain tumor and need craniotomy for resection Levels of 25-OHD ≤ 20 ng/mL for intervention group Levels of 25-OHD > 30 ng/mL for normal group

Exclusion criteria:

Unwillingness to co-operate by the patients or their surrogate at the beginning of the study Participation in other clinical trials at the same time with this study Pregnancy and lactation Hypercalcemia Hyperphosphatemia Tuberculosis Sarcoidosis History of nephrolithiasis

Age

From **18 years** old

Gender

Both

Phase

3

Groups that have been masked

- Participant

Sample size

Target sample size: **60**

More than 1 sample in each individual

Number of samples in each individual: **1**

Each sample is a patient with a brain tumor undergoing craniotomy surgery

Randomization (investigator's opinion)

N/A

Randomization description**Blinding (investigator's opinion)**

Single blinded

Blinding description

For participants, supplemental vitamin D Injection will be described to enhance and improve the health status and will be included in the study if they are satisfied.

However, since this injection will be performed between nurses' routine treatments in patients, the patient will not be aware of the timing of receiving the vitamin and its type.

Placebo

Not used

Assignment

Parallel

Other design features

This study is a Quasi-experimental study in which randomization is not applicable. A group with vitamin D deficiency will receive vitamin D , and there will be no intervention on the group with normal serum levels. The two groups will be compared in terms of post-surgical outcomes

Secondary Ids

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Institutional Research Ethics Committee - Shahid Beheshti University of Medical Sciences

Street address

3rth floor, Faculty of Medicine, next to Taleghani Hospital, Evin, Shahid Chamran Highway

City

Tehran

Province

Tehran

Postal code

1985717434 - 1939547

Approval date

2018-06-17, 1397/03/27

Ethics committee reference number

IR.SBMU.RETECH.REC.1397.271

Health conditions studied**1****Description of health condition studied**

Patients with brain tumors who have candidate for craniotomy surgery

ICD-10 code

C71

ICD-10 code description

Malignant neoplasm of brain

Primary outcomes**1****Description**

Changes in serum levels of 25OHD before and after injection and surgery

Timepoint

Measurement of serum levels of 25OHD at the beginning of the study in all patients. Measurement of serum levels of 25OHD on the fifth day after surgery in intervention group who received a single high dose of vitamin D prior to surgery

Method of measurement

Laboratory measurements of 25OHD serum levels using

Monobind kit by Enzyme-Linked Immunosorbent Assay (ELISA) method

Secondary outcomes

1

Description

Intraoperative Active Bleeding

Timepoint

During surgery time

Method of measurement

Amount of blood loss (cc) during surgery based on estimation of anesthesiologist

2

Description

Incidence of ventricular fibrillation (VF) during surgery

Timepoint

During surgery time

Method of measurement

Based on doctor's diagnosis

3

Description

Incidence of cardiac arrest during surgery

Timepoint

During surgery time

Method of measurement

Based on doctor's diagnosis

4

Description

Incidence of severe bradycardia during surgery

Timepoint

During surgery time

Method of measurement

Based on doctor's diagnosis

5

Description

Incidence of hypotension during surgery

Timepoint

During surgery time

Method of measurement

Based on doctor's diagnosis

6

Description

Incidence of hypertension during surgery

Timepoint

During surgery time

Method of measurement

Based on doctor's diagnosis

7

Description

Incidence of intracranial hematoma after surgery

Timepoint

Immediately after surgery until the end of the hospitalization period for each patient (up to 1 month after surgery)

Method of measurement

Based on doctor's diagnosis, computerized tomography (CT) scan, Magnetic resonance imaging (MRI)

8

Description

Incidence of cerebral edema after surgery

Timepoint

Immediately after surgery until the end of the hospitalization period for each patient (up to 1 month after surgery)

Method of measurement

Based on doctor's diagnosis, computerized tomography (CT) scan, Magnetic resonance imaging (MRI)

9

Description

Incidence of seizure after surgery

Timepoint

Immediately after surgery until the end of the hospitalization period for each patient (up to 1 month after surgery)

Method of measurement

Based on doctor's diagnosis

10

Description

Incidence of Myocardial Infarction (MI) after surgery

Timepoint

Immediately after surgery until the end of the hospitalization period for each patient (up to 1 month after surgery)

Method of measurement

Based on doctor's diagnosis

11

Description

Incidence of Deep Vain Thrombosis (DVT) after surgery

Timepoint

Immediately after surgery until the end of the hospitalization period for each patient (up to 1 month after surgery)

Method of measurement

Based on doctor's diagnosis

12

Description

Incidence of Pulmonary Embolism (PE) after surgery

Timepoint

Immediately after surgery until the end of the hospitalization period for each patient (up to 1 month after surgery)

Method of measurement

Based on doctor's diagnosis

13

Description

Incidence of meningitis after surgery

Timepoint

Immediately after surgery until the end of the hospitalization period for each patient (up to 1 month after surgery)

Method of measurement

Based on doctor's diagnosis

14

Description

Incidence of postoperative wound infection

Timepoint

Immediately after surgery until the end of the hospitalization period for each patient (up to 1 month after surgery)

Method of measurement

Based on doctor's diagnosis

15

Description

Incidence of Sepsis after surgery

Timepoint

Immediately after surgery until the end of the hospitalization period for each patient (up to 1 month after surgery)

Method of measurement

Based on doctor's diagnosis

16

Description

Length of stay in intensive care unit (ICU)

Timepoint

The number of days after surgery from the time of arrival in the ICU until the discharge from there

Method of measurement

Number of days staying in ICU with reference to medical records

17

Description

Duration of hospitalization

Timepoint

Total number of hospital admission days

Method of measurement

Number of days staying in hospital with reference to medical records

18

Description

Mortality rate during a month

Timepoint

Immediately after surgery until one month later

Method of measurement

According to the hospital documents as well as the telephone question of the patient or his surrogate

19

Description

Mortality rate during six months

Timepoint

Immediately after surgery until six months later

Method of measurement

Telephone interview with the patient or his surrogate

Intervention groups

1

Description

Intervention group: A group of patients with the serum level of 25OHD \leq 20 who are known that vitamin D deficiency. The injection of a single dose of vitamin D contains 300,000 units of vitamin D, which will be administered as a single intramuscular injection by a nurse to each patient before surgery.

Category

Treatment - Other

2

Description

Control group: patients with normal serum levels of vitamin d (25OHD $>$ 30), without any intervention.

Category

Treatment - Other

Recruitment centers

1

Recruitment center

Name of recruitment center

Shohada-e-Tajrish hospital

Full name of responsible person

Mohammadreza shahmohammadi

Street address

Shohada-e-Tajrish hospital, Tajrish Square, Tehran

City

Tehran

Province

Tehran

Postal code

1989934148

Phone

+98 21 25719

Email

Pr_shohada@sbm.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Neurofunctional Reseach Center of Shohada Tajrish
Hospital

Full name of responsible person

Prof. Dr. Afshin Zarghi

Street address

Neurofunctional Reseach Center of Shohada Tajrish
Hospital, Tajrish Square, Tehran, Iran

City

Tehran

Province

Tehran

Postal code

19839-63113

Phone

+98 21 2270 1022

Email

neurofunctional.cntr@gmail.com

Grant name

Grant code / Reference number

**Is the source of funding the same sponsor
organization/entity?**

Yes

Title of funding source

Neurofunctional Reseach Center of Shohada Tajrish
Hospital

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Shahid Beheshti University of Medical Sciences

Full name of responsible person

Mohammadreza shahmohammadi

Position

Assistant Professor

Latest degree

Specialist

Other areas of specialty/work

Neurosurgery

Street address

Next to Taleghani hospital, Shahid Araabi St., Yaman
St., Shahid Chamran highway, Tehran, Iran

City

Tehran

Province

Tehran

Postal code

1985717443

Phone

+98 21 23871

Email

mr_shahmohammadi@sbmu.ac.ir

**Person responsible for scientific
inquiries**

Contact

Name of organization / entity

Shahid Beheshti University of Medical Sciences

Full name of responsible person

Mohammadreza shahmohammadi

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Neurosurgery

Street address

7th Floor, Bldg No.2 SBUMS, Arabi Ave, Daneshjoo
Blvd, Velenjak, Tehran, Iran.

City

Tehran

Province

Tehran

Postal code

19839-63113

Phone

+98 21 2243 9770

Email

mr_shahmohammadi@sbmu.ac.ir

Person responsible for updating data

Contact

Name of organization / entity

Shahid Beheshti University of Medical Sciences

Full name of responsible person

Mohammadreza shahmohammadi

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Neurosurgery

Street address

7th Floor, Bldg No.2 SBUMS, Arabi Ave, Daneshjoo
Blvd, Velenjak, Tehran, Iran.

City

Tehran

Province

Tehran

Postal code

19839-63113

Phone

+98 21 2243 9770

Email

mr_shahmohammadi@sbmu.ac.ir

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to
make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available