

Clinical Trial Protocol

Iranian Registry of Clinical Trials

17 Sep 2026

Comparison of pre-operative administration of Dexmedetomidine on pulse rate and blood pressure with placebo following the administration of Ketamine for electroconvulsive therapy of pediatric

Protocol summary

Study aim

Comparison of pre-operative administration of Dexmedetomidine on pulse rate and blood pressure with placebo following the administration of Ketamine for electroconvulsive therapy

Design

This study was conducted in parallel, double-blind, randomized, 64 patients who were in the Phase 3 trial were designed.

Settings and conduct

Patients who are referred to pediatric psychology ward of al-Zahra hospital and are candidate of receiving electroshock therapy are randomly divided into two groups including interventional group who receives 0.1 mcg/kg dexmedetomidine and control group who receives normal saline. Then the heart rate and blood pressure of each patient is detected. Participants, Care provider, Outcome assessor, are not aware of the drug type and the investigator deciphers the codes after data analysis.

Participants/Inclusion and exclusion criteria

Inclusion criteria: 1) Patients candidate receiving electroconvulsive therapy 2) Patients older than 6 years old and younger than 25 years old 3) Patients with American society of anesthesiology physical status class 1,2 (ASA I, II) Exclusion criteria: 1) Addiction to drugs and alcohol 2) cardio-pulmonary diseases 3) Beta blockers and narcotics and high blood pressure drugs consumption 4) Drug allergy

Intervention groups

Initially, personal consent is obtained from the parents of patients. Then the patient is placed on the operating bed and standard monitoring devices including pulse oximetry, capnography, and electrocardiogram are attached. Then Dexmedetomidine 0.1 mcg/kg is injected to interventional group. In control group patients are injected from a syringe filled with normal saline.

Main outcome variables

Blood pressure and heart rate

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20160307026950N10**

Registration date: **2019-04-24, 1398/02/04**

Registration timing: **retrospective**

Last update: **2019-04-24, 1398/02/04**

Update count: **0**

Registration date

2019-04-24, 1398/02/04

Registrant information

Name

Behzad Nazemroaya

Name of organization / entity

Isfahan University of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 31 3212 3543

Email address

behzad_nazem@med.mui.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2018-03-21, 1397/01/01

Expected recruitment end date

2019-03-20, 1397/12/29

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Comparison of pre-operative administration of Dexmedetomidine on pulse rate and blood pressure with placebo following the administration of Ketamine for electroconvulsive therapy of pediatric

Public title

The effect of pre-operative administration of Dexmedetomidine on pulse rate and blood pressure following the administration of Ketamine for electroconvulsive therapy

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

Patients candidate receiving electroconvulsive therapy
Patients older than 6 yeras old and younger than 25 years old
Patients with American society of anesthesiology physical status class 1,2 (ASA I,II)

Exclusion criteria:

Addiction to drugs and alcohol
History of cardio-pulmonary diseases
History of consumption of Beta blockers and narcotics and high blood pressure drugs
Drug allergy

AgeFrom **6 years** old to **25 years** old**Gender**

Both

Phase

3

Groups that have been masked

- Participant
- Care provider
- Outcome assessor
- Data analyser

Sample sizeTarget sample size: **64****Randomization (investigator's opinion)**

Randomized

Randomization description

Patients are randomly assigned to intervention and control groups ttusing the Random Allocation computer software

Blinding (investigator's opinion)

Double blinded

Blinding description

The dug and placebo are prepared in one form and in the form of a volume in the syringe by the researcher, and the hemodynamic changes are monitored and recorded, so the attending and the clinical caregiver and the evaluator and data analyser do not understand the type of medication and the investigator deciphers the codes after data analysis.

Placebo

Used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Isfahan University of Medical Sciences

Street address

Hezar jarib street

City

Isfahan

Province

Isfahan

Postal code

8174673461

Approval date

2017-05-28, 1396/03/07

Ethics committee reference number

IR.MUI.REC.1396.3.792

Health conditions studied**1****Description of health condition studied**

Blood pressure

ICD-10 code

R03.0

ICD-10 code description

Elevated blood-pressure reading, without diagnosis of hypertension

2**Description of health condition studied**

Heart rate

ICD-10 code

R00.0

ICD-10 code description

Tachycardia, unspecified

Primary outcomes**1****Description**

Heart rate changes

Timepoint

Before the intervention, 1 , 5, 10 minutes after end of seizure and then the discharge time of recovery

Method of measurement

Heart monitoring

2

Description

Mean arterial blood pressure

Timepoint

Before the intervention, 1 , 5, 10 minutes after end of seizure and then the discharge time of recovery

Method of measurement

Non invasive blood pressure monitor

3

Description

Duration of seizure

Timepoint

After intervention

Method of measurement

In seconds using a chornometer

4

Description

oxygen saturation

Timepoint

Before the intervention, 1,5,10 minutes after end of seizure and then the discharge time of recovery

Method of measurement

Percent with pulse oximeter

5

Description

recovery time

Timepoint

From the end of seizure to full consciousness

Method of measurement

Minute with using a chronometer

Secondary outcomes

1

Description

Nausea and Vomiting

Timepoint

After end of the siezure

Method of measurement

Questionnaire

2

Description

laryngospasm

Timepoint

After end of the siezure

Method of measurement

Evaluation of respiration and oxygen saturation

Intervention groups

1

Description

Intervention group : Initially, personal consent is obtained from the parents of patients. Then the patient is placed on the operating bed and standard monitoring devices including pulseoximetry, capnography, and electrocardiogram are attached. In this group Dexmedetomidine 0.1 mcg/kg is injected.

Category

Treatment - Drugs

2

Description

Control group: Initially, personal consent is obtained from the parents of patients. Then the patient is placed on the operating bed and standard monitoring devices including pulseoximetry, capnography, and electrocardiogram are attached. In this group patients are injected from a syringe filled with normal saline.

Category

Placebo

Recruitment centers

1

Recruitment center

Name of recruitment center

Al-zahra hospital

Full name of responsible person

Behzad Nazemroaya

Street address

Soffeh boulevard, Shahid Keshvari highway

City

Isfahan

Province

Isfahan

Postal code

8174675731

Phone

+98 31 3620 2020

Email

behzad_nazem@med.mui.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Esfahan University of Medical Sciences

Full name of responsible person

Shaghyegh Haghjoo

Street address

Hezarjarib street

City

Isfahan

Province

Isfahan

Postal code

8174673461

Phone

+98 31 3668 0048

Email
research@mui.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?
Yes

Title of funding source
Esfahan University of Medical Sciences

Proportion provided by this source
100

Public or private sector
Public

Domestic or foreign origin
Domestic

Category of foreign source of funding
empty

Country of origin

Type of organization providing the funding
Academic

Person responsible for general inquiries

Contact

Name of organization / entity
Esfahan University of Medical Sciences

Full name of responsible person
Marzieh Babhadiashar

Position
Medical Student/ Intern

Latest degree
Medical doctor

Other areas of specialty/work
General Practitioner

Street address
Hadiashar Blind Alley, Masjed Lonban Street, Beheshti Street

City
Isfahan

Province
Isfahan

Postal code
8184774731

Phone
+98 31 3236 7487

Email
mrzybha@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity
Esfahan University of Medical Sciences

Full name of responsible person
Behzad Nazemroaya

Position
Assistant Professor

Latest degree

Specialist

Other areas of specialty/work
Anesthesiology

Street address
Hezar Jarib Street

City
Isfahan

Province
Isfahan

Postal code
8146713543

Phone
+98 31 3620 2020

Email
behzad_nazem@med.mui.ac.ir

Person responsible for updating data

Contact

Name of organization / entity
Esfahan University of Medical Sciences

Full name of responsible person
Marzieh Babhadiashar

Position
Medical Intern

Latest degree
Medical doctor

Other areas of specialty/work
General Practitioner

Street address
Hadiashar Blind Alley, Masjed Lonban Street, Beheshti Street

City
Isfahan

Province
Isfahan

Postal code
8184774731

Phone
+98 31 3236 7487

Email
mrzybha@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

No - There is not a plan to make this available

Statistical Analysis Plan

No - There is not a plan to make this available

Informed Consent Form

No - There is not a plan to make this available

Clinical Study Report

No - There is not a plan to make this available

Analytic Code

No - There is not a plan to make this available

Data Dictionary

No - There is not a plan to make this available