

Clinical Trial Protocol

Iranian Registry of Clinical Trials

13 Jun 2026

Acheiving analgesia in chest trauma related pain in the emergency department: intravenous fentanyl or ultrasound guided erector spinae block

Protocol summary

Study aim

To compare the analgesic effect of erector spinae block with intravenous fentanyl in chest trauma related pain in the emergency department

Design

Randomized, parallel group trial without blinding. Randomization will be done by simple randomization using random numbers table.

Settings and conduct

This study will be conducted in Bahonar Academic Hospital located in Kerman, Iran. Enrolled patients will undergo ultrasound guided erector spinae block (performed by a trained senior resident of emergency medicine under the supervision of an attending physician of emergency medicine with 2 years of experience) or will receive intravenous fentanyl (1 microgram/kg). Assessment of pain scores (using a numeric rating scale from 0 to 10) will be performed before and 20 minutes after analgesia by a registered nurse on duty . After 20 minutes, patients in both groups will receive 1 microgram/kg of intravenous fentanyl if pain scores does not relieve (at least 2 points); this will be repeated each 20 minutes until the required pain reduction (at least 2 points) will be achieved. pain score at 1 hour and the total consumed fentanyl will be recorded.

Participants/Inclusion and exclusion criteria

All patients over 16 years of age who present to the emergency deprtament with chest trauma and pain scores over 5 (of 10) will be included. Those with distracting injuries, impaired consciousness, lidocaine or fentanyl hypersensitivity, coagulopathy, sensory deficit and those who are not willing to participate or have already received pain medications will be excluded.

Intervention groups

Group 1 will undergo ultrasound guided erector spinae fascial plain block, while group 2 receives intravenous fentanyl (1 microgram/kg).

Main outcome variables

Pain score at 20 minutes after the block or fentanyl injection; pain scores at 1 hour, total fentanyl dose and adverse outcomes in each group are secondary outcomes.

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20131226015941N7**
Registration date: **2019-05-12, 1398/02/22**
Registration timing: **prospective**

Last update: **2019-05-12, 1398/02/22**

Update count: **0**

Registration date

2019-05-12, 1398/02/22

Registrant information

Name

Amirhossein Mirafzal

Name of organization / entity

Kerman University of Medical sceinces

Country

Iran (Islamic Republic of)

Phone

+98 34 1247 4638

Email address

mirafzal@kmu.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2019-05-22, 1398/03/01

Expected recruitment end date

2019-08-23, 1398/06/01

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Achieving analgesia in chest trauma related pain in the emergency department: intravenous fentanyl or ultrasound guided erector spinae block

Public title

Intravenous fentanyl vs. erector spinae block in chest trauma pain

Purpose

Treatment

Inclusion/Exclusion criteria

Inclusion criteria:

Patients over 16 years of age presenting to the emergency department with chest trauma initial pain score over 5 (from 10)

Exclusion criteria:

presence of distracting injuries impaired consciousness hypersensitivity to lidocaine or fentanyl presence of coagulopathy presence of any sensory impairment like peripheral neuropathy receiving pain killers before enrollment those who are not willing to participate or to continue their cooperation need for surgical intervention through the chest wall (including tube thoracostomy)

Age

From **16 years** old

Gender

Both

Phase

3

Groups that have been masked

No information

Sample size

Target sample size: **60**

Randomization (investigator's opinion)

Randomized

Randomization description

Patients will be randomized by simple randomization method using random numbers table. Each patient will be the unit of randomization. Even numbers will be assigned as group 1 (erector spinae block) and odd number to group 2 (intravenous fentanyl). Allocation concealment is not possible in this study.

Blinding (investigator's opinion)

Not blinded

Blinding description

Placebo

Not used

Assignment

Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics committee of Kerman University of Medical Sciences

Street address

Somaye crossroad, Jahad Blv., Ebne-Sina St., next to Besat Clinic

City

Kerman

Province

Kerman

Postal code

7610813159

Approval date

2019-04-23, 1398/02/03

Ethics committee reference number

IR.KMU.REC.1398.049

Health conditions studied

1

Description of health condition studied

Unspecified injury of thorax (chest trauma)

ICD-10 code

S29.9XXA

ICD-10 code description

unspecified injury of thorax

Primary outcomes

1

Description

Pain score

Timepoint

20 minutes and 1 hour after injection or block

Method of measurement

asking the patient by numeric rating scale

Secondary outcomes

1

Description

total dose of intravenous fentanyl administered to achieve adequate analgesia

Timepoint

The first 6 hours of admission in the emergency department

Method of measurement

recording by the investigator

2

Description

adverse reactions of the intervention(s)

Timepoint

at the discharge time

Method of measurement

assessment by the investigator

Phone

+98 34 3223 5011

Email

mirafzal@kmu.ac.ir

Intervention groups**1****Description**

Intervention group: Erector spinae fascial plain block will be performed under the real time vision by the ultrasound device (Mindray, 2012, China) and after proper sterile preparations. The block will be performed by a senior resident of Emergency Medicine trained by a pain medicine fellow. The procedure will be supervised by an attending physician of emergency medicine with certification of ultrasound guided nerve blocks and one year of experience in the procedure. Firstly, erector spinae fascial plain will be recognized in the ultrasound view of the mid-thorax region in the affected side at the level of the transverse process of T5 (by the high frequency probe) and using a 20 gauge needle, 20 ml of 1% lidocaine (Caspiantamin, Iran) will be injected under the fascia; tissue expansion is checked by ultrasound in the time of injection.

Category

Treatment - Drugs

2**Description**

Control group: Intravenous fentanyl (Caspiantamin, Iran) will be administered by slow injection (during 2 minutes) under cardiac monitoring and pulse oximetry in the resuscitation room. Each dose of fentanyl will be 1 microgram/kg of estimated lean body weight (usually 65-75 microgram in an adult). The dose may be repeated if the patient does not report pain reduction by at least 2 points after 20 minutes intervals in the first hour and hourly thereafter (After the first dose the injection may be performed in both intervention or control groups).

Category

Treatment - Drugs

Recruitment centers**1****Recruitment center****Name of recruitment center**

Bahonar Academic Hospital

Full name of responsible person

Amirhossein Mirafzal

Street address

Bagh-e-Melli

City

Kerman

Province

Kerman

Postal code

7618747181

Sponsors / Funding sources**1****Sponsor****Name of organization / entity**

Kerman University of Medical Sciences

Full name of responsible person

Abbas Pardakhty

Street address

Somaye crossrd., Jahad blv., Kerman

City

Kerman

Province

Kerman

Postal code

7116913555

Phone

+98 34 3226 3855

Email

abpardakhty@kmu.ac.ir

Grant name**Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

Title of funding source

Kerman University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin**Type of organization providing the funding**

Academic

Person responsible for general inquiries**Contact****Name of organization / entity**

Kerman University of Medical Sciences

Full name of responsible person

Amirhossein Mirafzal

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Emergency Medicine

Street address

Bahonar Hospital, Gharani St., Bagh-e-Melli crossrd., Kerman

City

Kerman
Province
Kerman
Postal code
7613747181
Phone
+98 34 3223 5011
Email
mirafzal@kmu.ac.ir

Person responsible for scientific inquiries

Contact

Name of organization / entity
Kerman University of Medical Sciences
Full name of responsible person
Amirhossein Mirafzal
Position
Assistant professor
Latest degree
Specialist
Other areas of specialty/work
Emergency Medicine
Street address
Bahonar Hospital, Gharani St., Bagh-e-Melli crossrd.,
Kerman, Iran
City
Kerman
Province
Kerman
Postal code
7613747181
Phone
+98 34 3223 5011
Email
mirafzal@kmu.ac.ir

Person responsible for updating data

Contact

Name of organization / entity
Kerman University of Medical Sciences
Full name of responsible person
Amirhossein Mirafzal
Position
Assistant professor
Latest degree
Specialist

Other areas of specialty/work
Emergency Medicine
Street address
Bahonar Hospital, Gharani St., Kerman,
City
Kerman
Province
Kerman
Postal code
7613747181
Phone
+98 34 3223 5011
Email
mirafzal@kmu.ac.ir

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Yes - There is a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Yes - There is a plan to make this available

Data Dictionary

Yes - There is a plan to make this available

Title and more details about the data/document

All de-identified data set will be available for primary and secondary outcomes.

When the data will become available and for how long

Starting 1 year after publication

To whom data/document is available

The data will be available only for people in academic positions.

Under which criteria data/document could be used

No limitation considered for this part.

From where data/document is obtainable

please email your request to mirafzal@kmu.ac.ir The responsible person is Amirhossein Mirafzal

What processes are involved for a request to access data/document

The data set will be provided in one month

Comments