

# Clinical Trial Protocol

## Iranian Registry of Clinical Trials

09 Jun 2026

### The immediate effects of pelvic compression belt with a textured sacral pad on the sacroiliac function in the pregnant women with lumbopelvic pain

#### Protocol summary

##### Study aim

To investigate the immediate effects of a pelvic belt with a textured sacral pad in pregnant women with lumbopelvic pain

##### Design

This is a randomized crossover study in which 28 pregnant women with pelvic pain diagnosed by an obstetrics and gynecology specialist pelvic symptoms according to specific diagnostic criteria. There are three interventions and the order of intervention and testing conditions are randomized. This is a single blind study and in data analysis people are unaware of group designations.

##### Settings and conduct

This study run in Alzahra hospital, Isfahan, Iran. The testing protocol was started after pelvic belts were fitted and 5 minutes acclimatization. Participants were given about 10 minutes rest before the crossed-over to the next pelvic belt. Pelvic belt effects were investigated under three random conditions: without pelvic belt application, with a pelvic belt, and adding a textured sacral pad inside the same pelvic belt.

##### Participants/Inclusion and exclusion criteria

Inclusion Criteria: Increase in the pain intensity with changing the position and decrease in the pain with resting Exclusion Criteria: History of trauma or surgery in the lower back or pelvis, history of sacroiliac pain before the first pregnancy, signs of neural radiculopathy, or presence of visceral or vaginal pains

##### Intervention groups

Control Group: no pelvic belt (control), intervention group 1: routine pelvic belt, and intervention group 2: Pelvic belt with sacral pad

##### Main outcome variables

Outcome measures: the hip proprioception, effort during single leg raising, and maximum isometric hip flexion

#### General information

##### Reason for update

##### Acronym

##### IRCT registration information

IRCT registration number: **IRCT20150210021034N2**

Registration date: **2019-07-18, 1398/04/27**

Registration timing: **retrospective**

Last update: **2019-07-18, 1398/04/27**

Update count: **0**

##### Registration date

2019-07-18, 1398/04/27

##### Registrant information

##### Name

Ebrahim Sadeghi-Demneh

##### Name of organization / entity

Isfahan University of Medical Sciences

##### Country

Iran (Islamic Republic of)

##### Phone

+98 31 3792 5235

##### Email address

sadeghi@rehab.mui.ac.ir

##### Recruitment status

**Recruitment complete**

##### Funding source

##### Expected recruitment start date

2016-09-22, 1395/07/01

##### Expected recruitment end date

2017-02-19, 1395/12/01

##### Actual recruitment start date

2017-04-21, 1396/02/01

##### Actual recruitment end date

2017-08-21, 1396/05/30

##### Trial completion date

2017-09-21, 1396/06/30

### Scientific title

The immediate effects of pelvic compression belt with a textured sacral pad on the sacroiliac function in the pregnant women with lumbopelvic pain

### Public title

Pelvic Belt in pregnant women

### Purpose

Supportive

### Inclusion/Exclusion criteria

#### Inclusion criteria:

Increase in pain intensity with changing position

Decrease in pain intensity with resting

#### Exclusion criteria:

History of trauma or surgery in the lower back or pelvis

History of sacroiliac pain before the first pregnancy Signs

of radiculopathy Presence of visceral or vaginal pains

### Age

No age limit

### Gender

Female

### Phase

N/A

### Groups that have been masked

No information

### Sample size

Target sample size: **25**

Actual sample size reached: **28**

### Randomization (investigator's opinion)

Randomized

### Randomization description

This is a randomized controlled crossover study, during which participants acted as their controls (no pelvic belt) and compared to two pelvic belts (including a routine pelvic belt and pelvic belt with a textured sacral pad) in a single session. The order of intervention and testing conditions were randomized and determined by taking a concealed draw from a hat.

### Blinding (investigator's opinion)

Not blinded

### Blinding description

### Placebo

Not used

### Assignment

Crossover

### Other design features

## Secondary Ids

empty

## Ethics committees

### 1

#### Ethics committee

##### Name of ethics committee

Ethics committee of Isfahan University of Medical Sciences

##### Street address

Hezar Jerib

### City

Isfahan

### Province

Isfahan

### Postal code

8174673461

### Approval date

2016-05-21, 1395/03/01

### Ethics committee reference number

IR.MUI-REC-1395.3.318

## Health conditions studied

### 1

#### Description of health condition studied

Pelvic pain

#### ICD-10 code

R10.2

#### ICD-10 code description

Pelvic and perineal pain

## Primary outcomes

### 1

#### Description

Hip proprioception

#### Timepoint

This outcome is measured immediately after fastening the pelvic belt.

#### Method of measurement

Hip proprioception is evaluated by measurement of the active angle reproduction in hip abduction. The participant's eyes are closed during proprioceptive testing. Participants are positioned supine and instructed to abduct the thigh with an extended knee until it reached 20 degrees abduction at the hip and the assessor indicated "stop". They are asked to concentrate on this target angle for 5 seconds and memorize it. The lower limb passively returned to the starting position by the assessor. Participants attempted to reproduce the target angle with an active thigh abduction. Each test is repeated three times for each side, and angle error was calculated as a mean absolute error and used as the proprioceptive outcome measure.

### 2

#### Description

Maximum isometric hip flexion

#### Timepoint

This outcome is measured immediately after fastening the pelvic belt.

#### Method of measurement

The maximum isometric hip flexion is measured with an extended knee at the end of active single leg raising test (20 cm above the table). A non-elastic 5 cm width belt restricted the hip flexion once the ankle reached 20 cm height and the force that applied to the belt was recorded using a digital force gauge.

### 3

#### **Description**

Effort in active single leg raising

#### **Timepoint**

This outcome is measured immediately after fastening the pelvic belt.

#### **Method of measurement**

Participants are asked to rate their effort in performing active single leg raising on a six-point Likert scale: 0=not difficult, 1=minimally difficult, 2=somewhat difficult, 3=fairly difficult, 4=very difficult, and 5=unable to perform.

### **Secondary outcomes**

empty

### **Intervention groups**

#### 1

#### **Description**

Control group: without pelvic belt

#### **Category**

N/A

#### 2

#### **Description**

Intervention group 1: Routine pelvic belt. The belt used in this study was a non-stretchable material made of nylon webbing, which was about 5 cm wide at the anterior and 7 cm at the posterior side. Four different sizes of the belt were available, were selected according to the pelvic circumference of each participant. The belt was fastened with a Velcro and positioned just below the anterior superior iliac spine. The compression force applied on the fastening Velcro was set at 50N and controlled within the study conditions using a force measurement apparatus.

#### **Category**

Rehabilitation

#### 3

#### **Description**

Intervention group2: Pelvic belt with textured sacral pad. The sacral pad attached to the pelvic belt (Intervention 2) was an equilateral triangle (each side: 12 cm) made by silicone rubber (thickness of base: 1.5cm, shore value: A40). Twelve convex circular spikes (with 1cm height) were incorporated over the sacral pad; the pick-to-pick distance of the spikes was 2 cm

#### **Category**

Rehabilitation

### **Recruitment centers**

#### 1

#### **Recruitment center**

**Name of recruitment center**

Alzahra Hospital

#### **Full name of responsible person**

Dr. Elaheh zarean

#### **Street address**

Sofeh St.

#### **City**

Isfahan

#### **Province**

Isfahan

#### **Postal code**

8174675731

#### **Phone**

+98 31 3620 2020

#### **Fax**

+98 31 3669 1510

#### **Email**

alzahra@mui.ac.ir

#### **Web page address**

<http://alzahra.mui.ac.ir>

### **Sponsors / Funding sources**

#### 1

#### **Sponsor**

#### **Name of organization / entity**

Esfahan University of Medical Sciences

#### **Full name of responsible person**

Shaghayegh Haghjov

#### **Street address**

Hezar Jerib St.

#### **City**

Isfahan

#### **Province**

Isfahan

#### **Postal code**

۷۳۴۶۱-۸۱۷۴۶

#### **Phone**

+98 31 3668 5149

#### **Email**

research@mui.ac.ir

#### **Web page address**

<http://research.mui.ac.ir/fa/%D9%85%D8%B9%D8%A7%D9%88%D9%86-%D9%BE%DA%98%D9%88%D9%87%D8%B4%DB%8C-%D9%88%D9%81%D9%86%D8%A7%D9%88%D8%B1%DB%8C>

#### **Grant name**

#### **Grant code / Reference number**

#### **Is the source of funding the same sponsor organization/entity?**

Yes

#### **Title of funding source**

Esfahan University of Medical Sciences

#### **Proportion provided by this source**

100

#### **Public or private sector**

Public

#### **Domestic or foreign origin**

Domestic

#### **Category of foreign source of funding**

empty

**Country of origin**

**Type of organization providing the funding**

Academic

**Person responsible for general inquiries**

**Contact**

**Name of organization / entity**

Esfahan University of Medical Sciences

**Full name of responsible person**

Ebrahim Sadeghi-Demneh

**Position**

Associate professor

**Latest degree**

Ph.D.

**Other areas of specialty/work**

Orthopedics

**Street address**

Hezar Jerib Street

**City**

Isfahan

**Province**

Isfahan

**Postal code**

8174673461

**Phone**

+98 31 3792 5235

**Email**

sadeghi@rehab.mui.ac.ir

**Person responsible for scientific inquiries**

**Contact**

**Name of organization / entity**

Esfahan University of Medical Sciences

**Full name of responsible person**

Ebrahim Sadeghi-DEMneh

**Position**

Associate professor

**Latest degree**

Ph.D.

**Other areas of specialty/work**

Orthopedics

**Street address**

Hezar Jerib

**City**

Isfahan

**Province**

Isfahan

**Postal code**

8174673461

**Phone**

+98 31 3792 5235

**Email**

sadeghi@rehab.mui.ac.ir

**Person responsible for updating data**

**Contact**

**Name of organization / entity**

Esfahan University of Medical Sciences

**Full name of responsible person**

Ebrahim Sadeghi-Demneh

**Position**

Associate professor

**Latest degree**

Ph.D.

**Other areas of specialty/work**

Orthopedics

**Street address**

Hezar Jerib

**City**

Isfahan

**Province**

Isfahan

**Postal code**

8174673461

**Phone**

+98 31 3792 5235

**Email**

sadeghi@rehab.mui.ac.ir

**Sharing plan**

**Deidentified Individual Participant Data Set (IPD)**

Yes - There is a plan to make this available

**Study Protocol**

Yes - There is a plan to make this available

**Statistical Analysis Plan**

Yes - There is a plan to make this available

**Informed Consent Form**

Yes - There is a plan to make this available

**Clinical Study Report**

Yes - There is a plan to make this available

**Analytic Code**

Yes - There is a plan to make this available

**Data Dictionary**

Not applicable

**Title and more details about the data/document**

The study data (excluding the personal details) can be shared with other researchers or systematic reviewers.

**When the data will become available and for how long**

No time limit is set.

**To whom data/document is available**

No specific limitation is considered.

**Under which criteria data/document could be used**

No terms and conditions is considered for sharing the data.

**From where data/document is obtainable**

People can send their request to the correspondence and obtain the data.

**What processes are involved for a request to access data/document**

Request can be sent through an email.

**Comments**