

Clinical Trial Protocol

Iranian Registry of Clinical Trials

02 Jun 2026

Comparison of the Effectiveness of *F. assa-foetida* and Placebo on Antihyperglycemic, Antihyperlipidemic, Anti-inflammatory, and Antioxidant Activities in Type 2 Diabetes Mellitus Patients

Protocol summary

Study aim

Evaluation of antihyperglycemic, antihyperlipidemic, anti-inflammatory, and antioxidant effects of *F. assa-foetida* in type 2 diabetes

Design

A double-blind randomized, placebo-controlled clinical trial with a parallel groups design of 66 patients

Settings and conduct

Patients will be visited in four different situations: Visit 1: Screening and registration (Day 1): Anthropometric measurements, systolic and diastolic blood pressure (mmHg), dietary intake using Food frequency questionnaire (FFQ), and physical activity by physical activity measurement questionnaire will be evaluated. Visit 2: Randomization and blood Sampling (Day 2): 8 cc blood will be obtained in fasting, 60 capsules of *Asafin* or placebo are given to each patient and the patient will be asked to take a capsule before breakfast and dinner for 3 months. Visit 3 (Day 45): Anthropometric measurements, blood pressure, diet and physical activity will be measured. Visit 4 (day 90): 8 cc blood will be taken in fasting state. Then physical activity, anthropometry, blood pressure, and diet will be measured. The measures of anthropometric, blood pressure, physical activity, and dietary intake are the confounding variables and compared between two groups.

Participants/Inclusion and exclusion criteria

Patients aged 25-85 years who have diagnostic criteria for type 2 diabetes mellitus

Intervention groups

1. Intervention group: Receiving *F. assa-foetida* capsule
2. Control group: Receiving placebo capsule

Main outcome variables

Fasting blood sugar (FBS) and 2-hours postprandial (2-hpp); Glycated hemoglobin; Serum triglyceride, LDL and total cholesterol levels; Serum HDL levels; Liver enzymes SGOT and SGPT, Serum leptin levels; Inflammation

markers hs-CRP, ESR, MDA, AGEs; Activity of antioxidant enzymes SOD, glutathione peroxidase, and serum catalase

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20190525043704N1**

Registration date: **2019-09-23, 1398/07/01**

Registration timing: **prospective**

Last update: **2019-09-23, 1398/07/01**

Update count: **0**

Registration date

2019-09-23, 1398/07/01

Registrant information

Name

Mahshid Naghashpour

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 61 5323 0046

Email address

mnaghashpour@gmail.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2019-12-05, 1398/09/14

Expected recruitment end date

2020-03-04, 1398/12/14

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Comparison of the Effectiveness of *F. assa-foetida* and Placebo on Antihyperglycemic, Antihyperlipidemic, Anti-inflammatory, and Antioxidant Activities in Type 2 Diabetes Mellitus Patients

Public title

Effect of *F. assa-foetida* in Diabetese

Purpose

Supportive

Inclusion/Exclusion criteria**Inclusion criteria:**

Age 25-25 years Male and female patients Completion of diagnostic criteria for type 2 diabetes mellitus The desire to participate in the study with the ability to understand the relevant information and complete the informed consent form

Exclusion criteria:

Use of warfarin and other coumarin substitutes by the patient Use of increasing blood glucose drugs such as antidepressants (triangles), beta-adrenergic blockers, corticosteroids, diazoxide, diuretics, epinephrine, estrogen, glucagon, isoniazid, lithium, phenothiazines, phenytoin, salicylates and triamterene Use of glucose lowering drugs, including acetaminophen, alcohol, anabolysin steroids, gemfibrosil, monoamine oxidase inhibitors, propranolol, tolazamide, and tolbutamide History of uncontrolled hypertension, congestive heart failure and other cardiovascular disease, liver disease, kidney disease, or any metabolic and clinical disorder, except diabetes mellitus Patients with dangerous disease Renal dysfunction (glomerular filtration rate less than 60 ml / min / 1.73 mm³ of surface area) Participants with recent weight loss or weight gain more than 5% of body weight within 3 months People with type 1 diabetes or other chronic diseases such as stroke and cancer that may affect physical activity Pregnant and lactating women People with psychological illnesses Patient with type 2 diabetes under insulin therapy Smoking during the testing period (increasing blood glucose levels) Patients with sickle cell anemia, thalassemia, Chronic renal failure affecting the hemoglobin A1c Any circumstances that, according to the researcher, do not justify the participation of individuals in the study

Age

From **25 years** old to **85 years** old

Gender

Both

Phase

0

Groups that have been masked

- Participant
- Investigator

Sample size

Target sample size: **66**

Randomization (investigator's opinion)

Randomized

Randomization description

The random allocation of the participants to the intervention and control groups will be done using random allocation software. Then, envelopes prepare according to the number of participants in the study. It will be recorded number one on the first envelope, the second envelope number 2, and etc. In each envelope, the assignment of each individual is determined by the software. In this way, the specified envelope for each individual will be opened and the individual will be assigned to one of the intervention and/or control groups according to the option recorded in the envelope.

Blinding (investigator's opinion)

Double blinded

Blinding description

Participants and researchers will not informed about the assigned group (double blind). The placebo will also be used in the control group to control the effect of induction following the administration of the capsules.

Placebo

Used

Assignment

Parallel

Other design features

This study was designed as a double-blind randomized, placebo-controlled clinical trial. Samples will be selected from an outpatient referral to a private clinic that has been consulted by an internal medicine specialist, Type 2 diabetes mellitus has been approved by the physician, and have provided the inclusion criteria of the study. Diabetic patients who are willing to participate in the study and complete the consent form will be enrolled in the study.

Secondary Ids

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Abadan faculty of medical sciences

Street address

Airport Ave.

City

Abadan

Province

Khuzestan

Postal code

6313833177

Approval date

2019-07-09, 1398/04/18

Ethics committee reference number

IR.ABADANUMS.REC.1398.024

Health conditions studied

1

Description of health condition studied

Type 2 diabetes mellitus

ICD-10 code

E11

ICD-10 code description

Type 2 diabetes mellitus

Primary outcomes

1

Description

Fasting blood sugar

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

Colorimetric method using spectrophotometer

2

Description

2 hour post prandial

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

Colorimetric method using spectrophotometer

3

Description

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

Calorimetry with ELISA reader

4

Description

Serum glutathione peroxidase enzyme activity

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

Calorimetry with ELISA reader

5

Description

Serum catalase enzyme activity

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

Calorimetry with ELISA reader

6

Description

Serum LDL level

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

Colorimetric method using spectrophotometer

7

Description

Serum HDL levels

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

Colorimetric method using spectrophotometer

8

Description

Serum total cholesterol

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

Colorimetric method using spectrophotometer

9

Description

Serum triglyceride levels

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

Colorimetric method using spectrophotometer

10

Description

Body weight

Timepoint

At the beginning of the study (before the start of the study), on days 45 and 90 after the start of taking the Asafin capsule

Method of measurement

Scales

11

Description

Waist circumference

Timepoint

At the beginning of the study (before the start of the study), on days 45 and 90 after the start of taking the Asafin capsule

Method of measurement

Meter strip

12

Description

Waist to hip ratio (WHR)

Timepoint

At the beginning of the study (before the start of the study), on days 45 and 90 after the start of taking the Asafin capsule

Method of measurement

Calculate the ratio

13

Description

Body Mass Index (BMI)

Timepoint

At the beginning of the study (before the start of the study), on days 45 and 90 after the start of taking the Asafin capsule

Method of measurement

Calculate the ratio of weight to squared height

14

Description

high-sensitivity C-reactive protein (hs-CRP)

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

Calorimetry with ELISA reader

15

Description

erythrocyte sedimentation rate (ESR)

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

erythrocyte sedimentation rate

16

Description

Malondialdehyde(MDA)

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

Calorimetry with ELISA reader

17

Description

Advanced glycation end-products (AGEs)

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

ELISA and ELISA reader

18

Description

Serum glutamic oxaloacetic transaminase (SGOT)

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

Colorimetric method using spectrophotometer

19

Description

serum glutamic-pyruvic transaminase (SGPT)

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

Colorimetric method using spectrophotometer

20

Description

Glycated hemoglobin (Hb A1c)

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

Colorimetric method using spectrophotometer

21

Description

serum leptin level

Timepoint

At the beginning of the study (before the start of the study) and 90 days after the start of taking the Asafin capsule

Method of measurement

ELISA and ELISA reader

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group: Receiving F. assa-foetida capsule called Asafin at dose of 250 mg twice daily for 3 mounts. It is necessary to mention that standard treatment is glucose lowering drugs such as glibenclamide and metformin and all subjects should receive standard treatment. Drug formulation: Studies on animal and human species used the plant's resin to determine the effects of the drug. Due to the unpleasantness of this part of the plant for the patient and the likelihood of decreasing the adaptation, according to the drug formulation used in the similar study, 250 mg of the root and seed of the plant in powder form will be used to make Asafin capsule. The drug will be formulated by the Pharmacology Laboratory of the Faculty of Pharmacy, Ahwaz University of Medical Sciences, Ahwaz, Iran.

Category

Treatment - Drugs

2

Description

Control group: Receiving placebo capsule (starch) at a dose of 250 mg twice daily for 3 mounts. It is necessary to mention that standard treatment is glucose lowering drugs such as glibenclamide and metformin and all subjects should receive standard treatment. The placebo will be formulated by the Pharmacology Laboratory of the Faculty of Pharmacy, Ahwaz University of Medical Sciences, Ahwaz, Iran.

Category

Placebo

Recruitment centers

1

Recruitment center

Name of recruitment center

private clinic

Full name of responsible person

Mahshid Naghashpour

Street address

No. 1831, Kasra lane, South Bovardeh

City

Abadan

Province

Khuzestan

Postal code

6318887544

Phone

+98 61 5323 0046

Email

mnaghashpour@gmail.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Abadan University of Medical Sciences

Full name of responsible person

Dr. Sara Mobarak

Street address

Airway Ave.

City

Abadan

Province

Khuzestan

Postal code

6313833177

Phone

+98 61 5323 7800

Email

src.abadan@gmail.com

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Abadan University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Abadan Faculty of Medical Sciences

Full name of responsible person

Mahshid Naghashpour

Position

Assistant professor

Latest degree

Ph.D.

Other areas of specialty/work

Nutrition

Street address

Airport Ave., Abadan, Iran

City

Abadan

Province

Khuzestan

Postal code

6318887544

Phone

+98 61 5326 5358

Email

mnaghashpour@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Abadan University of Medical Sciences

Full name of responsible person

Mahshid Naghashpour

Position

Assistant Professor

Latest degree

Ph.D.

Other areas of specialty/work

Nutrition

Street address

No, 1831, Kasra lane, South Bovardeh Ave

City

Abadan

Province

Khouzestan

Postal code

6318887544

Phone

+98 61553230046

Email

mnaghashpour@gmail.com

Person responsible for updating data

Contact

Name of organization / entity

Abadan University of Medical Sciences

Full name of responsible person

Sahar Golabi

Position

Assistant professor

Latest degree

Ph.D.

Other areas of specialty/work

Physiology

Street address

Valieasr Blvd, Negin Arvand building, block 22, flat 2

City

Abadan

Province

Khouzestan

Postal code

6313833177

Phone

+98 61 5323 7800

Email

golabister@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

No - There is not a plan to make this available

Justification/reason for indecision/not sharing IPD

As stated in the consent form of the research, the researchers involved in the study kept all information about the patient confidential and are only allowed to publish the general and group results of this research without mentioning their names and specifications. Patients also know that they can have their own personalized results.

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Yes - There is a plan to make this available

Informed Consent Form

No - There is not a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

No - There is not a plan to make this available

Data Dictionary

No - There is not a plan to make this available

Title and more details about the data/document

Data relating to the primary outcome will be shared.

When the data will become available and for how long

Start of access period from 2020

To whom data/document is available

Data will be available to researchers working in academic and scientific institutes.

Under which criteria data/document could be used

Access to data is solely intended to inform investigators and referees of their truthfulness and may not be used elsewhere.

From where data/document is obtainable

If published a paper, data will be available as an supplementary file.

What processes are involved for a request to access data/document

Following the publication of an article extracted from this clinical trial, readers can access data file. If not available, contact the researcher by email in order to provide it as soon as possible.

Comments

The study protocol and its statistical analysis will be available to academic researchers following the article publication. However, only the data obtained from the primary outcome of the intervention will be published as a supplementary file of the published article by deleting the individual information of the patients and considering the roles of research ethics.