

Clinical Trial Protocol

Iranian Registry of Clinical Trials

17 Jun 2026

The effect of Schroth method as a physiotherapy scoliosis-specific exercise in postural control of individual with adolescent idiopathic scoliosis: a single blinded randomized clinical trial

Protocol summary

Study aim

The effect of Schroth method in postural control of individual with adolescent idiopathic scoliosis

Design

Randomized, superiority, two parallel group trial with blinded outcome assessment. Random size 4 blocked randomization stratified will use for the Schroth curve types and concealed randomization sequence carried out at an external site.

Settings and conduct

The assessment of patients' postural control in static stand position will perform in a laboratory of department of physical therapy in school of rehabilitation sciences of Iran University of Medical Sciences approved for biomedical research using a force plate. Patients will instruct to step onto the force plate and stand quietly with the feet shoulder width apart, hands at the side and look straight ahead at a white dot located at eye level 1.2 meters away. Trial will collect for 90 s in eyes open (EO) then in eyes closed (EC) conditions and will calculate the Romberg's quotients (RQ: EC/EO).

Participants/Inclusion and exclusion criteria

Inclusion criteria: age range of 10-19 years, both genders, curves between 10-45, the primary curvatures in right and located in the thoracic spine. Exclusion criteria: accompanying mental problems or neurological-muscular or rheumatic diseases, a previous spinal operation, scheduled for surgery.

Intervention groups

Schroth exercises for intervention group include: muscle cylinder, the frog at the pond, the door handle, raising the pelvis and 50x exercise will perform in one-hour sessions, combined with a 30±45 min daily home exercises program. Also standard care for intervention and control groups including observation after each 3 month for patients have curves 10-25 and brace daily (16h) for patients have curves 25-45 according to their

curves.

Main outcome variables

The primary outcome consists of center of pressure's sway and position variables for assessment of postural control.

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20180728040618N3**

Registration date: **2019-12-27, 1398/10/06**

Registration timing: **registered_while_recruiting**

Last update: **2019-12-27, 1398/10/06**

Update count: **0**

Registration date

2019-12-27, 1398/10/06

Registrant information

Name

Holakoo Mohsenifar

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 2610 6933

Email address

mohsenifar.h@iums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2019-12-22, 1398/10/01

Expected recruitment end date

2020-12-21, 1399/10/01

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

The effect of Schroth method as a physiotherapy scoliosis-specific exercise in postural control of individual with adolescent idiopathic scoliosis: a single blinded randomized clinical trial

Public title

The effect of Schroth method in postural control of scoliosis

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

Having a diagnosis of adolescent idiopathic scoliosis Age range of 10-19 years Both genders Curves between 10-45 The primary curvatures in right and located in the thoracic spine Risser grade 0 to 5 No other treatment during this trial which might affect scoliosis The ability to attend weekly visits The ability for reading Persian version of questionnaire

Exclusion criteria:

Having contraindications to exercise Accompanying mental problems Accompanying neurological-muscular or rheumatic diseases A previous spinal operation Scheduled for surgery Non-idiopathic scoliosis

Age

From **10 years** old to **19 years** old

Gender

Both

Phase

3

Groups that have been masked

- Investigator

Sample size

Target sample size: **15**

Randomization (investigator's opinion)

Randomized

Randomization description

Method of randomization is 4 block, unit of randomization is individual, randomization strata according to number of curves is stratified randomization, then patients will divide in intervention group (group A) and control group (group B) and two list of random allocation that consist of A and B letters will locate in sealed envelopes. Each numbered envelope will be according to patient's number.

Blinding (investigator's opinion)

Single blinded

Blinding description

This trial is a single blinded randomized clinical trial. A physical therapist as an assessor that will assess postural control, SRS-22r questionnaire and angle of trunk rotation is blind.

Placebo

Not used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Iran University of Medical Sciences

Street address

Iran University of Medical Sciences, Shahid Hemmat Highway, Tehran

City

Tehran

Province

Tehran

Postal code

1449614535

Approval date

2019-11-04, 1398/08/13

Ethics committee reference number

IR.IUMS.REC.1398.804

Health conditions studied**1****Description of health condition studied**

Adolescent idiopathic scoliosis

ICD-10 code

M41.2

ICD-10 code description

Other idiopathic scoliosis

Primary outcomes**1****Description**

postural control

Timepoint

before intervention and 3 month after intervention

Method of measurement

force plate

Secondary outcomes**1****Description**

Cobb angle

Timepoint

before intervention and 6 month after intervention

Method of measurement

standing posterior-anterior radiographs

2**Description**

angle of trunk rotation

Timepoint

before intervention and 3 and 6 month after intervention

Method of measurement

scoliometer

3**Description**

Quality of life

Timepoint

before intervention and 3 and 6 month after intervention

Method of measurement

Scoliosis Research Society 22r questionnaire

4**Description**

function

Timepoint

before intervention and 3 and 6 month after intervention

Method of measurement

function item in Scoliosis Research Society 22r questionnaire

5**Description**

pain

Timepoint

before intervention and 3 and 6 month after intervention

Method of measurement

pain item in Scoliosis Research Society 22r questionnaire

6**Description**

self image

Timepoint

before intervention and 3 and 6 month after intervention

Method of measurement

self image item in Scoliosis Research Society 22r questionnaire

Intervention groups**1****Description**

Intervention group: The six-month supervised Schroth physiotherapy scoliosis-specific exercise intervention included five one-hour long private sessions delivered during the first two weeks, followed by weekly one-hour long group classes combined with a 30±45 min daily home exercise program. Also standard care including observation after each 3 month for patients have curves 10-25 and brace daily (16h) for patients have curves

25-45 according to their curves.

Category

Rehabilitation

2**Description**

Control group: Standard care including observation after each 3 month for patients have curves 10-25 and brace daily (16h) for patients have curves 25-45 according to their curves.

Category

Rehabilitation

Recruitment centers**1****Recruitment center****Name of recruitment center**

School of Rehabilitation Sciences of Iran University of Medical Sciences

Full name of responsible person

Holakoo Mohsenifar

Street address

School of Rehabilitation Sciences of Iran University of Medical Sciences, Madadkaran St, Shah Nazari St, Madar Sq, Mirdamad Blvd, Tehran

City

Tehran

Province

Tehran

Postal code

1545913487

Phone

+98 21 2222 7124

Email

mohsenifarpt@gmail.com

Sponsors / Funding sources**1****Sponsor****Name of organization / entity**

Iran University of Medical Sciences

Full name of responsible person

Holako Mohsenifar

Street address

School of Rehabilitation Sciences of Iran University of Medical Sciences, Madadkaran St, Shah Nazari St, Madar Sq, Mirdamad Blvd, Tehran

City

Tehran

Province

Tehran

Postal code

1545913487

Phone

+98 21 2222 7124

Email

mohsenifarpt@gmail.com

Grant name
Grant code / Reference number
Is the source of funding the same sponsor organization/entity?
No
Title of funding source
Iran University of Medical Sciences
Proportion provided by this source
100
Public or private sector
Public
Domestic or foreign origin
Domestic
Category of foreign source of funding
empty
Country of origin
Type of organization providing the funding
Academic

Person responsible for general inquiries

Contact

Name of organization / entity
Iran University of Medical Sciences
Full name of responsible person
Holakoo Mohsenifar
Position
Assistant Professor
Latest degree
Ph.D.
Other areas of specialty/work
Physiotherapy
Street address
School of Rehabilitation Sciences of Iran University of Medical Sciences, Madadkaran St, Shah Nazari St, Madar Sq, Mirdamad Blvd, Tehran
City
Tehran
Province
Tehran
Postal code
1545913487
Phone
+98 21 2222 7124
Email
Mohsenifarpt@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity
Iran University of Medical Sciences
Full name of responsible person
Holakoo Mohsenifar
Position
Assistant Professor
Latest degree
Ph.D.
Other areas of specialty/work
Physiotherapy
Street address

School of Rehabilitation Sciences of Iran University of Medical Sciences, Madadkaran St, Shah Nazari St, Madar Sq, Mirdamad Blvd, Tehran

City
Tehran
Province
Tehran
Postal code
1545913487
Phone
+98 21 2222 7124
Email
Mohsenifarpt@gmail.com

Person responsible for updating data

Contact

Name of organization / entity
Iran University of Medical Sciences
Full name of responsible person
Holakoo Mohsenifar
Position
Assistant Professor
Latest degree
Ph.D.
Other areas of specialty/work
Physiotherapy
Street address
School of Rehabilitation Sciences of Iran University of Medical Sciences, Madadkaran St, Shah Nazari St, Madar Sq, Mirdamad Blvd, Tehran
City
Tehran
Province
Tehran
Postal code
1545913487
Phone
+98 21 2222 7124
Email
Mohsenifarpt@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Yes - There is a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Yes - There is a plan to make this available

Data Dictionary

Yes - There is a plan to make this available

Title and more details about the data/document

Deidentified individual participant data collected for the primary and secondary outcome measures will be shared if necessary.

When the data will become available and for how long

Starting 6 months after publication

To whom data/document is available

The data will be available for physical therapists working in academic institutions and also clinicians working in the field of musculoskeletal disorders

Under which criteria data/document could be used

The raw data and results of this study can be used in future relevant systematic reviews. Thus, the raw data and results of this study will be available for researchers working in the field of scoliosis.

From where data/document is obtainable

Applicants can contact the researcher of this study Yasin Larni by email. Email address: yasin.larni_pt@yahoo.com

What processes are involved for a request to access data/document

Applicants should explain in detail about their project and how the data/documents of this study will be used in their project. Then, the data/documents files will be sent by email to applicants on request. This process may takes 10-12 working days.

Comments