

Clinical Trial Protocol

Iranian Registry of Clinical Trials

27 Jun 2026

Comparison of accuracy between standard surgical splint and modified interpretative adjustable splint in transferring of anteroposterior position of maxilla during Le Fort I osteotomy

Protocol summary

Study aim

Comparison of the efficiency of the adjustable surgical wafer compared to the standard intermediate wafer, in the transfer of the anterior-posterior position of maxilla during Lefort I osteotomy

Design

Horizontal osteotomy line on the bone first will be marked with a cutter, on the area of the canine and molar teeth two vertical lines are drawn on it. Then osteotomy performed and the maxilla will be broken down. The standard wafer is placed first and the upper jaw is moved upwards with hand pressure so that the two pieces are reattached in the osteotomy line and the vertical line displacement on the moving piece (Down fractured maxilla) is shifted. The vertical line is measured on the fixed piece. If this shift is to the front, it is displayed with positive numbers, and if it is backwards, it is displayed with negative numbers. Now the adjustable wafer is set and the displacement of the lower vertical line is measured relative to the upper. This process will be repeated with wafers made in positions 1-a, 2-a, 3-a, as well as 1-p, 2-p, and 3-p.

Settings and conduct

Clinical trials at Besat Hospital in Hamadan in 2020 will be performed on patients who require lefort1 osteotomy surgery in because of maxillary symmetry.

Participants/Inclusion and exclusion criteria

Patients with problems in the sagittal dimension of maxillary classified as class 2 and 3 according to the classification of the maxillary- skeletal relationship. criteria for not entering the study: Patients with a history of previous orthognathic surgery, teeth-less patients and patients need vertical changes

Intervention groups

Intervention group: Adjustable surgical wafers will be used to determine maxillary position during Lefort 1 surgery. Control group: Standard surgical wafers will be

used to determine maxillary position during Lefort 1 surgery.

Main outcome variables

Changes in the maxillary reference lines

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20151123025202N7**

Registration date: **2020-06-13, 1399/03/24**

Registration timing: **registered_while_recruiting**

Last update: **2020-06-13, 1399/03/24**

Update count: **0**

Registration date

2020-06-13, 1399/03/24

Registrant information

Name

Abbas Moradi

Name of organization / entity

Hamedan University of Medical Of Science

Country

Iran (Islamic Republic of)

Phone

+98 81 3838 0097

Email address

a.moradi@umsha.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2020-03-19, 1398/12/29

Expected recruitment end date

2021-03-18, 1399/12/28

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Comparison of accuracy between standard surgical splint and modified interpretative adjustable splint in transferring of anteroposterior position of maxilla during Le Fort I osteotomy

Public title

Le Fort I osteotomy for transferring of anteroposterior position of maxilla

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

Problem in sagittal dimension of Jaw Class 2 & 3 Jaw skeletal connection Need to change just in sagittal dimension

Exclusion criteria:

Patients with previous history of orthognathic surgery
Toothless patients Patients need vertical changes

Age

No age limit

Gender

Both

Phase

2

Groups that have been masked*No information***Sample size**

Target sample size: 20

Randomization (investigator's opinion)

Randomized

Randomization description

We made 20 cards and write letter A on 10 for adjustable splint and on the other 10 letter S for the standard surgical splint group. Then put them inside the envelope with aluminum wrap and put in a box. At the time of patient arrival, one of the letters will be randomly selected and opened, based on selected letter (A or S) patients will be assigned to adjustable surgical splint or standard surgical splint group.

Blinding (investigator's opinion)

Not blinded

Blinding description**Placebo**

Not used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Hamadan University of Medical Science

Street address

Shahid Fahmideh Avenue

City

Hamadan

Province

Hamadan

Postal code

6517838697

Approval date

2020-05-23, 1399/03/03

Ethics committee reference number

IR.UMSHA.REC.1399.214

Health conditions studied**1****Description of health condition studied**

Asymmetry of maxillary and mandibular

ICD-10 code

M26.11

ICD-10 code description

Maxillary asymmetry

Primary outcomes**1****Description**

Maxillary movement

Timepoint

before and after Surgery

Method of measurement

The measurement is made with a ruler

Secondary outcomes**1****Description**

Maxilla displacement in sagittal dimension

Timepoint

before and after surgery

Method of measurement

The measurement is made with a ruler

Intervention groups**1****Description**

Intervention group: In each patient, first the upper and lower jaw casts will be prepared and transferred to the

articulator using Face bow. Then, based on the data obtained from the clinical analysis, photography and lateral cephalometry, the position of the upper and lower jaw is determined. Then, the patient's sergeant model is started and the upper jaw cast will be fixed at the designated position (position 0). For this purpose, first a standard (thin) wafer is made and then this wafer is removed and another wafer will be made using the made device (adjustable wafer). The upper jaw will be detached from the articulator base and fixed one millimeter stronger to the base (position 1-a) and a standard wafer and a thick adjustable wafer will be made for it. This process is in the position of two millimeters more anterior (position 2-a) and 3 mm more anterior (position 3-a), one millimeter more posterior (position 1-p), two millimeters more posterior (position 2-p) and three A more posterior millimeter (3-p position) will be repeated. In each case, a standard wafer and an adjustable wafer are made. During surgery, a horizontal osteotomy line is first marked on the bone with a milling cutter, and two vertical lines are drawn on the canine and molar teeth in the first area. An osteotomy is performed and the maxilla is broken down. At this time, the standard wafer will be placed first and the upper jaw will be moved upwards with the pressure of the hand so that the two pieces in the osteotomy line come together again and the amount of vertical line movement on the moving piece (Down fractured maxilla) The vertical line will be measured on the fixed piece. If this shift is to the front, it will be displayed with positive numbers, and if it is backwards, it will be displayed with negative numbers. Now the adjustable wafer is set and the displacement of the lower vertical line is measured relative to the upper. This process will be repeated with wafers made in positions 1-a, 2-a, 3-a, as well as 1-p, 2-p, and 3-p. If any error occurs, this error is the same on both devices. will be. Therefore, it will not affect the comparison of the two devices. In addition, all necessary measures are taken to control these rotations during operation.

Category

Treatment - Devices

2

Description

Control group: The surgical procedure in this group is similar to the intervention group, except that a standard splint will be used instead of an adjustable splint to determine the maxillary position during the Lefort I osteotomy surgery.

Category

Treatment - Devices

Recruitment centers

1

Recruitment center

Name of recruitment center

Besat Hospital

Full name of responsible person

dr Mohammad Reza Jamalpour

Street address

Shahid Beheshti Blvd

City

Hamadan

Province

Hamadan

Postal code

6514845411

Phone

+98 81 3264 0030

Fax

+98 81 3265 1515

Email

Besat@umsha.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Hamedan University of Medical Sciences

Full name of responsible person

dr Saeid Bashirian

Street address

Shahid Fahmide Ave

City

Hamadan

Province

Hamadan

Postal code

6517838677

Phone

+98 81 3838 0717

Fax

+98 81 3838 0130

Email

vc_research@umsha.ac.ir

Web page address

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Hamedan University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Hamedan University of Medical Sciences
Full name of responsible person
Abbas Moradi
Position
Coach
Latest degree
Master
Other areas of specialty/work
Epidemiology
Street address
Hamedan shahid fahmideh street medicine school
City
Hamedan
Province
Hamadan
Postal code
6517838736
Phone
+98 81 3838 0097
Fax
+98 81 3838 0208
Email
a.moradi@umsha.ac.ir

Person responsible for scientific inquiries

Contact

Name of organization / entity
Hamedan University of Medical Sciences
Full name of responsible person
Dr Mohammad Reza Jamalpour
Position
Assistant Professor
Latest degree
Specialist
Other areas of specialty/work
Dentistry
Street address
Shahid Beheshti Blv
City
Hamadan
Province
Hamadan
Postal code
6514845411
Phone
+98 81 3264 0030
Email
Jamalpour_omfs@yahoo.com

Person responsible for updating data

Contact

Name of organization / entity
Hamedan University of Medical Sciences

Full name of responsible person
Abbas Moradi
Position
Nonacademic staff of community Medicine
Latest degree
Master
Other areas of specialty/work
Epidemiology
Street address
shahid fahmideh Ave
City
Hamadan
Province
Hamadan
Postal code
6517838736
Phone
+98 81 3838 0097
Fax
+98 81 3838 0208
Email
a.moradi@umsha.ac.ir

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Not applicable

Analytic Code

Not applicable

Data Dictionary

Not applicable

Title and more details about the data/document

All data can be shared except for authors names

When the data will become available and for how long

From 2021 onward it is permissible

To whom data/document is available

Researchers in all fields

Under which criteria data/document could be used

To develop research and science

From where data/document is obtainable

Correspond to the email address of the scientific responsible for the study

What processes are involved for a request to access data/document

Send and receive email

Comments