

Clinical Trial Protocol

Iranian Registry of Clinical Trials

10 Jun 2026

Effect of fentanyl on the success of inferior alveolar nerve block for teeth with symptomatic irreversible pulpitis

Protocol summary

Study aim

The purpose of this study is to compare the success rate of inferior alveolar nerve block (IANB) injection carried out with two cartridges of 2% lidocaine with 1:100000 epinephrine each combined with 0.25 ml fentanyl versus two cartridges of 2% lidocaine with 1:100000 epinephrine each combined with 0.25 ml sterile distilled water for endodontic treatment of mandibular molars with symptomatic irreversible pulpitis.

Design

Randomised, double-blinded clinical trial with a parallel group design of 100 patients randomly divided into two groups of 50 subjects each, using random number generator software.

Settings and conduct

Department of Endodontics, Dental School, Isfahan Each random number will be kept in a separate sealed opaque envelope. This procedure is done by a third person who has no clue and has not involved in the rest of the study and only the random number is used on the data collection sheets to further blind the experiment.

Participants/Inclusion and exclusion criteria

One hundred adult patients will participate in this clinical trial. All of the subjects must be in good health as determined by a health history and oral questioning. Exclusion criteria were as follows: Under 18 years of age, allergy to local anesthetics or sulfites and the inability to give written informed consent or understand the use of pain scales. Also patients with a periapical lesion will not include in this study. Therefore, to qualify for the study, each patient must have a vital mandibular molar tooth with a clinical diagnosis of symptomatic irreversible pulpitis.

Intervention groups

Intervention group: 2 cartridges of 1.8 mL of 2% lidocaine with epinephrine each combined with 0.25 ml Fentanyl being injected. Control group: 2 cartridges of 1.8 mL of 2% lidocaine with epinephrine each combined with 0.25 ml sterile distilled water being injected.

Main outcome variables

Pain

General information

Reason for update

Acronym

مطالعه بی حسی دندان و فنتانیل اصفهان

IRCT registration information

IRCT registration number: **IRCT20191114045442N1**

Registration date: **2020-02-27, 1398/12/08**

Registration timing: **registered_while_recruiting**

Last update: **2020-02-27, 1398/12/08**

Update count: **0**

Registration date

2020-02-27, 1398/12/08

Registrant information

Name

Neda Shekarchizade esfahani

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 31 3629 5052

Email address

neda_shekarchizade@yahoo.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2020-01-21, 1398/11/01

Expected recruitment end date

2020-08-22, 1399/06/01

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date
empty

Scientific title
Effect of fentanyl on the success of inferior alveolar nerve block for teeth with symptomatic irreversible pulpitis

Public title
Effect of fentanyl on the success of anesthesia for painful teeth

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
18 years of age up to 60 in good health(ASA I (classification of the American Society of Anesthesiologists)) having at least one mandibular molar tooth with irreversible pulpitis Normal periapical radiographic appearance (except for a widened periodontal ligament) Not having severe periodontal problem No history of allergy to local anesthesia or sulfite
Exclusion criteria:
Taking any medications that might cause altered pain sensation Any swelling or sinus tract near the target tooth pregnant or nursing mothers Active sites of pathosis in the area of injection Inability of the patient to give an informed consent Lack of lip numbness within 15 minutes after injection

Age
From **18 years** old to **60 years** old

Gender
Both

Phase
2-3

Groups that have been masked

- Participant
- Care provider
- Investigator
- Outcome assessor

Sample size
Target sample size: **100**

Randomization (investigator's opinion)
Randomized

Randomization description
The method of randomization is based on block randomization using four blocks. 25 blocks of four quadrants will be selected randomly adopting random number table method. Patients under study will be assigned to one of two groups of intervention and control groups based on the order of blocks selection.

Blinding (investigator's opinion)
Double blinded

Blinding description
Drugs used in similar cartridges are prepared. The mentioned drugs will be differentiated from each other based on a four-digit code that is pasted on them with the usage of a random number table method. There is no difference in terms of shape, size and other physical

characteristics. Therefore, the patient and the individual assessing the impact of the intervention will not be able to detect the drug in the intervention and control groups.

Placebo
Used

Assignment
Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics committee of Isfahan University of Medical Sciences

Street address

Isfahan University of Medical Sciences, Hezar Jarib Street, Isfahan, Iran.

City

Isfahan

Province

Isfahan

Postal code

81744-73461

Approval date

2019-10-08, 1398/07/16

Ethics committee reference number

IR.MUI.RESEARCH.REC.1398.430

Health conditions studied

1

Description of health condition studied

Irreversible pulpitis

ICD-10 code

K04.0

ICD-10 code description

Pulpitis

Primary outcomes

1

Description

Pain

Timepoint

Before treatment and after initiating root canal therapy

Method of measurement

Heft-Parker visual analog scale (VAS)

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group: 2 cartridges of 1.8 mL of 2% lidocaine with epinephrine each combined with 0.25 ml fentanyl applied by using conventional inferior alveolar nerve block injection technique.

Category

Treatment - Drugs

2

Description

Control group: 2 cartridges of 1.8 mL of 2% lidocaine with epinephrine each combined with 0.25 ml sterile distilled water applied by using conventional inferior alveolar nerve block injection technique.

Category

Placebo

Recruitment centers

1

Recruitment center

Name of recruitment center

Department of Endodontics, Dental School, Isfahan

Full name of responsible person

Neda Shekarchizade

Street address

Isfahan University of Medical Sciences, Hezar Jarib Street, Isfahan, Iran.

City

Isfahan

Province

Isfahan

Postal code

81746-73461

Phone

+98 31 3792 5047

Email

neda_shekarchizade@yahoo.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Esfahan University of Medical Sciences

Full name of responsible person

Neda Shekarchizade

Street address

Vice chancellor for research, Isfahan University of Medical Sciences, Hezar Jarib Street, Isfahan, Iran.

City

Isfahan

Province

Isfahan

Postal code

81746-73461

Phone

+98 31 3792 2822

Email

Neda_shekarchizade@yahoo.com

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Esfahan University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Esfahan University of Medical Sciences

Full name of responsible person

Neda Shekarchizade

Position

Assistant Professor

Latest degree

Specialist

Other areas of specialty/work

Dentistry

Street address

Isfahan University of Medical Sciences, Hezar Jarib Street, Isfahan, Iran. P.O.Box: 81744-176

City

Isfahan

Province

Isfahan

Postal code

81746-73461

Phone

+98 31 3792 2822

Email

Neda_shekarchizade@yahoo.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Esfahan University of Medical Sciences

Full name of responsible person

Neda Shekarchizade

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Dentistry

Street address

Isfahan University of Medical Sciences, Hezar Jarib
Street, Isfahan, Iran. P.O.Box: 81744-176

City

isfahan

Province

Isfahan

Postal code

81746-73461

Phone

+98 31 3792 2822

Email

Neda_shekarchizade@yahoo.com

Person responsible for updating data

Contact

Name of organization / entity

Esfahan University of Medical Sciences

Full name of responsible person

Neda Shekarchizade

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Dentistry

Street address

Isfahan University of Medical Sciences, Hezar Jarib
Street, Isfahan, Iran. P.O.Box: 81744-176

City

isfahan

Province

Isfahan

Postal code

81746-73461

Phone

+98 31 3792 2822

Email

Neda_shekarchizade@yahoo.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available