

Clinical Trial Protocol

Iranian Registry of Clinical Trials

07 Jul 2026

Phase II Clinical Trial of Safety, Immunogenicity, and Mucosal Immunotherapy of Recombinant *Lactococcus lactis* Expressing Human Papillomavirus Type 16 E6/E7 Oncoprotein Vaccine (KMTLL16E6/7) in Women Suffering From Cervical Intraepithelial Neoplasia (CIN) Grade 2/3

Protocol summary

Study aim

The primary goal of this study is to assess the safety and immunogenicity of oral administration of KMTLL16E6/7 vaccine to patients with CIN2/3 and also determine the recommended human dose to obtain the optimal efficacy. The secondary goal of this study is an in-depth assessment of the efficacy of KMTLL16E6/7 vaccine in induction of TH1 immune responses against E7 and E6 oncogenes, cytological regression of CIN2/3, and clearance of HPV-16 genome.

Design

Two hundred and twenty Iranian women aged 18 to 59 years old with Cervical Intraepithelial neoplasia Grade 2/3 will be vaccinated at the Keyvan Virology Specialty Laboratory (KVSL). Upon Enrollment, Written Consent will be Obtained From Each Participant or Her Legal Guardian.

Settings and conduct

After obtaining the informed consent form of the women with cervical intraepithelial neoplasia in Keyvan Virology Specialty Laboratory, detailed information on how to use vaccines KMTLL16E6/7 as well as when and how to do required experiments after using the mentioned vaccine will be given to them.

Participants/Inclusion and exclusion criteria

1- Women Have PCR positive test for Papilloma Virus Infection; 2- Women Don't be Pregnant; 3- Women in Pap smear Test Have Abnormal Conditions; 4- Failure to Complete a Course of Treatment by Individuals Will Result in Their Exclusion from Study.

Intervention groups

In This Study, There Are Six Target Groups That All Groups Are Identical in Terms of disease, But Differ in Terms of Drug Use. This Will be Given to Three Groups (Test Groups) of the E7 and E6 Vaccine and Will be Given to the Following Three (Control Groups) Groups of

Placebo.

Main outcome variables

Evaluation of Safety, Immunogenicity, and Mucosal Immunotherapy of KMTLL16E6/7 Vaccine in Women having Cervical Intraepithelial neoplasia

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20190504043464N2**

Registration date: **2020-02-07, 1398/11/18**

Registration timing: **registered_while_recruiting**

Last update: **2020-02-07, 1398/11/18**

Update count: **0**

Registration date

2020-02-07, 1398/11/18

Registrant information

Name

Sedigheh Taghinezhad Saroukalaei

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 8854 9747

Email address

s.taghinezhad@srbiau.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2020-02-01, 1398/11/12

Expected recruitment end date

2020-08-01, 1399/05/11

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Phase II Clinical Trial of Safety, Immunogenicity, and Mucosal Immunotherapy of Recombinant Lactococcus lactis Expressing Human Papillomavirus Type 16 E6/E7 Oncoprotein Vaccine (KMTLL16E6/7) in Women Suffering From Cervical Intraepithelial Neoplasia (CIN) Grade 2/3

Public title

Phase II Clinical Trial of Safety, Immunogenicity, and Mucosal Immunotherapy of Recombinant Lactococcus lactis Expressing Human Papillomavirus Type 16 E6/E7 Oncoprotein Vaccine in Women having Cervical Intraepithelial Neoplasia (CIN)

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

The women must have the ability to understand the study requirements, sign the Informed Consent Form, and also understand all restrictions during the study. 18-59 years-old females who are diagnosed as CIN2/3 by histological examination and are infected with HPV-16 alone or HPV-16 plus other types have the eligibility to enter in the study. Women shouldn't have other sexually transmitted diseases. Women shouldn't be pregnant before starting the study. Women shouldn't have other cancerous disease.

Exclusion criteria:

Patients who has a previous history of hypersensitivity to probiotic-content (food/drug or milk). Patients who are suspected to invasive cancers. Patients with the medical history of diseases that may endanger the safety of the participant. Patients with a history of allergic diseases or reactions that may be aggravated by any component of the vaccine in question. Patients who have plan to do surgery during the study. Patients who used antibacterial drugs in 14-28 days before the study. Patients who used any vaccine within 90 days prior to screening. Patients who have plan to participate in another clinical trial during the present trial study. Patients who have autoimmune diseases or immunosuppressive disease. Patients with positive results of the HIV-1/2 antibodies, HCV antibody, HSV antibody, and HBsAg on screening process will be excluded from the study.

AgeFrom **18 years** old to **59 years** old**Gender**

Female

Phase

2

Groups that have been masked

- Participant

Sample sizeTarget sample size: **220****Randomization (investigator's opinion)**

Randomized

Randomization description

Eligible candidates were divided into six clinical groups with a ratio of 2:1 by using Randomizer Software (version 3.0) to receive 4 periods of oral vaccines of E6 or E7 or placebo at weeks 1, 2, 4 and 8 . Each dose of the vaccine was administrated orally, once each morning, and for five days each treatment week. Subjects will be followed for 1 year after each intervention.

Blinding (investigator's opinion)

Single blinded

Blinding description

In this study, women who suffering from cervical intraepithelial neoplasia grade 2/3 are divided into six groups. In this phase, all groups are treated and simultaneously given to three groups of vaccines and given to the other three groups of placebo.

Placebo

Used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Iran University of Medical Sciences

Street address

Iran University of Medical Sciences, Shahid Hemmat Highway, Tehran

City

Tehran

Province

Tehran

Postal code

1449614535

Approval date

2016-12-20, 1395/09/30

Ethics committee reference number

1395.95-04-30-29914

Health conditions studied**1****Description of health condition studied**

Genital Wart

ICD-10 code

A63.0

ICD-10 code description

Anogenital (venereal) warts

Primary outcomes

1

Description

Measurement the level of Th1 type IFN-γ and antigen-specific CTLs secretion in PBMC and vaginal fluids

Timepoint

At the Beginning of the Study (on day 0 before the initial vaccination), at day 60 After Taking the Vaccine., and at months 1, 6, and 12 after the last vaccination.

Method of measurement

ELISPOT KITS

2

Description

Determining the presence/absence of HPV-16 in cervical fluids

Timepoint

At the Beginning of the Study (on day 0 before the initial vaccination), at day 60 after taking the vaccine, and at months 1, 6, and 12 after the last vaccination.

Method of measurement

PCR and INNO-LiPA Techniques

3

Description

Examination of cervix and vagina for evaluating and predicting the malignant and CIN status in treated women.

Timepoint

At the Beginning of the Study (on day 0 before the initial vaccination), at day 60 after taking the vaccine, and at months 1, 6, and 12 after the last vaccination.

Method of measurement

Colposcopy and Cervical Biopsy

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group: Volunteers will receive four rounds of oral vaccine (1 mL) at weeks 1, 2, 4, and 8. Each dose of vaccine will be administered orally, once each morning after fasting for five days, each treatment week. If no side effects were detected in arms given the lower dose (1000000000 CFU/mL), the dose will be escalated to 5000000000 CFU/mL and 10000000000 CFU/mL.

Category

Treatment - Other

2

Description

Control groups will receive four rounds of placebo (1 mL) at weeks 1, 2, 4, and 8. Each dose of placebo will be

administered orally, once each morning after fasting for five days, each treatment week. If no side effects were detected in arms given the lower dose (1000000000 CFU/mL), the dose will be escalated to 5000000000 CFU/mL and 10000000000 CFU/mL.

Category

Treatment - Other

Recruitment centers

1

Recruitment center

Name of recruitment center

Keyvan Virology Specialty Laboratory

Full name of responsible person

Hossein Keyvani

Street address

Floor 1, Number 498, Beheshti Avenue

City

Tehran

Province

Tehran

Postal code

1596983911

Phone

+98 21 8870 6556

Fax

+98 21 8870 6555

Email

keyvani.h@iums.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Iran University of Medical Sciences

Full name of responsible person

Dr. Abbas Motavalian

Street address

Tehran, Hemmat Highway, next to Milad Tower, Iran University of Medical Sciences

City

Tehran

Province

Tehran

Postal code

1449614535

Phone

+98 21 86709

Email

amotevalian@yahoo.com

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Iran University of Medical Sciences

Proportion provided by this source

50

Public or private sector

Private

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Islamic Azad University

Full name of responsible person

Amir Hossein Mohseni

Position

Researcher

Latest degree

Ph.D.

Other areas of specialty/work

Microbiology

Street address

Floor 1, Number 498, Shahid Beheshti ave, Tehran.

City

Tehran

Province

Tehran

Postal code

1596983911

Phone

+98 21 8871 6556

Fax

+98 21 8871 6555

Email

amho.mohseni@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Islamic Azad University

Full name of responsible person

Sedigheh Taghinezhad Saroukalaei

Position

Researcher

Latest degree

Ph.D.

Other areas of specialty/work

Microbiology

Street address

Floor 1, No. 498, Shahid Beheshti Ave., Tehran.

City

Tehran

Province

Tehran

Postal code

1596983911

Phone

+98 21 8871 6556

Fax

+98 21 8871 6555

Email

taghinezhad.m@gmail.com

Person responsible for updating data

Contact

Name of organization / entity

Islamic Azad University

Full name of responsible person

Amir Hossein Mohseni

Position

Researcher

Latest degree

Ph.D.

Other areas of specialty/work

Microbiology

Street address

Floor 1, Number 498, Shahid Beheshti ave, Tehran

City

Tehran

Province

Tehran

Postal code

1596983911

Phone

+98 21 8871 6556

Fax

+98 21 8871 6555

Email

amho.mohseni@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available