

Clinical Trial Protocol

Iranian Registry of Clinical Trials

30 May 2026

The effect of combination of Neostigmine and Metoclopramide on gastric residual volume in mechanically ventilated ICU patients

Protocol summary

Summary

The aim of this Triple blind randomized clinical trial is comparing the effect of Metoclopramide , Neostigmine and combination of Metoclopramide and Neostigmine on gastric residual volume in mechanically ventilated ICU patients. 90 patients, who qualified for study entry, randomly allocate in three equal 30patients intervention groups. The first group receives 2.5mg Neostigmine, the second group receives 10 mg Metoclopramide and the third group receives both of them in 100 cc Normal Saline infused at 30 minutes. Then gastric residual volume will be checked 0, 3, 6, 9 and 12 hours after intervention. Also heart rate, blood pressure, Na, K, Mg, Hb, WBC, albumin and SOFA are measured before intervention.

General information

Acronym

IRCT registration information

IRCT registration number: **IRCT201408104365N16**

Registration date: **2015-01-01, 1393/10/11**

Registration timing: **registered_while_recruiting**

Last update:

Update count: **0**

Registration date

2015-01-01, 1393/10/11

Registrant information

Name

Afshin Gholipour Baradari

Name of organization / entity

Mazandaran University of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 11 3326 1245

Email address

gholipourafshin@mazums.ac.ir

Recruitment status

Recruitment complete

Funding source

Vice chancellor for research of Mazandaran University of Medical Sciences

Expected recruitment start date

2014-03-01, 1392/12/10

Expected recruitment end date

2015-02-01, 1393/11/12

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

The effect of combination of Neostigmine and Metoclopramide on gastric residual volume in mechanically ventilated ICU patients

Public title

Combination of Neostigmine and Metoclopramide to reduce gastric residual volume in mechanically ventilated ICU patients

Purpose

Treatment

Inclusion/Exclusion criteria

Inclusion criteria: patient family agreement and informed written consent; under mechanical ventilation; nutrition via gastric tube; gastric residual volume greater than 120 cc; age between 20 and 60 years Exclusion criteria: diabetes; heart rate<60; heart blocks and arrhythmias; systolic BP<90 mmHg; hypothermia (core temperature<35); renal failure (serum Creatinin>1.5 in two consecutive test); prokinetic agents consumption during 8 hours before intervention; recent surgery on GI tract within 10 days; pregnancy and breast feeding;

extrapyramidal sign; bronchospasm; hypokalemia (K<3 meq/L); known sensitivity to Neostigmine and metoclopramide; GI bleeding.

Age

From **20 years** old to **60 years** old

Gender

Both

Phase

2-3

Groups that have been masked

No information

Sample size

Target sample size: **90**

Randomization (investigator's opinion)

Randomized

Randomization description

Blinding (investigator's opinion)

Triple blinded

Blinding description

Placebo

Not used

Assignment

Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Mazandaran University of Medical Sciences

Street address

Mazandaran University of Medical Sciences, Moallem Square

City

sari

Postal code

46175866

Approval date

2013-12-04, 1392/09/13

Ethics committee reference number

92-163

Health conditions studied

1

Description of health condition studied

The relation of combination of Neostigmine and Metoclopramide with gastric residual volume in mechanically ventilated ICU patients

ICD-10 code

ICD-10 code description

Primary outcomes

1

Description

Gastric residual volume

Timepoint

0,3,6,9,12 hours after intervention

Method of measurement

Gastric lavage

Secondary outcomes

1

Description

Albumin, hemoglobin, WBC, Na, K, Mg

Timepoint

Before trial

Method of measurement

laboratory kit

2

Description

Hear rate, blood pressure

Timepoint

During trial

Method of measurement

Cardiac monitoring

3

Description

SOFA

Timepoint

before trial

Method of measurement

SOFA calculator

Intervention groups

1

Description

Intrvention group 1: Neostigmine 2.5 mg in 100 ml normal saline infused during 30 minute at the beginning of trial

Category

Treatment - Drugs

2

Description

Intrvention group 2: Metoclopramide 10 mg in 100 ml normal saline infused during 30 minute at the beginning of trial

Category

Treatment - Drugs

3

Description

Intrvention group 3: Neostigmine 2.5 mg + Metoclopramide 10 mg in 100 ml normal saline infused during 30 minute at the beginning of trial

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Imam Khomeini General Hospital

Full name of responsible person

Afshin Gholipour Baradari, MD, CCMF, Associate Professor

Street address

Imam Khomeini General Hospital, Amir St.

City

Sari

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Vice chancellor for research of Mazandaran University of Medical Sciences

Full name of responsible person

Ahmad Ali Enayati, MD

Street address

Mazandaran University of Medical Sciences, Moallem Square- Sari- Iran

City

Sari

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Vice chancellor for research of Mazandaran University of Medical Sciences

Proportion provided by this source

100

Public or private sector

empty

Domestic or foreign origin

empty

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

empty

Person responsible for general inquiries

Contact

Name of organization / entity

Mazandaran University of Medical Sciences

Full name of responsible person

Afshin Gholipour Baradari, MD

Position

CCMF, Associate Professor, Chief of ICU

Other areas of specialty/work

Street address

Mazandaran University of Medical Sciences, Moallem Square, Sari, Iran

City

Sari

Postal code

48175-866

Phone

+98 11332612458

Fax

+98 15 1326 2679

Email

gholipourafshin@mazums.ac.ir;

gholipourafshin@yahoo.com

Web page address

www.mazums.ac.ir

Person responsible for scientific inquiries

Contact

Name of organization / entity

Mazandaran University Of Medical Sciences

Full name of responsible person

Afshin Gholipour Baradari, MD

Position

CCMF, Associate Professor, Chief of ICU

Other areas of specialty/work

Street address

Mazandaran University of Medical Sciences, Moallem Square, Sari, Iran

City

Sari

Postal code

48175-866

Phone

+98 11 3326 2679

Fax

+98 11 3326 2679

Email

gholipourafshin@yahoo.com

Web page address

www.mazums.ac.ir

Person responsible for updating data

Contact

Name of organization / entity

Mazandaran University of Medical Sciences

Full name of responsible person

Abolfazl Firouzian, MD

Position

Assistant Professor

Other areas of specialty/work

Street address

Imam Khomeini General Hospital, Amir St

City

Sari

Postal code

48175-866

Phone

+98 11 3326 2679

Fax

+98 11 3326 2679

Email

ab.firouzian@gmail.com

Web page address

www.mazums.ac.ir

Sharing plan

Deidentified Individual Participant Data Set (IPD)

empty

Study Protocol

empty

Statistical Analysis Plan

empty

Informed Consent Form

empty

Clinical Study Report

empty

Analytic Code

empty

Data Dictionary

empty