

Clinical Trial Protocol

Iranian Registry of Clinical Trials

09 Jun 2026

Evaluate the safety, side effects and maximum tolerable dose of topical application of Antimicrobial Peptides: Pexiganan (MSI-78), Tilapia piscidin 4 (TP4), Melittin, Nisin-A and Omiganan (MX-226) on the skin of healthy volunteers to the treatment of Skin and Soft Tissue Infections.

Protocol summary

Study aim

Evaluate the safety, side effects and maximum tolerable dose of 5 Antimicrobial Peptides (AMPs) on the skin of healthy volunteers to the treatment of Skin and Soft Tissue Infections.

Design

Double-blind block randomized, vehicle-controlled, ascending doses clinical trial phase 1 with 30 patients in 5 groups. Concealed randomization sequence carried out with sequentially numbered, sealed, opaque envelopes.

Settings and conduct

Initially, 30 healthy volunteers who have Inclusion criteria will be randomly divided into five groups of six. In each group, 4 intervention subjects will be treated with the topical single dose AMPs on their healthy skin and 2 control subjects will receive placebo. The intervention groups will receive 1/2, 1, 2, 3 and 4fold of the minimum inhibitory concentration (MIC) of peptides, respectively. During the study, safety, side effects and maximum tolerable dose of peptides will be examined. The place of study is in Imam Reza Hospital.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Participant compliance with treatment method (Adherence) Having conditions for frequent visits to control the treatment method Informed consent to participate in the research project Non-smoker (no nicotine products for at least 3 months prior to screening) BMI ≥ 18 kg/m² and ≤ 32.0 kg/m² with a minimum weight of 50 kg Exclusion criteria: Use of any antibiotic and traditional drugs at least 7 days prior to screening Use of immunosuppressive drugs at least 14 days prior to screening Having any history of skin allergies

Intervention groups

The intervention groups will be treated with different concentrations of AMPs and the control groups will

receive a placebo.

Main outcome variables

The safety of local use of antimicrobial peptides, The maximum tolerable concentration of topical antimicrobial peptides

General information

Reason for update

In the section on how to conduct the study, the duration of the treatment was 21 days with an interval of every 3 days. Considering that the main purpose of the first phase of a clinical trial is to check the safety of the investigational medicinal product in healthy people, not treatment and effectiveness, the subjects of the present study were not sick. Therefore, the duration of treatment is not considered. For this purpose, the design of a study in the field of measuring the time points of the primary outcome variable in the form of a single ascending dose on the skin of healthy people with the measurement time points at 30 and 60 minutes after the intervention (to assess immediate sensitivity) and at 24 and 72 The hour after the intervention (to assess delayed sensitivity), needs to be updated.

Acronym

IRCT registration information

IRCT registration number: **IRCT20190924044863N1**
Registration date: **2020-06-20, 1399/03/31**
Registration timing: **prospective**

Last update: **2024-01-09, 1402/10/19**

Update count: **1**

Registration date

2020-06-20, 1399/03/31

Registrant information

Name

Kiarash Ghazvini

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 51 3845 3239

Email address

ghazvinik@mums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2020-07-22, 1399/05/01

Expected recruitment end date

2021-07-22, 1400/04/31

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Evaluate the safety, side effects and maximum tolerable dose of topical application of Antimicrobial Peptides: Pexiganan (MSI-78), Tilapia piscidin 4 (TP4), Melittin, Nisin-A and Omiganan (MX-226) on the skin of healthy volunteers to the treatment of Skin and Soft Tissue Infections.

Public title

Evaluate the safety, side effects and maximum tolerable dose of 5 Antimicrobial Peptides on the skin of healthy volunteers to the treatment of Skin and Soft Tissue Infections.

Purpose

Treatment

Inclusion/Exclusion criteria

Inclusion criteria:

Patient compliance with treatment method (Adherence) Having conditions for frequent visits to control the treatment method Informed consent to participate in the research project Non-smoker (no nicotine products for at least 3 months prior to screening) BMI ≥ 18 kg/m² and ≤ 32.0 kg/m² with a minimum weight of 50 kg

Exclusion criteria:

Use of any antibiotic within 7 days before entering the study Use of traditional treatments within 7 days before entering the study Use of immunosuppressive drugs within 14 days before entering the study Having any history of skin allergies

Age

From **18 years** old to **60 years** old

Gender

Both

Phase

1

Groups that have been masked

- Participant
- Care provider

- Outcome assessor

Sample size

Target sample size: **30**

Randomization (investigator's opinion)

Randomized

Randomization description

Randomization Method: Block randomization
Randomization Unit: Block size of 6
Randomization Tool: Random number table using <http://www.randomization.com>
Random sequence generation: Random number table
Allocation concealment: Sequentially numbered, sealed, opaque envelopes

Blinding (investigator's opinion)

Double blinded

Blinding description

This study is designed as a double-blind. So that the participants, clinicians and evaluators will be unaware of intervention and control groups. In other words, participants, physicians, safety & side effect evaluators and laboratory personnel will not know which participant is taking the drug and which of them is taking the placebo. For this purpose, the drug/placebo will be placed in sequentially numbered, sealed, opaque envelopes and will be assigned to each participant with a random selection.

Placebo

Used

Assignment

Parallel

Other design features

This study has been designed in phase 1, double-blind, vehicle-controlled, randomized ascending doses trial.

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics committee of Mashhad University of Medical Sciences

Street address

Research Chancellor, Mashhad University of Medical Sciences, In front of Daneshgah No. 18 Ave.

City

Mashhad

Province

Razavi Khorasan

Postal code

9919991766

Approval date

2019-08-03, 1398/05/12

Ethics committee reference number

IR.MUMS.REC.1398.154

2

Ethics committee

Name of ethics committee

Ethics committee of National Institute for Medical Research Development (NIMAD)

Street address

National Institute for Medical Research Development (NIMAD), No.21, At the beginning of Besat Ave., Western Fatimi Street.

City

Tehran

Province

Tehran

Postal code

۱۳۱۹۶۹۳۱۱۱

Approval date

2019-06-16, 1398/03/26

Ethics committee reference number

IR.NIMAD.REC.1398.248

Health conditions studied

1

Description of health condition studied

Skin and soft tissue infections

ICD-10 code

L00-L08

ICD-10 code description

Infections of the skin and subcutaneous tissue

Primary outcomes

1

Description

Evaluate the safety of topical application of Antimicrobial Peptides (AMPs)

Timepoint

The time periods of investigation of the safety of the investigational medicinal product: the results will be evaluated at 30 and 60 minutes after the intervention (to evaluate immediate sensitivity) and at 24 to 72 hours after the intervention (to evaluate delayed sensitivity).

Method of measurement

Medical examination of participants and perform clinical and laboratory tests based on the guideline for Safety Monitoring of Clinical Trial

2

Description

Calculate the maximum tolerable dose of topical application of Antimicrobial Peptides (AMPs)

Timepoint

During the study, it will be variable according to the maximum tolerable dose of peptides.

Method of measurement

The maximum tolerable dose of peptides that were safe and have no side effects.

Secondary outcomes

1

Description

Evaluation of adverse effects based on Safety Monitoring Protocol in Clinical Trial

Timepoint

The time periods of investigation of the safety of the investigational medicinal product: the results will be evaluated at 30 and 60 minutes after the intervention (to evaluate immediate sensitivity) and at 24 to 72 hours after the intervention (to evaluate delayed sensitivity).

Method of measurement

Estimating the grade of severity (grade 1 to 4) based on Safety Monitoring Protocol in Clinical Trial

Intervention groups

1

Description

Intervention group: This group will receive the antimicrobial peptides of the present study as a single local dose. The amount of consumption will be with concentrations 1.2 to 4 times the minimum inhibitory concentrations (MIC) in the form of a single ascending dose in 5 groups. Its consumption amount will be enough to cover at least one square inch of the skin surface. The amount and frequency of drug/placebo consumption will be the same in the control and intervention groups.

Category

Treatment - Drugs

2

Description

Control group: This group will receive a single local dose of placebo. Its consumption amount will be enough to cover at least one square inch of the skin surface. The amount and frequency of drug/placebo consumption will be the same in the control and intervention groups.

Category

Placebo

Recruitment centers

1

Recruitment center

Name of recruitment center

Qaem hospital

Full name of responsible person

Mahdi Kouhi

Street address

Qaem Hospital, Ahmadabad Ave., Dr. Ali Shariati Square

City

Mashhad

Province

Razavi Khorasan

Postal code

9919991766

Phone

+98 51 3840 0000

Fax

+98 51 3845 3239

Email

Quaem.Medical.Center@mums.ac.ir

Web page address

<http://quaem.mums.ac.ir/>

2

Recruitment center

Name of recruitment center

Imam Reza hospital

Full name of responsible person

Mahdi Kouhi

Street address

Imam Reza Hospital, Imam Reza Hospital Square

City

Mashhad

Province

Razavi Khorasan

Postal code

9137913316

Phone

+98 51 3854 3031

Fax

+98 51 3854 3031

Email

emamreza@mums.ac.ir

Web page address

<http://emamreza.mums.ac.ir/>

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Mashhad University of Medical Sciences

Full name of responsible person

Dr. Mohsen Tafaghodi

Street address

Research Chancellor, Mashhad University of Medical Sciences, In front of Daneshgah No. 18 Ave.

City

Mashhad

Province

Razavi Khorasan

Postal code

9138813944

Phone

+98 51 3841 2081

Fax

+98 51 3843 0249

Email

vcresearch@mums.ac.ir

Web page address

<http://v-research.mums.ac.ir/index.php>

Grant name

Grant of Dr. Kiarash Ghazvini: Project No 971595

Grant code / Reference number

971595

Is the source of funding the same sponsor organization/entity?

No

Title of funding source

National Institute for Medical Research Development (NIMAD)

Proportion provided by this source

90

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Mashhad University of Medical Sciences

Full name of responsible person

Mahdi Kouhi

Position

Ph.D Student of Medical Bacteriology

Latest degree

Master

Other areas of specialty/work

Microbiology

Street address

Qaem Hospital, Ahmadabad Ave., Dr. Ali Shariati Square

City

Mashhad

Province

Razavi Khorasan

Postal code

9919991766

Phone

+98 51 3845 3239

Fax

+98 51 3845 3239

Email

koohim1@mums.ac.ir

Web page address

<https://mail.mums.ac.ir/>

Person responsible for scientific inquiries

Contact

Name of organization / entity

Mashhad University of Medical Sciences

Full name of responsible person

Kiarash Ghazvini

Position

Associate professor

Latest degree

Ph.D.

Other areas of specialty/work

Microbiology

Street address

Qaem Hospital, Ahmadabad Ave., Dr. Ali Shariati Square

City

Mashhad

Province

Razavi Khorasan

Postal code

9919991766

Phone

+98 51 3845 3239

Fax

+98 51 3845 3239

Email

ghazvinik@mums.ac.ir

Web page address

<https://mail.mums.ac.ir/>

Person responsible for updating data

Contact

Name of organization / entity

Mashhad University of Medical Sciences

Full name of responsible person

Kiarash Ghazvini

Position

Associate professor

Latest degree

Ph.D.

Other areas of specialty/work

Microbiology

Street address

Qaem Hospital, Ahmadabad Ave., Dr. Ali Shariati Square

City

Mashhad

Province

Razavi Khorasan

Postal code

9919991766

Phone

+98 51 3845 3239

Fax

+98 51 3845 3239

Email

ghazvinik@mums.ac.ir

Web page address

<https://mail.mums.ac.ir/>

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Not applicable