

Clinical Trial Protocol

Iranian Registry of Clinical Trials

02 Jul 2026

Evaluation of the efficacy of intravenous administration of magnesium and potassium solution in cardioversion of postoperative atrial fibrillation: a randomized, double blind, placebo-controlled trial

Protocol summary

Study aim

Evaluation of the efficacy of intravenous administration of magnesium and potassium solution in cardioversion of postoperative atrial fibrillation

Design

Phase III, Randomized, Double blind, Placebo-Controlled trial, with a parallel group design of 360 patients.

Randomization was done with permuted random block

Settings and conduct

The study performs on post operative atrial fibrillation patients who underwent isolated coronary artery bypass graft surgery, in Tehran Heart Center. After random assignment to groups A and B, patients are treated according to the study protocol. If atrial fibrillation persists after 6 hours, both groups would be treated with Amiodarone protocol. The blind group includes the patient, the data collector, the researcher, and the outcome assessor

Participants/Inclusion and exclusion criteria

The inclusion criteria are: atrial fibrillation occurrence after isolated coronary artery bypass graft surgery that continued for at least 15 minutes after initiation, serum Potassium level of 4 - 4.5 and serum Magnesium level of 2 - 3.5 meq/L, and having the informed consent to participate in the study. The exclusion criteria are: unstable hemodynamic, history of atrial fibrillation before surgery, serum creatinine level more than 1.4 mg/dl, patients receiving packed cell or Inotrope, Hemoglobin level less than 7 g/L, spontaneous cardioversion before randomization

Intervention groups

Intervention group (A): administration of a Metohexal tablet 47.5 mg and Potassium/Magnesium solution. If atrial fibrillation persists after 6 hours, Amiodarone infusion would be initiated control group (B): administration of a Metohexal tablet 47.5 mg and placebo. If atrial fibrillation persists after 6 hours,

Amiodarone infusion would be initiated

Main outcome variables

Cardioversion of post operative atrial fibrillation after isolated coronary artery bypass graft surgery

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20180430039488N2**

Registration date: **2020-05-03, 1399/02/14**

Registration timing: **registered_while_recruiting**

Last update: **2020-05-03, 1399/02/14**

Update count: **0**

Registration date

2020-05-03, 1399/02/14

Registrant information

Name

Farzad Masoudkabar

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 8802 9600

Email address

fmasoudkabar@sina.tums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2019-11-22, 1398/09/01

Expected recruitment end date

2021-05-22, 1400/03/01

Actual recruitment start date

empty

Actual recruitment end date
empty

Trial completion date
empty

Scientific title
Evaluation of the efficacy of intravenous administration of magnesium and potassium solution in cardioversion of postoperative atrial fibrillation: a randomized, double blind, placebo-controlled trial

Public title
Efficacy of intravenous administration of magnesium and potassium solution in cardioversion of postoperative atrial fibrillation

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
Atrial fibrillation after isolated coronary artery bypass graft surgery Continuation of atrial fibrillation rhythm for at least 15 minutes after initiation Serum Potassium level of 4-4.5 meq/L Serum Magnesium level of 4-4.5 meq/L Informed consent to participate in the study
Exclusion criteria:
Unstable hemodynamic (systolic blood pressure less than 90 mmHg) History of atrial fibrillation (persistent or paroxysmal) before surgery Serum creatinine level more than 1.4 mg/dl More than 12 hours have passed since the beginning of the atrial fibrillation rhythm Patients receiving packed cell Hemoglobin level less than 7 g/L Spontaneous cardioversion before randomization Patients receiving Inotrope

Age
No age limit

Gender
Both

Phase
3

Groups that have been masked

- Participant
- Investigator
- Outcome assessor

Sample size
Target sample size: **360**

Randomization (investigator's opinion)
Randomized

Randomization description
permuted block randomization containing 4 subjects in each block eg : AABB. A refers to intervention group and B refers to controls.

Blinding (investigator's opinion)
Double blinded

Blinding description
After randomization and assignment of patients to group A or B, the appropriate solution for each group is prepared and infused by the nurse according to the protocol, but the patient, the person collecting the data, the researcher and the evaluator of the outcome will be unaware of the patient's treatment group as well as the

type of solution that the patient has received. Collected data of the study will be entered in the SPSS and then analysed by an independent expert from Tehran heart center research institute.

Placebo
Used

Assignment
Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics committee of Tehran University of Medical Sciences

Street address

Jala-Al-ahmad highway, North Kargar street

City

Tehran

Province

Tehran

Postal code

3135674193

Approval date

2019-07-21, 1398/04/30

Ethics committee reference number

IR.TUMS.MEDICINE.REC.1398.343

Health conditions studied

1

Description of health condition studied

Postoperative atrial fibrillation

ICD-10 code

I97.89

ICD-10 code description

Other postprocedural complications and disorders of the circulatory system, not elsewhere classified

Primary outcomes

1

Description

Cardioversion of atrial fibrillation to sinus rhythm within the first 6 hour

Timepoint

From the start of the intervention until 6 hours later

Method of measurement

Cardiac rhythm monitoring

Secondary outcomes

1

Description

Time required to convert atrial fibrillation rhythm to sinus rhythm (in the first 6 hours)

Timepoint

From the start of the intervention until 6 hours later

Method of measurement

Cardiac rhythm monitoring

2

Description

Heart rate less than 110 beats per minute during the first 3 hours of treatment

Timepoint

From the start of the intervention until 3 hours later

Method of measurement

Cardiac rhythm monitoring

3

Description

The rate of recurrence of atrial fibrillation in the first 48 hours after the restoration of sinus rhythm

Timepoint

From the time of sinus rhythm restoration to 48 hours later

Method of measurement

Cardiac rhythm monitoring

4

Description

The rate of sinus rhythm restoration within 24 hours of Amiodarone initiation

Timepoint

From the initiation of Amiodarone infusion to 24 hours later

Method of measurement

Cardiac rhythm monitoring

5

Description

The cumulative dose of Amiodarone required to restore sinus rhythm

Timepoint

From the initiation of Amiodarone infusion to restoration of sinus rhythm

Method of measurement

The total amount of Amiodarone that is prescribed until restoration of sinus rhythm

6

Description

The time required to restore the sinus rhythm after initiation of Amiodarone infusion

Timepoint

From the initiation of Amiodarone infusion to restoration of sinus rhythm

Method of measurement

Total sum of time, in minutes, from the initiation of

Amiodarone infusion to restoration of sinus rhythm

7

Description

The rate of bradycardia (heart rate less than 60/minute) in the first 6 hours after starting intervention

Timepoint

From the start of the intervention until 6 hours later

Method of measurement

Cardiac rhythm monitoring

8

Description

The rate of systolic blood pressure less than 90 mm Hg in the first 6 hours after starting intervention

Timepoint

From the start of the intervention until 6 hours later

Method of measurement

Blood pressure monitoring

Intervention groups

1

Description

Intervention group: administration of a Metoprolol succin tablet 47.5 mg (Metoheal) and Potassium/Magnesium solution (10 cc of 15% potassium chloride solution of Shahid Ghazi company and 4 cc of 50% magnesium sulfate solution of Shahid Ghazi company diluted in 250 cc of half saline serum, infused over 60 minutes). If the sinus rhythm does not restore after 6 hours, Amiodarone infusion (150 mg Amiodarone of Alborz Daru company within 10 minutes, then 1 mg per minute for 6 hours, and then 0.5 mg per minute for 18 hours) would be initiated. After Amiodarone infusion, the patient is treated with 200 mg Amiodarone tablets every 12 hours. If restoration of sinus rhythm occurs within the first 6 hours, Amiodarone will not be prescribed.

Category

Treatment - Drugs

2

Description

Intervention group: administration of a Metoprolol succin tablet 47.5 mg (Metoheal) and placebo (250 cc of half saline serum, infused over 60 minutes). If the sinus rhythm does not restore after 6 hours, Amiodarone infusion (150 mg Amiodarone of Alborz Daru company within 10 minutes, then 1 mg per minute for 6 hours, and then 0.5 mg per minute for 18 hours) would be initiated. After Amiodarone infusion, the patient is treated with 200 mg Amiodarone tablets every 12 hours. If restoration of sinus rhythm occurs within the first 6 hours, Amiodarone will not be prescribed.

Category

Placebo

Recruitment centers

1

Recruitment center

Name of recruitment center

Tehran Heart Center

Full name of responsible person

Farzad Masoudkabar

Street address

Jala-Al-ahmad highway, North Kargar street

City

Tehran

Province

Tehran

Postal code

3135674193

Phone

+98 21 8802 9600

Email

fmasoudkabar@sina.tums.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Tehran University of Medical Sciences

Full name of responsible person

Shahin Akhundzadeh, MD

Street address

Jala-Al-ahmad highway, North Kargar street

City

Tehran

Province

Tehran

Postal code

3135674193

Phone

+98 21 8802 9600

Email

fmasoudkabar@sina.tums.ac.ir

Grant name**Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

Title of funding source

Tehran University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin**Type of organization providing the funding**

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Tehran University of Medical Sciences

Full name of responsible person

Farzad Masoudkabar

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Cardiology

Street address

Jala-AL ahmad high way, North Kargar street

City

Tehran

Province

Tehran

Postal code

3135674193

Phone

+98 21 8802 9600

Email

Fmasoudkabar@sina.tums.ac.ir

Person responsible for scientific inquiries

Contact

Name of organization / entity

Tehran University of Medical Sciences

Full name of responsible person

Zohre Mohammadi

Position

Cardiology resident

Latest degree

Medical doctor

Other areas of specialty/work

Cardiology

Street address

Jala-AL ahmad highway, North Kargar street

City

Tehran

Province

Tehran

Postal code

3135674193

Phone

+98 21 8802 9600

Email

zohrem28@gmail.com

Person responsible for updating data

Contact

Name of organization / entity

Tehran University of Medical Sciences

Full name of responsible person

Zohre Mohammadi

Position

Cardiology resident

Latest degree

Medical doctor

Other areas of specialty/work

Cardiology

Street address

Jala-AL ahmad highway, North Kargar street

City

Tehran

Province

Tehran

Postal code

3135674193

Phone

+98 21 8802 9600

Email

zohrem28@gmail.com

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

No - There is not a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

No - There is not a plan to make this available

Data Dictionary

No - There is not a plan to make this available

Title and more details about the data/document

Particular parts of the data will be released

When the data will become available and for how long

After release of the results

To whom data/document is available

Scientific institutions

Under which criteria data/document could be used

Further analysis

From where data/document is obtainable

Zohre Mohammadi ,MD

What processes are involved for a request to access data/document

Formal or official request by an institution

Comments