

Clinical Trial Protocol

Iranian Registry of Clinical Trials

03 Jul 2026

Comparative study the clinical outcomes of the Endocrowns and Conventional crowns fabricated by Computer Aided Design/Computer Aided Manufacturing (CAD/CAM): A Randomized clinical trial

Protocol summary

Study aim

Comparative study the clinical outcomes of the Endocrowns and Conventional crowns fabricated by CAD/CAM

Design

In this Randomized Triple blinded Clinical trial study, 44 maxillary and mandibular teeth in need of crown reconstruction that have inclusion criteria and visit the prosthodontist's clinic in kermanshah are randomly assigned to intervention groups

Settings and conduct

Teeth in need of crown reconstruction are randomly divided into 2 intervention groups. clinical treatment is done by a prosthodontist with 10 years of work experience in a dental clinic. in each group the restorations are made of Lithium disilicate glass-ceramic and fabricated by CAD/CAM and inserted after the tooth preparation. then, teeth are followed for 6 months by another prosthodontist and a calibrated examiner based on CDA (California Dental Association) criteria. in this triple blinded study, only the prosthodontist who insert the restorations knows about the groups and participants, outcome evaluators and result analyst are blinded.

Participants/Inclusion and exclusion criteria

INCLUSION: 1. Have the opposite teeth in functional occlusion and at least one proximal contact. 2. Acceptable oral hygiene and periodontally healthy. 3. Good general health. 4. No obvious signs or symptoms of bruxing and/or clenching. 5. The patient is ready to take part in the study and sign the testimonial. **EXCLUSION:** 1. Presence of para-functional habits. 2. Presence of periodontal problems and dental or medical history that can complicate the preparation of the restoration. 3. The lack of cooperation of the patients to observe oral hygiene.

Intervention groups

1-control group: conventional crowns fabricated by CAD/CAM. 2-Endocrowns fabricated by CAD/CAM

Main outcome variables

shade match, surface texture, marginal integrity, fracture, recurrent caries, retention, Wear, Antagonist Wear, Mobility, Pocket depth, Bleeding on probing, Gingival index, Plaque index

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20160213026538N5**

Registration date: **2020-05-17, 1399/02/28**

Registration timing: **prospective**

Last update: **2020-05-17, 1399/02/28**

Update count: **0**

Registration date

2020-05-17, 1399/02/28

Registrant information

Name

Hedaiat Moradpour

Name of organization / entity

Kermanshah University of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 83 3729 6910

Email address

h.moradpour@kums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2020-05-21, 1399/03/01
Expected recruitment end date
2020-08-22, 1399/06/01
Actual recruitment start date
empty
Actual recruitment end date
empty
Trial completion date
empty

Scientific title
Comparative study the clinical outcomes of the Endocrowns and Conventional crowns fabricated by Computer Aided Design/Computer Aided Manufacturing (CAD/CAM): A Randomized clinical trial

Public title
Comparative study the clinical outcomes of the Endocrowns and Conventional crowns

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
Patients who need their maxillary or mandibular teeth to be restored and have the opposite teeth in functional occlusion and at least one proximal contact with the adjacent teeth Acceptable oral hygiene and periodontally healthy(plaque index and bleeding on probing had to be below 20% previously to the prosthodontic treatment) Good general health(no systemic disease that should negatively influence the clinical outcome) No obvious signs or symptoms of bruxing and/or clenching (bruxism such as attritions and existing fractures on the patients natural teeth or reconstructions, no pain on muscular palpation or tendomyopathies, No pain causing joint sound, no selfreported bruxing or clenching) The patient is ready to take part in the study and sign the testimonial
Exclusion criteria:
Presence of para-functional habits including clenching,bruxism or grinding Presence of periodontal problems and dental or medical history that can complicate the preparation of the restoration The lack of cooperation of the patients to observe oral hygiene(Plaque index and BOP should be below 20%)

Age
From **18 years** old

Gender
Both

Phase
N/A

Groups that have been masked

- Participant
- Outcome assessor
- Data analyser

Sample size
Target sample size: **44**

Randomization (investigator's opinion)
Randomized

Randomization description
Based on the random allocation law, after determining 44 maxillary and mandibular molars based on statistical

calculations, 22 cards for the Endocrown group and 22 cards for the Conventional crown group will be placed in a draw glass, then the cards will be dropped out randomly and without replacement and the resulting sequence will be recorded.Then,44 envelopes are prepared and each random sequence created is recorded on a card and the cards are inserted into the envelope respectively. In order to maintain a random sequence, the envelopes are numbered to the same. In the end, the door covers are enclosed in boxes and placed in a box respectively. At the time of the start of the registration of the participants, according to the order of entry of qualified participants to study, one of the envelopes are opened in sequence and the participant's assigned group is revealed.

Blinding (investigator's opinion)

Triple blinded

Blinding description

in this clinical trial study, only the prosthodontist who insert the crowns and endocrowns knows about the groups and the outcome evaluators(other prosthodontist and the calibrated examiner) are blind to the assignment of each participant in each of the study groups. Participants in the study are blind toward their own group when they are aware of the similar costs and benefits of clinical treatments based on studies. Also the result analyst, have no information about the data of each group.It should be mentioned as the restorations have no differences in appearance after insertion,triple blinding is available.

Placebo

Not used

Assignment

Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics Committee of Kermanshah University of Medical Sciences

Street address

Ethics Committee, Department of Research and Technology, Central Building, Shahid Beheshti Boulevard, Kermanshah

City

kermanshah

Province

Kermanshah

Postal code

6715847141

Approval date

2020-01-14, 1398/10/24

Ethics committee reference number

IR.KUMS.REC.1399.127

Health conditions studied

1

Description of health condition studied

Shade match of Endocrown Compared to Conventional Crown

ICD-10 code

ICD-10 code description

2

Description of health condition studied

Fracture of Endocrown Compared to Conventional Crown

ICD-10 code

ICD-10 code description

3

Description of health condition studied

Surface texture of Endocrown Compared to Conventional Crown

ICD-10 code

ICD-10 code description

4

Description of health condition studied

Marginal integrity of Endocrown Compared to Conventional Crown

ICD-10 code

ICD-10 code description

5

Description of health condition studied

Retention of Endocrown Compared to Conventional Crown

ICD-10 code

ICD-10 code description

6

Description of health condition studied

Recurrent caries in Endocrown Compared to Conventional Crown

ICD-10 code

ICD-10 code description

7

Description of health condition studied

Wear of Endocrown Compared to Conventional Crown

ICD-10 code

ICD-10 code description

8

Description of health condition studied

Antagonist Wear in Endocrown Compared to Conventional Crown

ICD-10 code

ICD-10 code description

9

Description of health condition studied

Periodontal health in Endocrown Compared to Conventional Crown

ICD-10 code

ICD-10 code description

Primary outcomes

1

Description

Shade match of Endocrown and Conventional Crown

Timepoint

At the time of the restoration insertion,1 week later,3 and 6 months later

Method of measurement

California Dental Association(CDA) Follow up evaluation criteria

2

Description

Surface texture of Endocrown and Conventional Crown

Timepoint

At the time of the restoration insertion,1 week later,3 and 6 months later

Method of measurement

California Dental Association(CDA) Follow up evaluation criteria

3

Description

Marginal integrity of Endocrown and Conventional Crown

Timepoint

At the time of the restoration insertion,1 week later,3 and 6 months later

Method of measurement

California Dental Association(CDA) Follow up evaluation criteria

4

Description

Fracture of Endocrown and Conventional Crown

Timepoint

At the time of the restoration insertion,1 week later,3 and 6 months later

Method of measurement

California Dental Association(CDA) Follow up evaluation criteria

5

Description

Recurrent Caries in Endocrown and Conventional Crown

Timepoint

At the time of the restoration insertion,1 week later,3 and 6 months later

Method of measurement

California Dental Association(CDA) Follow up evaluation

criteria

6

Description

Retention in Endocrown and Conventional Crown

Timepoint

At the time of the restoration insertion,1 week later,3 and 6 months later

Method of measurement

California Dental Association(CDA) Follow up evaluation criteria

7

Description

Mobility of the tooth in Endocrown and Conventional Crown

Timepoint

At the time of the restoration insertion,1 week later,3 and 6 months later

Method of measurement

By a dental mirror

8

Description

Wear of Endocrown and Conventional Crown

Timepoint

At the time of the restoration insertion,1 week later,3 and 6 months later

Method of measurement

California Dental Association(CDA) Follow up evaluation criteria

9

Description

Antagonist Wear in Endocrown and Conventional Crown

Timepoint

At the time of the restoration insertion,1 week later,3 and 6 months later

Method of measurement

California Dental Association(CDA) Follow up evaluation criteria

10

Description

Pocket depth in Endocrown and Conventional Crown

Timepoint

At the time of the restoration insertion,1 week later,3 and 6 months later

Method of measurement

Dental probe

11

Description

Bleeding on probing in Endocrown and Conventional Crown

Timepoint

At the time of the restoration insertion,1 week later,3

and 6 months later

Method of measurement

Dental probe

12

Description

Gingival index in Endocrown and Conventional Crown

Timepoint

At the time of the restoration insertion,1 week later,3 and 6 months later

Method of measurement

Gingival index

13

Description

Plaque index in Endocrown and Conventional Crown

Timepoint

At the time of the restoration insertion,1 week later,3 and 6 months later

Method of measurement

Plaque index

Secondary outcomes

empty

Intervention groups

1

Description

Control group: Conventional crowns made from Litium disilicate glass-ceramics and fabricated by CAD/CAM

Category

Treatment - Other

2

Description

Intervention group: Endocrowns made from Litium disilicate glass-ceramics and fabricated by CAD/CAM

Category

Treatment - Other

Recruitment centers

1

Recruitment center

Name of recruitment center

Dr Moradpour Dental clinic

Full name of responsible person

Hedaia Moradpour

Street address

Dabiraezam st.

City

Kermanshah

Province

Kermanshah

Postal code

6713739988

Phone

+98 83 3729 6910

Email

hedaiat.mradpour@gmail.com

Sponsors / Funding sources**1****Sponsor****Name of organization / entity**

Kermanshah University of Medical Sciences

Full name of responsible person

Farid Najafi

Street addressVice Chancellor for Research and Technology,
Kermanshah University of Medical Sciences, Shahid
Beheshti Blvd**City**

Kermanshah

Province

Kermanshah

Postal code

6715847141

Phone

+98 83 3729 6591

Email

faridnajafi@kums.ac.ir

Grant name**Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

Title of funding source

Kermanshah University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding*empty***Country of origin****Type of organization providing the funding**

Academic

Person responsible for general inquiries**Contact****Name of organization / entity**

Kermanshah University of Medical Sciences

Full name of responsible person

Mohadese faize rahnemoon

Position

Under graduated student of Dentistry

Latest degree

Medical doctor

Other areas of specialty/work

Dentistry

Street address

The school of Dentistry, shariati St.

City

Kermanshah

Province

Kermanshah

Postal code

67139546581

Phone

+98 83 3727 7030

Email

Mf73faize@gmail.com

Person responsible for scientific inquiries**Contact****Name of organization / entity**

Kermanshah University of Medical Sciences

Full name of responsible person

Hedaiat Moradpoor

Position

Associate professor of Prosthodontics department

Latest degree

Specialist

Other areas of specialty/work

Dentistry

Street addressDepartment of Prosthodontics, The School of
Dentistry, Kermanshah University of Medical Sciences,
Shariati St.**City**

Kermanshah

Province

Kermanshah

Postal code

67139546581

Phone

+98 83 3729 6910

Fax

+98 83 3729 1335

Email

h.moradpour@kums.ac.ir

Person responsible for updating data**Contact****Name of organization / entity**

Kermanshah University of Medical Sciences

Full name of responsible person

Mohadese Faize rahnemoon

Position

Under graduated student of Dentistry

Latest degree

Medical doctor

Other areas of specialty/work

Dentistry

Street addressThe school of Dentistry, Kermanshah University of
Medical Sciences, Shariati St.**City**

Kermanshah

Province

Kermanshah

Postal code

67139546581

Phone

+98 83 3727 7030

Email

Mf73faize@gmail.com

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available