

Clinical Trial Protocol

Iranian Registry of Clinical Trials

13 Jun 2026

Comparison of the effect of acupressure at SP6 and SP8 points on severity of labor pain and duration of first stage of labor

Protocol summary

Study aim

Determining the effect and comparison of acupressure in SP6 and SP8 points on the severity of pain and duration of the first stage of labor

Design

The study of a clinical trial with a control group, a blind side, is parallel. Randomization is done by the function of random numbers and using the rand function of Excel software.

Settings and conduct

This clinical trial is performed on pregnant clients at Akbar Abadi Hospital in Tehran. Acupressure is performed with the thumbs vertically at points SP8 and SP6 and the neutral point at the beginning of contraction for 20 minutes continuously in each dilatation 3-4 cm, 5-7 cm and 10-8 cm. In the meanwhile, the average severity of pain recorded before the intervention began was immediately compared (after the end of acupressure) and 30 and 60 minutes after the intervention in 3-4 cm, 7-5 cm and 10-8 cm dilatation in three groups. The length of the first stage of labor will be measured by the researcher in three groups using a timer. Examples show that one of the three points is pressed and may be part of the intervention or control group.

Participants/Inclusion and exclusion criteria

Entry requirements include pregnant women aged 18-35, with no previous high-risk disease, term embryos, cephalic, unicellular, with 4-3 dilatations when hospitalized. Samples are removed from the study if there is no urgency and emergency cesarean section.

Intervention groups

The first group applied acupressure at point SP6 and the second group at point SP8, and the third group applied acupressure at point zero, which is 2 cm lower and 1 cm behind point SP8. They will receive for 20 minutes continuously in each dilatation 3-4 cm and 5-7 cm and 10-8 cm.

Main outcome variables

The severity of the pain
The length of the first stage of labor
Type of treatment (acupressure)
Oxytocin consumption
Taking medicine to reduce pain

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20200610047717N1**

Registration date: **2020-07-27, 1399/05/06**

Registration timing: **registered_while_recruiting**

Last update: **2020-07-27, 1399/05/06**

Update count: **0**

Registration date

2020-07-27, 1399/05/06

Registrant information

Name

Mona Jalilabadi Oshtarkan

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 7748 3579

Email address

itsmonajalilabadi75@gmail.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2020-05-19, 1399/02/30

Expected recruitment end date

2020-12-20, 1399/09/30

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date
empty

Scientific title
Comparison of the effect of acupressure at SP6 and SP8 points on severity of labor pain and duration of first stage of labor

Public title
effect of acupressure on severity of labor pain and duration of first stage of labor

Purpose
Supportive

Inclusion/Exclusion criteria
Inclusion criteria:
age between 18-35 Have at least literacy Spontaneous onset of labor pains and a desire to have a normal delivery When hospitalized, dilate 3-4 cm. According to the mother, they should not be addicted to drugs and tobacco. According to the mother, they do not have family problems in the last 6 months and severe psychological crises such as the death of loved ones, migration, separation from their spouses, and so on. According to the mother, they do not have chronic diseases (heart disease, lung disease, high blood pressure, diabetes, etc.). Do not have high-risk pregnancies (gestational hypertension, gestational diabetes, placenta previa, decolman). Do not suffer from skin disorders such as eczema and superficial skin infections, which are some of the limitations of acupressure. The fetus should be single, alive, cephalic There are no high-risk fetal criteria (fetal heart failure, decreased fetal movement, intrauterine growth restriction, polyhydramnios, and oligohydramnios known by ultrasound and amniotic sac rupture for more than 12 hours).
Exclusion criteria:
People who do not want to continue studying. Examples that will require emergency cesarean section.

Age
From **18 years** old to **35 years** old

Gender
Female

Phase
N/A

Groups that have been masked

- Participant

Sample size
Target sample size: **150**

Randomization (investigator's opinion)
Randomized

Randomization description
Random number functions will be used to randomize and assign individuals to groups. This is done by Excel software and a random number table. In this way, first in a column, the groups are entered as A, B, C and below. Because the number of samples in each group is set to 50 (including sample shedding), 150 to A, B, and C must be entered in the following order. In the opposite column, random numbers are generated using the RAND command. In the next step, using the SORT command,

random numbers generated from small to large or vice versa are arranged, which changes the order of the groups. Using the new order, people are assigned to different groups. People are unaware of which group they belong to.

Blinding (investigator's opinion)
Single blinded

Blinding description
The subjects will be explained that this is a study that will put pressure on one of the three points of interest. These points may or may not reduce the pain and length of the first stage of labor. People will be randomly placed in one of these three groups and pressure will be applied to the desired point. Patients understand acupressure but do not know the names of the points and which point is for intervention and which point is for control. They do not know the exact use of the points and only know that they belong to one of the three groups that receive acupressure at one of the three points and that the points can reduce labor pain and the length of labor or not.

Placebo
Used

Assignment
Parallel

Other design features

Secondary Ids
empty

Ethics committees
1
Ethics committee
Name of ethics committee
Ethics Committee in Research, School of Pharmacy, Nursing and Midwifery, Shahid Beheshti University
Street address
Shahid Beheshti School of Nursing and Midwifery., Opposite Shahid Rajaei Heart Hospital, Niayesh Intersection, Valiasr St.
City
Tehran
Province
Tehran
Postal code
1985717443
Approval date
2020-02-03, 1398/11/14
Ethics committee reference number
IR.SBMU.PHARMACY.REC.1398.289

Health conditions studied
1
Description of health condition studied
Labor pain
ICD-10 code
ICD-10 code description

2

Description of health condition studied

The length of the first stage of labor

ICD-10 code

ICD-10 code description

Primary outcomes

1

Description

Labor pain

Timepoint

before the intervention, Immediately, 15 minutes and 30 minutes after the intervention

Method of measurement

Numerical rating scale

2

Description

The length of the first stage of labor

Timepoint

From dilatation 3 cm to 10 cm

Method of measurement

Timer(Seiko watch)

Secondary outcomes

1

Description

intensity of labor pain

Timepoint

Intensity of labor pain is measured in dilatations of 3-4 cm, 5-7 cm, 10-8 cm. These measurements are taken immediately, 15 minutes and 30 minutes after acupuncture.

Method of measurement

Pain measuring ruler (numerical rating scale)

2

Description

The length of the first stage of labor

Timepoint

The length of the first stage of labor is measured from dilatation 3-4 cm to 10 cm.

Method of measurement

The length of the first stage of labor is measured according to the official national clock of the Seiko model.

Intervention groups

1

Description

Intervention group: Compression at SP6 points. Perform acupuncture with thumbs and vertically at SP6 points with the onset of contraction for 20 minutes continuously

in each dilatation 3-4 cm and 5-7 cm and 10-8 cm

Category

Treatment - Other

2

Description

Intervention group: Compression medicine at SP8 points. Perform acupuncture with thumbs and vertically at SP8 points with the onset of contraction for 20 minutes continuously in each dilatation 3-4 cm and 5-5 cm and 10-8 cm

Category

Treatment - Other

3

Description

Control group: Compression in control points. Perform acupuncture with thumbs and vertically at the control points (2 cm lower and 1 cm back from the SP8 point) with the onset of contraction for 20 minutes continuously in each dilatation 3-4 cm and 7- 5 cm and 10-8 cm. It should be noted that according to the project's expert consultant, this point is neutral in terms of acupuncture.

Category

Treatment - Other

Recruitment centers

1

Recruitment center

Name of recruitment center

Akbarabadi Hospital in Tehran

Full name of responsible person

Mona Jalilabadi Oshtarkan

Street address

Bagh Ferdos Station, Molavi Street. Akbar Abadi Hospital

City

Tehran

Province

Tehran

Postal code

1168743514

Phone

+98 21 5560 6034

Email

akbarabadihosp@yahoo.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Shahid Beheshti University of Medical Sciences

Full name of responsible person

Dr Afshin Zarghi

Street address

Shahid Beheshti University of Medical Sciences., next

to Taleghani Hospital, Shahid Abbas Arabi St., Yemen St., Shahid Chamran Highway.

City

Tehran

Province

Tehran

Postal code

1985717443

Phone

+98 21 2243 9780

Fax**Email**

Mpajouhesh@sbmu.ac.ir

Grant name**Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

Title of funding source

Shahid Beheshti University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin**Type of organization providing the funding**

Academic

Person responsible for general inquiries

Contact**Name of organization / entity**

Shahid Beheshti University of Medical Sciences

Full name of responsible person

Sedigheh Amir Ali Akbari

Position

Faculty instructor

Latest degree

Ph.D.

Other areas of specialty/work

Midwifery

Street address

Shahid Beheshti School of Nursing and Midwifery.,
Opposite Shahid Rajaei Heart Hospital, Niayesh
Intersection, Valiasr St.

City

Tehran

Province

Tehran

Postal code

1985717443

Phone

+98 21 8865 5366

Email

sedaliakbari@gmail.com

Person responsible for scientific inquiries

Contact**Name of organization / entity**

Shahid Beheshti University of Medical Sciences

Full name of responsible person

Sedigheh Amir Ali Akbari

Position

Faculty instructor

Latest degree

Ph.D.

Other areas of specialty/work

Midwifery

Street address

Shahid Beheshti School of Nursing and Midwifery.,
Opposite Shahid Rajaei Heart Hospital, Niayesh
Intersection, Valiasr St.

City

Tehran

Province

Tehran

Postal code

1985717443

Phone

+98 21 8865 5366

Email

sedaliakbari@gmail.com

Person responsible for updating data

Contact**Name of organization / entity**

Shahid Beheshti University of Medical Sciences

Full name of responsible person

Sedigheh Amir Ali Akbari

Position

Faculty instructor

Latest degree

Ph.D.

Other areas of specialty/work

Midwifery

Street address

Shahid Beheshti School of Nursing and Midwifery.,
Opposite Shahid Rajaei Heart Hospital, Niayesh
Intersection, Valiasr St.

City

Tehran

Province

Tehran

Postal code

1985717443

Phone

+98 21 8865 5366

Email

sedaliakbari@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available