

Clinical Trial Protocol

Iranian Registry of Clinical Trials

05 Jun 2026

Effect of hemoperfusion on short-term outcome of critically ill COVID-19 patients admitted to ICU

Protocol summary

Study aim

Effect of Hemoperfusion on short term survival of critical ill COVID-19 patients admitted to ICU

Design

Randomized, superiority, parallel group, phase 3, single-center trial with blinded outcome assessment.

Randomization will be performed using qua-ternary blocking randomization.

Settings and conduct

Patients with Covid 19 admitted to the ICU of Imam Reza Hospital will be randomly assigned to the intervention and control groups. In the intervention group, in addition to routine treatments based on the national protocol, they will undergo hemoperfusion for 14-16 hours, and in the control group, only routine treatments of the intensive care unit based on the national protocol. It will be used to compare the effects of the effect of hemoperfusion on the short-term prognosis of patients in the intensive care unit of Covid_19 patients. Patients and their next of kin as well as the researcher who will assess the outcomes will be blind to the study.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Patients 18 to 75 years of age with Covid 19
Absence of active bleeding
Absence of irreversible disease
Existence of pulmonary involvement more than 50%
Exclusion criteria: Pregnancy
Dissatisfaction of the patient or the patient's companion

Intervention groups

Intervention group: This group will be performed under routine treatments in the intensive care unit according to the national protocol for Covid 19 patients plus 14-16 hours of hemoperfusion. Before and after each hemoperfusion session, disease severity factors will be checked and based on the symptoms and severity of the markers, if necessary, hemoperfusion will be repeated for up to 3 sessions. In the control group, only routine treatments of the intensive care unit will be provided according to the national protocol.

Main outcome variables

Duration of hospital stay in ICU, duration of mechanical ventilation, mortality

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20091012002582N22**

Registration date: **2020-08-08, 1399/05/18**

Registration timing: **prospective**

Last update: **2020-08-08, 1399/05/18**

Update count: **0**

Registration date

2020-08-08, 1399/05/18

Registrant information

Name

Ata Mahmoodpoor

Name of organization / entity

Tabriz University of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 914 116 0888

Email address

mahmoodpoora@tbzmed.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2020-08-22, 1399/06/01

Expected recruitment end date

2020-12-20, 1399/09/30

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date
empty

Scientific title
Effect of hemoperfusion on short-term outcome of critically ill COVID-19 patients admitted to ICU

Public title
Effect of hemoperfusion on short term outcome of critical ill COVID-19

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
Patients 18 to 75 years of age with Covid 19
Absence of active bleeding
Absence of irreversible disease
Existence of pulmonary involvement more than 50%
Exclusion criteria:
Pregnancy
Dissatisfaction of the patient or the patient's companion

Age
From **18 years** old to **75 years** old

Gender
Both

Phase
3

Groups that have been masked

- Participant
- Outcome assessor

Sample size
Target sample size: **160**

Randomization (investigator's opinion)
Randomized

Randomization description
Initially, the blocks (n=4) with different arrangements of A and B will be defined. Considering the different probable arrangement of A and B, blocks will be numbered from 1 to 6. To enroll initial 4 patients into the study, one of the arrangements will be selected using the random digit table and the patients will be assigned into the A and B groups accordingly. For the next 4 patients, the arrangement pattern will be selected again and the patients will be assigned to the groups and this cycle will be repeated to achieve our intended sample size. Unpredictability of assignment and balancing the number of patients across the two groups during or at the end of the study are main advantages of this method. Notably, the patients will be assigned into the study based on the ICU date of admission and no body will be able to assign the patients to the specific group of interest.

Blinding (investigator's opinion)
Double blinded

Blinding description
The aim of double blinding is the avoidance of patients and researchers from being informed about the study intervention, so enrollment of patients in intervention and placebo groups will not be recognized. The informed consent will be obtained from the patient's next of kin and they will thoroughly be informed about the study but they will be blind about the group in which their patient

will be included. Also, the researcher who will assess the outcomes will not have any information about study enrollment and only primary investigator will know that. So, blinding will be performed for the researcher who will assess the study outcomes. As he/she will not be a member of treatment team and will be blinded to the study groups.

Placebo
Not used

Assignment
Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethic Committee of Tabriz University of Medical Sciences

Street address

Vice chancellor for research, Golgasht Street

City

Tabriz

Province

East Azarbaijan

Postal code

5183915881

Approval date

2020-08-02, 1399/05/12

Ethics committee reference number

IR.TBZMED.REC.1399.493

Health conditions studied

1

Description of health condition studied

COVID-19

ICD-10 code

U07.1

ICD-10 code description

COVID-19

Primary outcomes

1

Description

Duration of mechanical ventilation.

Timepoint

From the time the patient enters the ICU until discharge from this ward.

Method of measurement

Number of days the patient is under mechanical ventilation based on patients recorded information

Secondary outcomes

1

Description

Mortality

Timepoint

From the beginning of the interventions to 28 days after the end of the interventions

Method of measurement

Mortality counting based on patients recorded information

2

Description

ICU length of stay

Timepoint

From the time of the patient's arrival until the discharge of ICU

Method of measurement

According to the number of days the patient was hospitalized in the ICU

Intervention groups

1

Description

Control group: In the control group, patients will receive all standard treatments as follows: In case of no mechanical ventilation, use of NIV or face mask in case of mechanical ventilation, Lung protective strategy / low tidal volume ventilation with a target volume of 6 ml / kg of ideal body weight with the aim of plateau pressure below 30 and Driving pressure below 50 and maintaining oxygenation and carbon dioxide pressure will be desirable. Patients will receive antiviral therapy and corticosteroids. Patients with a goal of 25 kcal per kg of body weight will be fed daily and laterally, and if this is not possible, this energy will be provided parenterally. Blood sugar control in the range 140-180 will be performed for all patients. PPI treatment to prevent ulcer stress and anticoagulant therapy with prophylactic dose will be performed for all patients. Complementary medications will be prescribed as needed. All patients will undergo the ABCDE protocol for monitoring delirium treatment.

Category

Treatment - Devices

2

Description

Intervention group: In the hemoperfusion group, in addition to the treatments in the control group, patients will be hemoperfused for 16-14 hours with a cytosorbe filter of 300 and BFR: 250-300 ml / min and heparin at a dose of 10-15 IV / Kg / h. PTT Patients will be performed every 4 hours to maintain PTT in the treatment area. Before and after each hemoperfusion session, the disease severity factors will be checked and based on

the symptoms and severity of the markers, if necessary, hemoperfusion will be repeated for up to 3 sessions.

Category

Treatment - Devices

Recruitment centers

1

Recruitment center

Name of recruitment center

General ICU, Imam Reza Hospital

Full name of responsible person

Ata Mahmoodpoor

Street address

Imam Reza Hospital, Daneshkade street

City

Tabriz

Province

East Azarbaijan

Postal code

5166614756

Phone

+98 41 3335 2073

Fax

+98 41 3335 2073

Email

amahmoodpoor@yahoo.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Tabriz University of Medical Sciences

Full name of responsible person

Dr. khosro Adibkia

Street address

Vice Chancellor for Research, Daneshgah Street, Tabriz

City

Tabriz

Province

East Azarbaijan

Postal code

5165665931

Phone

+98 41 3335 7310

Fax

+98 41 3335 7310

Email

research-vice@tbzmed.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Tabriz University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin**Type of organization providing the funding**

Academic

Person responsible for general inquiries**Contact****Name of organization / entity**

Tabriz University of Medical Sciences

Full name of responsible person

Mojtaba Mohammadzadeh

Position

subspeciality resident

Latest degree

Subspecialist

Other areas of specialty/work

Anesthesiology

Street address

Imam Reza Hospital, Daneshkade Street

City

Tabriz

Province

East Azarbaijan

Postal code

5166614756

Phone

+98 41 3335 2073

Fax

+98 41 3335 2073

Email

drmojtaba@yahoo.com

Person responsible for scientific inquiries**Contact****Name of organization / entity**

Tabriz University of Medical Sciences

Full name of responsible person

Ata Mahmoodpoor

Position

Professor

Latest degree

Subspecialist

Other areas of specialty/work

Anesthesiology

Street address

Imam Reza Hospital, Daneshkade street

City

Tabriz

Province

East Azarbaijan

Postal code

5166614756

Phone

+98 41 3335 2073

Fax

+98 41 3335 2073

Email

amahmoodpoor@yahoo.com

Person responsible for updating data**Contact****Name of organization / entity**

Tabriz University of Medical Sciences

Full name of responsible person

Mojtaba Mohammadzadeh

Position

Subspeciality Resident

Latest degree

Subspecialist

Other areas of specialty/work

Anesthesiology

Street address

Imam Reza Hospital, Daneshkade Street

City

Tabriz

Province

East Azarbaijan

Postal code

5166614756

Phone

+98 41 3335 2073

Fax

+98 41 3335 2073

Email

drmojtaba@yahoo.com

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Yes - There is a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available

Title and more details about the data/document

All potential data can be shared after making peoples unrecognizable.

When the data will become available and for how long

Starting 6 months after publication .

To whom data/document is available

Documents will be available for people working in academic institutions and also people working in businesses.

Under which criteria data/document could be used

There will be no specific limitations to the utilization of the data

From where data/document is obtainable

Dr .Ata Mahmoodpoor, Department of Anesthesiology,
Faculty of Medicine, Golgasht Street, Tabriz East
Azarbaijan Islamic Republic of Iran ,Phone+98 413
3341994, Fax+98 41 33341994 ,

amahmoodpoor@yahoo.com

What processes are involved for a request to access data/document

Applicants will access the data from the present study by sending an email to the responsible author for a maximum of one week.

Comments