

Clinical Trial Protocol

Iranian Registry of Clinical Trials

18 Sep 2026

Evaluation of leech therapy in diabetic neuropathy of lower limbs

Protocol summary

Study aim

Evaluation of leech therapy in diabetic neuropathy of lower limbs

Design

Randomized clinical trial with parallel groups, phase 3, with 40 patients, with control group (standard treatment). Due to the type of treatment in this study, blindness is not possible. randomization is done using table of random numbers.

Settings and conduct

In the leech treatment group, 3 to 5 medical leeches with size of 6 to 8 cm for each foot are thrown each 15 days for 3 times and in the medication group, 300 mg gabapentin capsule are administered single dose at night before going to bed for 30 days. This study is performed in the traditional medicine health center of Babol University of Medical Sciences.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Having informed consent; Age 30 years and older; Type 2 diabetes with the approval of an endocrinologist; Diabetic neuropathy based on nerve and muscle tape; The patient should not use other drugs that affect neuropathy; No pregnancy; No breastfeeding; Lack of other diseases that cause neuropathy. Exclusion criteria: Diabetic ulcer requires surgery; Use of anticoagulants; Having any type of coagulation disease; Hospitalization history for cardiovascular disease; History of major mental disorders; Do not take painkillers or common medications for neuropathy treatment during the past month; Having anemia

Intervention groups

Case patients (leech therapy) and control (gabapentin)

Main outcome variables

Severity of pain, burning, tingling

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20150927024228N3**

Registration date: **2020-10-22, 1399/08/01**

Registration timing: **registered_while_recruiting**

Last update: **2020-10-22, 1399/08/01**

Update count: **0**

Registration date

2020-10-22, 1399/08/01

Registrant information

Name

Maryam Azimi

Name of organization / entity

Kerman University Of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 34 3312 2020

Email address

m_azimidehali@collegian.kmu.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2020-08-04, 1399/05/14

Expected recruitment end date

2021-03-04, 1399/12/14

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Evaluation of leech therapy in diabetic neuropathy of lower limbs

Public title

Evaluation of leech therapy in diabetic neuropathy of lower limbs

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

Having informed consent Age 30 years and above Type 2 diabetes with the approval of an endocrinologist Having diabetic neuropathy based on nerve and muscle tape The patient should not use other drugs that are effective on neuropathy at the same time No pregnancy No breastfeeding No other diseases that cause neuropathy such as alcohol, vitamin B12 deficiency, chemotherapy, kidney failure, nerve compression, autoimmune disease, infection, Guillain-Barre syndrome

Exclusion criteria:

Having a diabetic foot ulcer requires surgery Use of anticoagulants such as heparin, warfarin, etc Any coagulation disease History of hospitalization due to cardiovascular disease History of major mental disorders Not taking painkillers, or common drugs for neuropathy treatment during the last month Anemia

Age

From 30 years old

Gender

Both

Phase

3

Groups that have been masked

No information

Sample size

Target sample size: 40

Randomization (investigator's opinion)

Randomized

Randomization description

Randomization is done in a simple way using a table of random numbers. Among the numbers 1 to 40, 20 random numbers are selected from this table for the leech therapy and the rest (of the patients) are assigned to the standard treatment group. Patients are not known in advance. In this way, the order of entering the groups is determined: for example, it is pre-determined and it is written in the envelopes, for example, which group the 5th, 30th or 40th person will be in. When each person enters the study, an envelope is opened and the treatment group is determined for him. Sorting is done using a table of random numbers. some envelopes are provided according to the number of samples and the type of treatment is written in each envelope. We start reading from a point on the table of random numbers vertically and in two digits two digits. If the read number was between 01 and 40, the number is assigned to the leech therapy group. We will continue this work until we reach the number of samples in this group (20 people). the envelopes are closed and sealed and a three-digit code is written on each of them. the order of the envelopes is determined by a statistician. after the patient enters the study and completes the informed consent form, an envelope is opened and the type of treatment is determined; then the patient receives the treatment.

Blinding (investigator's opinion)

Not blinded

Blinding description**Placebo**

Not used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics Committee of Kerman University of Medical Sciences

Street address

Shafa Crossroad, Jomhuri Boulevard, Kerman

City

Kerman

Province

Kerman

Postal code

7617633759

Approval date

2020-08-04, 1399/05/14

Ethics committee reference number

IR.KMU.REC.1399.317

Health conditions studied**1****Description of health condition studied**

Diabetic neuropathy

ICD-10 code

E11.40

ICD-10 code description

Type 2 diabetes mellitus with diabetic neuropathy, unspecified

Primary outcomes**1****Description**

burning sensation

Timepoint

At the beginning of the study, days 15, 30 and 45 of the beginning of the study

Method of measurement

Using Visual Analogue Scale and Neuropathy Symptom Score questionnaires

2**Description**

intensity of pain

Timepoint

At the beginning of the study, days 15, 30 and 45 of the

beginning of the study
Method of measurement
Using Visual Analogue Scale and Neuropathy Symptom Score questionnaires

3

Description

tingling

Timepoint

At the beginning of the study, days 15, 30 and 45 of the beginning of the study

Method of measurement

Visual Analogue scale and neuropathy symptom score questionnaire

Secondary outcomes

1

Description

Muscle weakness and cramps

Timepoint

At the beginning of the study, days 15, 30 and 45 after the start of the study

Method of measurement

Neuropathy Symptom Score questionnaire

2

Description

Vibration in the big toe

Timepoint

At the beginning of the study, days 15, 30 and 45 after the start of the study

Method of measurement

Neuropathy Disability Score questionnaire

3

Description

Recognize the feeling of cold and heat in the back of the legs

Timepoint

At the beginning of the study, days 15, 30 and 45 after the start of the study

Method of measurement

Neuropathy Disability Score questionnaire

4

Description

Detect sharp and blunt bodies on the big toe

Timepoint

At the beginning of the study, days 15, 30 and 45 after the start of the study

Method of measurement

Neuropathy Disability Score questionnaire

5

Description

Presence or absence of Achilles reflex

Timepoint

At the beginning of the study, days 15, 30 and 45 after the start of the study

Method of measurement

Neuropathy Disabilities score questionnaire

6

Description

Possible repair of foot nerves in its treatment with leeches

Timepoint

Before the start of the study and 45 days after the start of the study

Method of measurement

Nerve conduction velocity

7

Description

Possible repair of foot nerves in drug treatment

Timepoint

Before the start of the study and 45 days after the start of the study

Method of measurement

Nerve conduction velocity

Intervention groups

1

Description

In the leech treatment group, three to five medical leeches, six to eight centimeters in size, are thrown in three steps every fifteen days in the area of the back of the feet, tangentially from the root of the second toe to the external malleolus.

Category

Other

2

Description

In the control group, patients are given 300 mg of gabapentin capsule as a single dose at night before going to bed for 30 days.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Traditional Medicine Health Center of Babol University of Medical Sciences

Full name of responsible person

Farshad Alami

Street address

Nasiraei 8, Sardaran 9, Sheilh Tabaresi street

City

Babol
Province
Mazandaran
Postal code
4713937679
Phone
+98 11 3229 2492
Email
farshad.alami1700@gmail.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity
Kerman University of Medical Sciences
Full name of responsible person
Abbas Pardakhti
Street address
Shafa Crossroad, Jolhuri Boulevard, Kerman
City
Kerman
Province
Kerman
Postal code
7616913555
Phone
+98 34 3132 5041
Email
Abpardakhty@Kmu.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Kerman University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity
Kerman University of Medical Sciences
Full name of responsible person
Farshad Alami
Position
resident
Latest degree
Medical doctor
Other areas of specialty/work

Traditional Medicine
Street address
Nasiraei8, Sardaran 9, Sheikh Tabarsi Street
City
Babol
Province
Mazandaran
Postal code
4713937679
Phone
+98 11 3229 2492
Email
farshad.alami1700@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity
Kerman University of Medical Sciences
Full name of responsible person
Maryam Azimi
Position
Assistant Professor
Latest degree
Ph.D.
Other areas of specialty/work
Traditional Medicine
Street address
Amirkabir Crossroad, Jomhuri Boulevard, Kerman
City
kerman
Province
Kerman
Postal code
7616913555
Phone
+98 34 3211 0123
Email
Dr.azimm@gmail.com

Person responsible for updating data

Contact

Name of organization / entity
Kerman University of Medical Sciences
Full name of responsible person
Farshad Alami
Position
Resident
Latest degree
Medical doctor
Other areas of specialty/work
Traditional Medicine
Street address
Nasiraei8, Sardaran9, Sheikh Tabarsi Street
City
Babol
Province
Mazandaran
Postal code
4713937679

Phone

+98 11 3229 2492

Email

farshad.alami1700@gmail.com

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available

Title and more details about the data/document

After the study, information about the main outcome will be shared.

When the data will become available and for how long

12 months after printing

To whom data/document is available

All researchers can get it.

Under which criteria data/document could be used

Data and results will be available to all researchers for research on diabetic neuropathy.

From where data/document is obtainable

dr.azimm@gmail.com

What processes are involved for a request to access data/document

The data will be provided to the applicant within one month after reviewing and confirming the application.

Comments