

Clinical Trial Protocol

Iranian Registry of Clinical Trials

06 Jun 2026

Comparison of the efficacy of Intraperitoneal Dexamethasone with intravenous Dexamethasone on Nausea and Vomiting after Laparoscopic Cholecystectomy

Protocol summary

Study aim

Evaluation the level of Nausea and Vomitting after Laparoscopic Cholecystectomy with using Intrapritoneal injection of Dexamethasone in compare to its Intravenous form

Design

Randomized, phase 3 clinical trial with two parallel groups, with control group, double- blind, postoperative care, on 80 patients.

Settings and conduct

This study is a double-blind randomized controlled clinical trial in which the target population will be patients who are candidates for laparoscopic cholecystectomy at Al-Zahra Hospital in Isfahan. Patients are divided into three groups by simple random allocation. After being placed on the operating table and connecting the monitor to the patient, each group is injected with allocated drug. The patient's vital signs and hemodynamic status are controlled and recorded before, during, and after the operation. The intervention groups are coded, so the injector, clinical caregiver, surgeon, and patient are unaware of the injected intervention and are blind.

Participants/Inclusion and exclusion criteria

Inclusion criteria: all patients aged 18 to 65 years who are candidates for laparoscopic cholecystectomy in ASA class I and II anesthesia . Exclusion criteria: Preoperative nausea and vomiting and pregnancy, allergic to corticosteroids and use it before surgery.

Intervention groups

After removing the last clamp, Group A receives 2cc intrapritoneal Normal saline and 8mg intravenous Dexamethasone. Group B, receives 2cc intravenous Normal saline and 8mg intrapritoneal Dexamethasone. Group C receives 2cc intravenous Normal saline and 2cc intrapritoneal Normal saline.

Main outcome variables

Nausea and Vomitting, Pain, Blood pressure, Heart rate, Blood oxygen saturation and patients satisfaction.

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20160307026950N25**

Registration date: **2020-09-20, 1399/06/30**

Registration timing: **prospective**

Last update: **2020-09-20, 1399/06/30**

Update count: **0**

Registration date

2020-09-20, 1399/06/30

Registrant information

Name

Behzad Nazemroaya

Name of organization / entity

Isfahan University of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 31 3212 3543

Email address

behzad_nazem@med.mui.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2020-09-22, 1399/07/01

Expected recruitment end date

2021-09-23, 1400/07/01

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Comparison of the efficacy of Intraperitoneal Dexamethasone with intravenous Dexamethasone on Nausea and Vomiting after Laparoscopic Cholecystectomy

Public title

Effect of Dexamethasone on Nausea and Vomiting after cholecystectomy

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

Age above 18 years Candidate for laparoscopic Cholecystectomy Physical Situation ASAP and ASA2 Agreement on Participation in Study

Exclusion criteria:

Pregnancy Allergy and Reaction to Corticosteroids Using corticosteroids before Surgery Existing of Nausea and Vomiting before Surgery

Age

From **18 years** old to **65 years** old

Gender

Both

Phase

3

Groups that have been masked

- Participant
- Care provider
- Investigator
- Outcome assessor
- Data analyser

Sample size

Target sample size: **81**

Randomization (investigator's opinion)

Randomized

Randomization description

Randomization will be done simply in which patients will enter into groups A, B, and C respectively, according to their time of admission, then the next three patients will enter into these groups in the same way to complete of number of patients in each three groups.

Blinding (investigator's opinion)

Double blinded

Blinding description

Drugs and Placebo are prepared and coded in the same appearance. The patient, the injecting specialist, the surgeon, and the respondent are unaware of the contents of the injected drug and are blind.

Placebo

Used

Assignment

Parallel

Other design features

In this study, for the first time, we used Intraperitoneal Dexamethasone in laparoscopic cholecystectomy.

Secondary Ids

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Isfahan university of Medical sciences

Street address

Hezar jarib street

City

Isfahan

Province

Isfahan

Postal code

8174673461

Approval date

2020-07-30, 1399/05/09

Ethics committee reference number

IR.MUI.MED.REC.1399.350

Health conditions studied**1****Description of health condition studied**

Laparoscopic Cholecystectomy

ICD-10 code

بیماریهای

ICD-10 code description

K00-K93

Primary outcomes**1****Description**

Nausea

Timepoint

After entry to Recovery, every 15 minute until the exit of recovery and then 2,4,8,12 and 24 hours in the first 24 hour after surgery in all 3 group

Method of measurement

Ask the patient

2**Description**

Vomiting

Timepoint

After entry to Recovery, every 15 minute until the exit of recovery and then 2,4,8,12 and 24 hours in the first 24 hour after surgery in all 3 group

Method of measurement

Ask the patient

3

Description

Systolic blood pressure

Timepoint

Before Anesthesia, After Anesthesia and after injection of Dexamethasone at 1,5,10 minutes and every 15 minute until the end of surgery in all groups.

Method of measurement

Non invasive blood pressure measurement

4

Description

Diastolic blood pressure

Timepoint

Before Anesthesia, After Anesthesia and after injection of Dexamethasone at 1,5,10 minutes and every 15 minute until the end of surgery in all groups.

Method of measurement

Non invasive blood pressure measurement

5

Description

Heart rate

Timepoint

Before Anesthesia, After Anesthesia and after injection of Dexamethasone at 1,5,10 minutes and every 15 minute until the end of surgery in all groups.

Method of measurement

ECG Monitoring

6

Description

Oxygen saturation

Timepoint

Before Anesthesia, After Anesthesia and after injection of Dexamethasone at 1,5,10 minutes and every 15 minute until the end of surgery in all groups.

Method of measurement

Pulse oximeter

7

Description

Pain

Timepoint

After entry to Recovery, every 15 minute until the exit of recovery and then 2,4,8,12 and 24 hours in the first 24 hour after surgery in all 3 group

Method of measurement

VAS score system

8

Description

Patients satisfaction

Timepoint

First 24 hour after surgery

Method of measurement

Likert scale system

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group A: Patients receive 2cc intrapritoneal Normal saline and 8mg intravenous Dexamethasone in base of Gallbladder after removing last clamp and exiting laparoscope.

Category

Prevention

2

Description

Intervention group B: Patients receive 2cc intravenous Normal saline and 8mg intrapritoneal Dexamethasone in base of Gallbladder after removing last clamp and exiting laparoscope.

Category

Prevention

3

Description

Control group: Patients receive 2cc intravenous Normal saline and 2cc intrapritoneal Normal saline in base of Gallbladder after removing last clamp and exiting laparoscope.

Category

Placebo

Recruitment centers

1

Recruitment center**Name of recruitment center**

Isfahan Alzahra Hospital

Full name of responsible person

Behzad Nazem Roaya

Street address

Hezar Jarib

City

Isfahan

Province

Isfahan

Postal code

8174675731

Phone

+98 31 3620 2020

Email

behzad_nazem@gmail.com

Web page address

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Esfahan University of Medical Sciences

Full name of responsible person

Shaghayegh Haghjoo

Street address

Hezar Jarib

City

Isfahan

Province

Isfahan

Postal code

8174673461

Phone

+98 31 3668 0048

Email

research@mui.ac.ir

Grant name**Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

Title of funding source

Esfahan University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin**Type of organization providing the funding**

Academic

Person responsible for general inquiries

Contact**Name of organization / entity**

Esfahan University of Medical Sciences

Full name of responsible person

Alireza Arabzadeh

Position

Medical student (Internship)

Latest degree

A Level or less

Other areas of specialty/work

General Practitioner

Street address

Kooye emam.khosro poor street,Valid alley,No.242

City

Isfahan

Province

Isfahan

Postal code

8169844181

Phone

+98 31 3669 1460

Email

alirezaarabzadeh994@gmail.com

Person responsible for scientific inquiries

Contact**Name of organization / entity**

Esfahan University of Medical Sciences

Full name of responsible person

Behzad Nazem Roaya

Position

professor assistant of Anesthesia and Intensive care unit

Latest degree

Specialist

Other areas of specialty/work

Anesthesiology

Street address

Hezar jarib street

City

Isfahan

Province

Isfahan

Postal code

8146713543

Phone

+98 31 3620 2020

Email

behzad_nazem@med.mui.ac.ir

Person responsible for updating data

Contact**Name of organization / entity**

Esfahan University of Medical Sciences

Full name of responsible person

Leyla Rafiei

Position

Nurse Anesthesia

Latest degree

Bachelor

Other areas of specialty/work

Anesthesiology

Street address

Hezar jarib street

City

Isfahan

Province

Isfahan

Postal code

8146713543

Phone

+98 31 3620 2020

Email

leylarafiei943@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to

make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available