

Clinical Trial Protocol

Iranian Registry of Clinical Trials

18 Sep 2026

The effect of growth hormone on increasing pregnancy success rate in women with unexplained recurrent implantation failure: A multicenter clinical randomized study.

Protocol summary

Study aim

To evaluate the effect of the growth hormone on the pregnancy outcomes of the patients with unexplained recurrent implantation failure. Qualitative evaluation of the uterus after the intervention by help of vaginal sonography, two-dimensional and three-dimensional Doppler vaginal ultrasound.

Design

non-blind randomized two-arm clinical trial study in two groups of growth hormone-receiving and non-growth-hormone patients in patients with recurrent implantation failure.

Settings and conduct

In this clinical trial, the patients were divided into an intervention group (receiving daily subcutaneous 8 units of the growth hormone from the beginning of the daily of estradiol valerate to the beginning of progesterone injection) and a control group. The researchers responsible for data collection and those who assess outcomes will not have access to patients' medical records and clinical report forms. They will simply collect patients' outcomes based on the initial list for participation in the research.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Women between the ages of 22 and 39, unexplained recurrent Implantation Failure ≥ 3 in Fet cycle. Exclusion criteria: known cause of implantation failure such as Underlying disease such as: diabetes, Hypertension, Congenital uterine anomalies Endometrial adhesions, submucosal myomas.

Intervention groups

The intervention group includes the patients with RIF who will receive the intervention of the growth hormone in FET cycle. The control group includes the patients with RIF who will not receive the intervention of the growth hormone in FET cycle.

Main outcome variables

Clinical pregnancy: the observation of pregnancy sac on transvaginal ultrasound in the 5th week ; Ongoing pregnancy: 12 week gestation Live birth rate

General information

Reason for update

Sponsor change. Increase of sample size. Some centers was added to the study. Since the intervention, inclusion and exclusion criteria and assessed outcomes were not changed and also the sample sized is increased only due to change the study to a multi-center one, there is no ethical consideration related to the trial. Then a new ethical code was not requested.

Acronym

IRCT registration information

IRCT registration number: **IRCT20201003048912N1**
Registration date: **2020-12-21, 1399/10/01**
Registration timing: **registered_while_recruiting**

Last update: **2021-08-23, 1400/06/01**

Update count: **1**

Registration date

2020-12-21, 1399/10/01

Registrant information

Name

Mina Ataei

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 2243 2020

Email address

m.ataee@abz.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2020-06-21, 1399/04/01

Expected recruitment end date

2022-12-22, 1401/10/01

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

The effect of growth hormone on increasing pregnancy success rate in women with unexplained recurrent implantation failure: A multicenter clinical randomized study.

Public title

The effect of growth hormone on increasing pregnancy success rate in women with unexplained recurrent implantation failure: A multicenter clinical randomized study.

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

have a history of more than two previous unexplained IVF failures (3≤)(despite transfer of minimum one good grade A blastocyst embryo) , no previous hormone growth cycle, no other interventions in this cycle(hystroscopy and Immunomodulator drugs) , no donation cycle, no hormone contraindications, not having hydrosalpinx, , having at least one good grade A blastocyst freezed embryo for transfer , FSH≤10, AMH≥1.8

Exclusion criteria:

Age≥ 40 years, BMI≥30, endometriosis, severe oligospermia, (Sperm count <5 ×10⁶ /mL ,Normal morphology <2% in the sperm analysis test) DFI ≤30% , patients with hydrosalpinx, kidney and liver diseases, diabetes,hypertention and thyroid(anti-Tpo>500) and autoimmune diseases and local allergic reactions and benign increase in intracranial pressure, submucosal myoma, metabolic syndrome, sex selection , karyotype disorder, uterian anomalis, Synechsia, Hx of thin endometrium(endometrial line<7mm) , no patient consent

AgeFrom **22 years** old to **39 years** old**Gender**

Female

Phase

3

Groups that have been masked

No information

Sample sizeTarget sample size: **356****Randomization (investigator's opinion)**

Randomized

Randomization description

Block randomization with blocks with size 4 in

www.sealedenvelope.com web site

Blinding (investigator's opinion)

Not blinded

Blinding description**Placebo**

Not used

Assignment

Other

Other design features

The effect of growth hormone on increasing pregnancy success rate in women with unexplained recurrent implantation failure (undergoing frozen embryo transfer): A multicenter clinical randomized study.

Secondary Ids

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethic committe of Avicenna research institue

Street address

Yakhchal junction, Shariati st.

City

Tehran

Province

Tehran

Postal code

1936773493

Approval date

2020-09-09, 1399/06/19

Ethics committee reference number

IR.ACECR.AVICENNA.REC.1399.005

Health conditions studied**1****Description of health condition studied**

Patients with recurrent implantation failure

ICD-10 code

N98.2

ICD-10 code description

Complications of attempted introduction of fertilized ovum following in vitro fertilization

2**Description of health condition studied**

Patients with recurrent implantation failure

ICD-10 code

N97.2

ICD-10 code description

Female infertility of uterine origin

Primary outcomes

1

Description

Pregnancy rate

Timepoint

5-6 weeks after taking the drug

Method of measurement

The number of patients with positive gestational sac divided by the number of patients who had embryo transfer

Secondary outcomes

1

Description

Endometrial receptivity

Timepoint

2 weeks after taking the drug

Method of measurement

measurement of sub endometrial flow by power Doppler sono and endometrial volume and thickness by 3D and 2D ultrasonography

2

Description

chemical pregnancy rate : the rate of positive pregnancy test 2 weeks after embryo transfer

Timepoint

2 weeks after embryo transfer

Method of measurement

evaluation of positive pregnancy test after transfer of blastocyst (s) embryo(s)

3

Description

implantation rate

Timepoint

measurement of number gestational sac divided by number of blastocyst embryo transfer

Method of measurement

evaluation of positive and number of intrauterine gestational sac after transfer of blastocyst (s) embryo(s) by ultrasonography

4

Description

live birth rate : number of delivery of viable fetuses(more than 28 weeks) divided by number of embryo transferred.

Timepoint

Gestational age more than 28 weeks of pregnancy

Method of measurement

Delivery of viable fetuses after 28 after pregnancy

Intervention groups

1

Description

Intervention group: this study attempts to explore and assess 178 infertile further three recurrent implantation failures. This group will receive the growth hormone produced by CinnaGen Company for the frozen embryo transfer (FET). From the third day of menstruation, after suppression of endogenous ovarian secretion by prescribing GnRH agonist in the 21day of the previous cycle ,oral estradiol valerate (6 mg/day) and subcutaneous injection of 8 units of the growth hormone will be prescribed. (in patients with a regular menstruation no GnRH agonist suppression is done). The injection of the growth hormone will be continued until the day on which progesterone is injected.(having a good trilaminar ,at least 7-8 mm endometrial thickness). Five days prior to blastocyst embryo transfer, intramuscular injection of progesterone and the oral estradiol valerate (6 mg/day) will be prescribed. In the morning of the day of embryo transfer, the subendometrial flow , endometrial thickness and volume , endometrium pulsatility index, resistance index of left and right uterine arteris are measured by 2 D and 3D ultrasonography and power Doppler sonography and the embryo is transferred then.For luteal phase support , oral estradiol valerate pulse vaginal progesterone, Cyclogest ,(400 mg BD) or combination of vaginal progesterone, Cyclogest ,(400 mg BD) with intramuscular progesterone(50 mg, every 3 day) is prescribed. 2 weeks after embryo transfer, the blood BHCG test is requested.

Category

Treatment - Drugs

2

Description

Control group: this study attempts to explore and assess 178 infertile further three recurrent implantation failures. From the third day of menstruation, after suppression of endogenous ovarian secretion by prescribing GnRH agonist in the 21day of the previous cycle ,oral estradiol valerate (6 mg/day) will be prescribed. (in patients with a regular menstruation no GnRH agonist suppression is done). Using estradiol valerate will be continued until the day on which progesterone is injected. .(having a good trilaminar , at least 7-8 mm endometrial thickness). Five days prior to blastocyst embryo transfer, intramuscular injection of progesterone and the oral estradiol valerate (6 mg/day) will be prescribed. In the morning of the day of embryo transfer, the subendometrial flow , endometrial thickness and volume , endometrium pulsatility index, resistance index of left and right uterine arteris are measured by 2 D and 3D ultrasonography and power Doppler sonography and the embryo is transferred then. For luteal phase support , oral estradiol valerate pulse vaginal progesterone, Cyclogest ,(400 mg BD) or combination of vaginal progesterone, Cyclogest ,(400 mg BD) with intramuscular progesterone(50 mg, every 3 day) is prescribed. 2 weeks after embryo transfer, the blood BHCG test is requested.are measured and the embryo is transferred then.

Category

Treatment - Other

Recruitment centers

1

Recruitment center

Name of recruitment center

Avicenna Fertility Center

Full name of responsible person

Soheila Ansaripour

Street address

Yackchal junction

City

Tehran

Province

Tehran

Postal code

1936773493

Phone

+98 21 2243 2020

Fax

+98 21 2243 2022

Email

soh.ansaripour@gmail.com

2

Recruitment center

Name of recruitment center

Akbarabadi Hospital

Full name of responsible person

Dr. Mahnaz Ashrafi

Street address

Molavai St. Tehran. Iran

City

Tehran

Province

Tehran

Postal code

11687 43514

Phone

+98 21 5560 6034

Email

ashrafi.m@iums.ac.ir

3

Recruitment center

Name of recruitment center

Moheb Yas Hospital

Full name of responsible person

Dr. Firoozeh Akbari Asbagh

Street address

North Ostad Nejatollahi St. Karimkhan St. Tehran, Iran

City

Tehran

Province

Tehran

Postal code

1598718311

Phone

+98 21 4216 0000

Email

F.AsbaghM.D@yahoo.com

4

Recruitment center

Name of recruitment center

Imam Reza Hospital

Full name of responsible person

Dr. Nayereh Khadem Ghaebi

Street address

Bahar St. Mashhad

City

Mashhad

Province

Razavi Khorasan

Postal code

9137913316

Phone

+98 51 3854 3031

Email

Khademn@mums.ac.ir

5

Recruitment center

Name of recruitment center

East Azerbaijan ACECR ART center

Full name of responsible person

Sedigheh Abdollahi fard

Street address

Jam Jame St

City

Tabriz

Province

East Azarbaijan

Postal code

5166617753

Phone

+98 41 3329 5730

Email

Dr_s_abdollahi@yahoo.com

6

Recruitment center

Name of recruitment center

Isfahan Fertility & Infertility Center

Full name of responsible person

Mohammad Hossein Nasr Isfahani

Street address

Salman Farsi St

City

Isfahan

Province

Isfahan

Postal code

8158858151

Phone

+98 31 3267 0030

Email

Nasr.royan@gmail.com

7

Recruitment center

Name of recruitment center
Taleqani hospital
Full name of responsible person
Nasrin Saharkhiz
Street address
Yemen st. Velenjak
City
Tehran
Province
Tehran
Postal code
1985711151
Phone
+98 21 2243 2560
Email
Saharkhiz1377@yahoo.com

Name of organization / entity
CinnaGen company
Full name of responsible person
Dr.Haleh Hamedifar
Street address
No.72,CinnaGen research and production
company.Simindasht industrial park,Karaj, Alborz,
Iran.
City
Karaj
Province
Alborz
Postal code
3165933155
Phone
+98 26 3667 0980
Email
Cinnagen@Cinnagen

Sponsors / Funding sources

1

Sponsor
Name of organization / entity
Avicenna Research Institute
Full name of responsible person
Mohammad Reza Sadeghi
Street address
Avicenna research institute , Daneshjou Blvd, Evin
City
Tehran
Province
Tehran
Postal code
1941913114
Phone
+98 21 2243 2020
Fax
+98 21 2243 2021
Email
Sadeghi@ari.ir

Grant name
Grant code / Reference number
Is the source of funding the same sponsor organization/entity?
No
Title of funding source
ACECR
Proportion provided by this source
50
Public or private sector
Public
Domestic or foreign origin
Domestic
Category of foreign source of funding
empty
Country of origin
Type of organization providing the funding
Academic

2

Sponsor

Grant name
Grant code / Reference number
Is the source of funding the same sponsor organization/entity?
Yes
Title of funding source
CinnaGen company
Proportion provided by this source
50
Public or private sector
Private
Domestic or foreign origin
Domestic
Category of foreign source of funding
empty
Country of origin
Type of organization providing the funding
Industry

Person responsible for general inquiries

Contact
Name of organization / entity
Avicenna Infertility Center
Full name of responsible person
Dr. Mina Ataei
Position
Infertility Fellowship
Latest degree
Subspecialist
Other areas of specialty/work
Gynecology and Obstetrics
Street address
Yakhchal Junction, Shariati st.
City
Tehran
Province
Tehran
Postal code
1936773493
Phone
+98 21 2243 2020
Email
Ataee.mina@yahoo.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Avicenna fertility Center

Full name of responsible person

Dr Soheila Ansaripour

Position

Infertility Fellowship

Latest degree

Subspecialist

Other areas of specialty/work

Gynecology and Obstetrics

Street address

Yakhchal junction, Shariati st.

City

Tehran

Province

Tehran

Postal code

1936773493

Phone

+98 21 2243 2020

Email

soh.ansaripour@gmail.com

Person responsible for updating data

Contact

Name of organization / entity

Avicenna fertility Center

Full name of responsible person

Arash Mohazab

Position

Methodologist

Latest degree

Medical doctor

Other areas of specialty/work

Epidemiology

Street address

Yakhchal Junction, Shariati st.

City

Tehran

Province

Tehran

Postal code

1936773493

Phone

+98 21 23519

Email

amohazzab@yahoo.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available

Title and more details about the data/document

Undefined plan

When the data will become available and for how long

Undefined plan

To whom data/document is available

Undefined plan

Under which criteria data/document could be used

Undefined plan

From where data/document is obtainable

Dr. Mina Ataei

What processes are involved for a request to access data/document

Email to corresponding Dr Mina Ataei
Ataee.mina@yahoo.com

Comments