Clinical Trial Protocol
Iranian Registry of Clinical Trials

16 Sep 2026

Evaluation of the effect of treatment with laparoscopic salpingostomy, laparotomy and methotrexate treatment on the results of hysterosalpingography in patients with ectopic pregnancy

Protocol summary

Study aim

The effect of laparoscopic salpingostomy, laparotomy, and methotrexate treatment on hysterosalpingography results

Design

A randomized clinical trial with the parallel groups, without blinding

Settings and conduct

In this study, 99 patients with ectopic pregnancy will be included in the study and will be randomly divided into three groups. These patients will be treated with laparoscopic salpingostomy, laparotomy and methotrexate treatment, respectively. They undergo hysterosalpingography three months after the intervention. Ectopic pregnancy mass size and infection will then be assessed and recorded.

Participants/Inclusion and exclusion criteria

Inclusion criteria include mass diameter less than 3.5 cm, stable hemodynamics, Beat human chorionic gonadotrophin (BHCG) less than 5000 mIU/mL, and satisfaction to participate in the study. Exclusion criteria include ectopic pregnancy recurrence, fetal cardiac activity in ectopic pregnancy, having liver and kidney disease, having lung disease, having an active stomach ulcer, and breastfeeding.

Intervention groups

Intervention group 1: Patients in this group are treated with laparoscopic salpingostomy. Intervention group 2: Patients in this group undergo laparotomy. Intervention group 3: Patients in this group will be treated with methotrexate. All patients undergo hysterosalpingography three months after the intervention. It was done three months after the intervention, 2-5 days after onset of the menstrual period, but before the ovulation period, so that it was ensured about the subjects were not pregnant.

Main outcome variables

Ectopic pregnancy mass size; infection

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20201111049352N1**
Registration date: **2020-12-06, 1399/09/16**
Registration timing: **retrospective**

Last update: **2020-12-06, 1399/09/16**
Update count: **0**

Registration date

2020-12-06, 1399/09/16

Registrant information

Name

Mina Ahmadi

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 31 3779 0013

Email address

masoudAhmadi2423@gmail.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2019-03-21, 1398/01/01

Expected recruitment end date

2021-03-19, 1399/12/29

Actual recruitment start date

2019-04-21, 1398/02/01

Actual recruitment end date

2020-07-19, 1399/04/29

Trial completion date
2020-07-19, 1399/04/29

Scientific title
Evaluation of the effect of treatment with laparoscopic salpingostomy, laparotomy and methotrexate treatment on the results of hysterosalpingography in patients with ectopic pregnancy

Public title
The effect of laparoscopic salpingostomy, laparotomy, and methotrexate treatment on hysterosalpingography results

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
Mass diameter less than 3.5cm Stable hemodynamics Beat human chorionic gonadotrophin (BHCG) less than 5000 mIU/mL Satisfaction to participate in the study
Exclusion criteria:
Ectopic pregnancy recurrence Fetal cardiac activity in ectopic pregnancy Having liver and kidney disease Having lung disease Having an active stomach ulcer Breastfeeding

Age
No age limit

Gender
Female

Phase
2-3

Groups that have been masked
No information

Sample size
Target sample size: **99**
Actual sample size reached: **99**

Randomization (investigator's opinion)
Randomized

Randomization description
99 eligible patients will be randomly selected. Then, these patients will be randomly encoded using computer software called "Random Allocation" and automatically divided into two groups. The relevant codes will be entered in the raw checklists and each of these checklists will be randomly assigned to one patient and that patient will be randomly assigned to one of the two study groups.

Blinding (investigator's opinion)
Not blinded

Blinding description

Placebo
Not used

Assignment
Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee
Name of ethics committee
Ethics committee of Isfahan University of Medical Sciences
Street address
Street address Isfahan University of Medical Sciences, Hezar Jarib Ave., Azadi Sq.
City
Isfahan
Province
Isfehan
Postal code
8179964167

Approval date
2018-09-30, 1397/07/08

Ethics committee reference number
IR.MUI.MED.REC.1398.268

Health conditions studied

1

Description of health condition studied
Ectopic pregnancy

ICD-10 code
O.00

ICD-10 code description
Ectopic pregnancy

Primary outcomes

1

Description
Ectopic pregnancy mass siza

Timepoint
Three months after intervention

Method of measurement
Imaging

2

Description
Infection

Timepoint
Three months after intervention

Method of measurement
Examination

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group I: Patients in the first group undergo laparoscopic salpingostomy. So that, after the pneumoperitone is generated by the electronic pneumoperitoneum storz electronic device, an 11 mm trocar enters the abdomen from the umbilicus, then a laparoscope connected to the cold xenon light enters from the trocar and enters the outer end of the trocar attaches to the camera. After examining the abdomen and pelvis under direct vision, two 5.5 mm trocars are implanted in the lower abdomen to pass surgical instruments. First, the tube is determined and released, then a 1-2 cm incision is made in the antisentric section of the tube using a laser, micro electrode or scissors. The pregnancy product often protrudes spontaneously and gently comes out of the tube. Or is removed using hydrodissection and laparoscopic forceps.

Category

Treatment - Surgery

2

Description

Intervention group 2: Patients in the second group undergo laboratory surgery. So that, after opening the abdominal wall layers and exposing the uterus and cardiac tube, a 10-15 mm incision is made in the anticentric margin on the ectopic pregnancy. Pregnancy products usually come out of the incision site. Pregnancy products can be carefully removed or removed using a high-pressure washing system that removes the trophoblastic tissue more completely.

Category

Treatment - Surgery

3

Description

Intervention group 3: Patients in the third group, methotrexate at a dose of 50 mg/m2, will be given a single dose intramuscularly.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Al-Zahran Hospital

Full name of responsible person

Mina Ahmadi

Street address

Soffe Blvd., Hezar Jerib street

City

Isfahan

Province

Isfehan

Postal code

8174675731

Phone

+98 31 3620 2020

Email

minaahmadi9026@gmail.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Esfahan University of Medical Sciences

Full name of responsible person

Shaghayegh Haghjoo Javanmard

Street address

Vice Chancellor for Research, School of Medicine, Hezar Jarib Street, Isfahan

City

Isfahan

Province

Isfehan

Postal code

8174673461

Phone

+98 31 3668 8597

Email

dean@med.mui.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Esfahan University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Esfahan University of Medical Sciences

Full name of responsible person

Behnaz Khani

Position

Assistant Professor

Latest degree

Subspecialist

Other areas of specialty/work

Gynecology and Obstetrics

Street address

Aria complex , Golshan deadend ,No. 2 alley ,baghziar st , esfahan city

City

Esfahan

Province
Isfehan
Postal code
8781252633
Phone
+98 31 3779 0013
Fax
Email
khani@mui.ac.ir

Person responsible for scientific inquiries

Contact
Name of organization / entity
Esfahan University of Medical Sciences
Full name of responsible person
Mina Ahmadi
Position
Resident
Latest degree
Subspecialist
Other areas of specialty/work
Gynecology and Obstetrics
Street address
Department of Obstetrics & Gynecology, Al-Zahra Hospital, Hezar Jerib Street
City
Isfahan
Province
Isfehan
Postal code
8174675731
Phone
+98 31 3620 2020
Email
minaahmadi9026@gmail.com

Person responsible for updating data

Contact
Name of organization / entity
Esfahan University of Medical Sciences
Full name of responsible person
Mina Ahmadi
Position
Resident
Latest degree
Subspecialist
Other areas of specialty/work
Gynecology and Obstetrics
Street address
Department of Obstetrics & Gynecology, Al-Zahra Hospital, Hezar Jerib Street
City
Isfahan
Province
Isfehan
Postal code
8174675731
Phone
+98 31 3620 2020
Email
minaahmadi9026@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)
Undecided - It is not yet known if there will be a plan to make this available
Study Protocol
No - There is not a plan to make this available
Statistical Analysis Plan
No - There is not a plan to make this available
Informed Consent Form
No - There is not a plan to make this available
Clinical Study Report
No - There is not a plan to make this available
Analytic Code
No - There is not a plan to make this available
Data Dictionary
No - There is not a plan to make this available