

Clinical Trial Protocol

Iranian Registry of Clinical Trials

17 Sep 2026

Comparative study of the effect of local infiltration of two doses of Hydrocortisone on pain and nausea and vomiting after laparoscopic cholecystectomy

Protocol summary

Study aim

General purpose : Determining and comparing the effect of local infiltration of two doses of pre-emptive hydrocortisone on pain, nausea and vomiting(PONV) After laparoscopic cholecystectomy(LC) Specific purpose : 1) Determining and comparing the mean vas score of pain intensity after surgery 2) Determining and comparing the mean vas score of intensity of PONV 3) Determining and comparing the frequency of vomiting after surgery 4) Determining and comparing the average pethidine consumption of after surgery 5) Determine and compare the average of the first time needed for analgesia 6) Determining and comparing the average of the first time needed for anti-nausea 7) Determining and comparing the frequency percentage of the number of anti-nausea doses received

Design

Clinical trial with control group, three-blind, phase 3 on 105 patients. randomized by random allocation using statistical software.

Settings and conduct

This three-blind clinical trial study will be performed on patients of Alzahra and Ayatollah Kashani Hospital in Isfahan who undergo LC due to chronic cholecystitis.

Participants/Inclusion and exclusion criteria

Inclusion criteria : 1) Age group 85-20 y 2) LC due to chronic cholecystitis 3) ASA physical status one and two Criteria for non-inclusion : 1) allergy to local anesthetics and drugs, morbid obesity, advanced respiratory diseases, kidney, blood, liver, cardiovascular 2) Chronic use of drug , beta adrenergic receptor antagonists and drug addicts 3) Pregnant women 4) mental retardation

Intervention groups

Group A: receive 100 mg of pre-emptive hydrocortisone at the surgical site. Group B: Receive 50 mg of pre-emptive hydrocortisone at the surgical site. Group C: receive cc20 preoperative normal saline at the surgical

site

Main outcome variables

Reduce surgical complications, patient and medical center costs; Increase patient satisfaction

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20101211005362N26**

Registration date: **2021-07-07, 1400/04/16**

Registration timing: **registered_while_recruiting**

Last update: **2021-07-07, 1400/04/16**

Update count: **0**

Registration date

2021-07-07, 1400/04/16

Registrant information

Name

Mohammadreza Safavi

Name of organization / entity

Anesthesiology and Critical Care Research Center, Isfahan University of Medical Sciences, Isfahan

Country

Iran (Islamic Republic of)

Phone

+98 31 1273 2659

Email address

safavi@med.mui.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2021-04-21, 1400/02/01

Expected recruitment end date

2021-12-22, 1400/10/01

Actual recruitment start date
empty

Actual recruitment end date
empty

Trial completion date
empty

Scientific title
Comparative study of the effect of local infiltration of two doses of Hydrocortisone on pain and nausea and vomiting after laparoscopic cholecystectomy

Public title
Effect of local Hydrocortisone on pain and nausea and vomiting after surgery

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
 Age group 85-20 years Case of laparoscopic cholecystectomy due to chronic cholecystitis ASA physical status one and two
Exclusion criteria:
 Patients with allergies to local anesthetics and drugs, morbid obesity, advanced respiratory diseases, kidney, blood, liver, cardiovascular Chronic drug use, beta or alcohol adrenergic receptor antagonists, and drug addicts pregnant women Mental retardation

Age
From **20 years** old to **85 years** old

Gender
Both

Phase
3

Groups that have been masked

- Participant
- Investigator
- Data analyser

Sample size
Target sample size: **105**

Randomization (investigator's opinion)
Randomized

Randomization description
The method of randomization in this study is a simple random method using random allocation software, which is an individual randomization unit and random sequencing is done using this software and based on the arrangement presented by patients. Drugs and placebo in syringes together The shape and volume of the preparation are coded depending on the content (1,2,3) and according to the sequence determined by the software, patients receive the desired material. For allocation concealment, the sequentially numbered ,sealed ,opaque envelopes or SNOSE method is used.

Blinding (investigator's opinion)
Triple blinded

Blinding description
In this three-blind study of patients and researchers and statistical analysts, the results of the study group and the drug used are not known. Medications are coded. The

doctor who injects the medicine only knows the type of medicine, and the information from the study is collected by another doctor who does not know the type of medicine.

Placebo
Used

Assignment
Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics committee of Isfahan university of medical sciences

Street address

Anesthesiology group, Al-Zahra Educational and Medical Center, Soffe Boulevard, Isfahan

City

Isfahan

Province

Isfahan

Postal code

8174675731

Approval date

2021-05-11, 1400/02/21

Ethics committee reference number

IR.MUI.MED.REC.1400.103

Health conditions studied

1

Description of health condition studied

Post operative pain

ICD-10 code

G89.18

ICD-10 code description

Other acute post procedural pain

2

Description of health condition studied

Post operative nausea and vomiting

ICD-10 code

K91.0

ICD-10 code description

Vomiting following gastrointestinal surgery

Primary outcomes

1

Description

Pain Visual Analogue Scale score

Timepoint

In recovery every 15 minutes and up to 24 hours after surgery every 6 hours

Method of measurement

Visual Analogue Scale score

Secondary outcomes

1

Description

Post operative nausea and vomiting Visual Analogue Scale score

Timepoint

In recovery every 15 minutes and up to 24 hours after surgery every 6 hours

Method of measurement

Visual Analogue Scale score

Intervention groups

1

Description

Intervention group 1: consists of 35 people receiving 100 mg of hydrocortisone who receive the drug once and as a preemptive by local infiltration at the site of laparoscopic cholecystectomy 15 minutes before the surgical incision is made.

Category

Treatment - Drugs

2

Description

Intervention group 2: consists of 35 people receiving 50 mg of hydrocortisone who receive the drug once and as a preemptive by local infiltration at the site of laparoscopic cholecystectomy 15 minutes before the surgical incision is made.

Category

Treatment - Drugs

3

Description

Control group: consists of 35 people receiving 20cc of non-drug normal saline (placebo) which is received as a preemptive by local infiltration at the surgical site of laparoscopic cholecystectomy 15 minutes before the surgical incision is made.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Alzahra hospital

Full name of responsible person

Dr. Mohammadreza Safavi

Street address

Al-Zahra Educational and Medical Center, Softe Boulevard, Isfahan

City

Isfahan

Province

Isfahan

Postal code

81746-75731

Phone

+98 31 3620 1992

Email

safavi@med.mui.ac.ir

2

Recruitment center

Name of recruitment center

Kashani hospital

Full name of responsible person

Dr. Mohammadreza Safavi

Street address

Kashani street

City

Isfahan

Province

Isfahan

Postal code

81839-83434

Phone

+98 31 3233 0091

Email

safavi@med.mui.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Esfahan University of Medical Sciences

Full name of responsible person

Dr. Shaghayegh Haghjoo Javanmard

Street address

Vice Chancellor for Research and Technology, Building No. 4, Isfahan University of Medical Sciences and Health Services, Hezar Jerib St.

City

Isfahan

Province

Isfahan

Postal code

81746-73461

Phone

+98 31 3668 8138

Email

research@mui.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes
Title of funding source
Esfahan University of Medical Sciences
Proportion provided by this source
100
Public or private sector
Public
Domestic or foreign origin
Domestic
Category of foreign source of funding
empty
Country of origin
Type of organization providing the funding
Academic

Person responsible for general inquiries

Contact
Name of organization / entity
Esfahan University of Medical Sciences
Full name of responsible person
Dr. Mohammadreza Safavi
Position
Professor of Anesthesiology
Latest degree
Specialist
Other areas of specialty/work
Anesthesiology
Street address
Al-Zahra Educational and Medical Center, Soffe
Boulevard , Isfahan
City
Isfahan
Province
Isfahan
Postal code
8174675731
Phone
+98 31 3620 1992
Email
safavi@med.mui.ac.ir

Person responsible for scientific inquiries

Contact
Name of organization / entity
Esfahan University of Medical Sciences
Full name of responsible person
Dr. Mohammadreza Safavi
Position
Professor of Anesthesiology
Latest degree
Specialist
Other areas of specialty/work
Anesthesiology
Street address
Al-Zahra Educational and Medical Center, Soffe
Boulevard , Isfahan
City

Isfahan
Province
Isfahan
Postal code
8174675731
Phone
+98 31 3620 1992
Email
safavi@med.mui.ac.ir

Person responsible for updating data

Contact
Name of organization / entity
Esfahan University of Medical Sciences
Full name of responsible person
Dr. Mohammadreza Safavi
Position
Professor of Anesthesiology
Latest degree
Specialist
Other areas of specialty/work
Anesthesiology
Street address
Al-Zahra Educational and Medical Center, Soffe
Boulevard , Isfahan
City
Isfahan
Province
Isfahan
Postal code
8174675731
Phone
+98 31 3620 1992
Email
safavi@med.mui.ac.ir

Sharing plan

Deidentified Individual Participant Data Set (IPD)
Undecided - It is not yet known if there will be a plan to make this available
Study Protocol
Undecided - It is not yet known if there will be a plan to make this available
Statistical Analysis Plan
Undecided - It is not yet known if there will be a plan to make this available
Informed Consent Form
Undecided - It is not yet known if there will be a plan to make this available
Clinical Study Report
Undecided - It is not yet known if there will be a plan to make this available
Analytic Code
Undecided - It is not yet known if there will be a plan to make this available
Data Dictionary
Undecided - It is not yet known if there will be a plan to make this available