

Clinical Trial Protocol

Iranian Registry of Clinical Trials

09 Jun 2026

Randomized, single-dose, crossover comparative bioequivalence study of the Erlotinib 150 mg tablets produced by Kimia pharmaceutical Co versus Tarceva® (Roche company) in 30 healthy males under fasting conditions

Protocol summary

Study aim

To demonstrate bioequivalence of single dose test formulation of Kimia pharmaceutical Co Erlotinib 150 mg tablets versus Tarceva (Roche Co.)

Design

Single dose, randomized and crossover bioequivalence study of Erlotinib 150 mg tablets (Kimia Co.) with Tarceva (Roche Co.) in 30 healthy male in two groups under fasting condition. Data will be analyzed with Exel and SPSS software.

Settings and conduct

Study place: Medication Applied Research Center affiliated to Tabriz University of Medical Science. Blood and plasma sample analysis will be performed in Imam Reza Medical Research and Training hospital. Eighteen healthy male volunteers will receive each of two, test or reference Erlotinib 150 mg tablets, in random sequence according to the randomization schedule. The interval between receiving the medicine (washout period) is 14 days, If the first sequence receives Iranian medicine, they will receive brand medicine. Blood samples will be taken from all participants before receiving the drug and 72 hours after that at determined time points: 0.5, 1, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 12, 24, 48 and 72 hours.

Participants/Inclusion and exclusion criteria

Healthy male subjects in the age range of 18-60 years and BMI (Body Mass Index) of 18.5-30. Exclusion criteria: Subjects with BP \leq 90/60 mm/Hg or BP \geq 140/90 mm/Hg Any evidence of impairment of renal, hepatic, cardiac, lung or gastrointestinal function or a history of TB, epilepsy, asthma, DM, psychosis or glaucoma and regular smoker.

Intervention groups

Intervention group (Test): Erlotinib 150 mg tablets by Kimia Co. is the test product. In each period, 15 of 30 subjects will be given single oral dose of this product. Control group (Reference): Tarceva (Roche Co.) is the

reference product. In each period, 15 of 30 subjects will be given single dose of this product.

Main outcome variables

Peak Plasma Concentration (C_{max}); Area under the concentration-time curve (AUC).

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20200407046981N7**

Registration date: **2021-03-26, 1400/01/06**

Registration timing: **registered_while_recruiting**

Last update: **2021-03-26, 1400/01/06**

Update count: **0**

Registration date

2021-03-26, 1400/01/06

Registrant information

Name

Fatima Molavi

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 41 3336 2700

Email address

molavif@tbzmed.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2021-03-14, 1399/12/24

Expected recruitment end date

2021-06-14, 1400/03/24

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Randomized, single-dose, crossover comparative bioequivalence study of the Erlotinib 150 mg tablets produced by Kimia pharmaceutical Co versus Tarceva® (Roche company) in 30 healthy males under fasting conditions

Public title

Study of absorption and elimination rate of Erlotinib 150 mg tablets in comparison with standard tablet of Erlotinib (Tarceva).

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

The weight limit for each volunteer between 60-100 kg. All volunteers must be non-smokers. They must be healthy in terms of liver, kidney, respiratory system, mental and other general health characteristics

Exclusion criteria:

Known hypersensitivity or idiosyncratic reaction to Erlotinib or any ingredients. Subjects with BP \leq 90/60 mm/Hg or BP \geq 140/90 mm/Hg Taking any medicine during two week before dosing.

Age

From **18 years** old to **60 years** old

Gender

Male

Phase

Bioequivalence

Groups that have been masked

No information

Sample size

Target sample size: **30**

More than 1 sample in each individual

Number of samples in each individual: **15**

Candidates of the sequences must take one of the Iranian or brand drugs, if the first sequence of the volunteers received the Iranian drug after the washout period, they must receive the brand drug. In fact, every single volunteers is used as control for himself.

Randomization (investigator's opinion)

Randomized

Randomization description

First, a table of random numbers from 1 to 30 is created. The table numbers are assigned to individuals in the order in which the candidates enter the list on the day of the experiment, and the candidates in two groups with numbers 1-15 and numbers 16-30 will receive reference and test medicine, respectively.

Blinding (investigator's opinion)

Not blinded

Blinding description**Placebo**

Not used

Assignment

Crossover

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Tabriz University of Medical Science

Street address

Third floor, central building No. 2, Golgasht street, Tabriz University of Medical Science, Tabriz, Iran

City

Tabriz

Province

East Azarbaijan

Postal code

5166614766

Approval date

2021-03-01, 1399/12/11

Ethics committee reference number

IR.TBZMED.REC.1399.1117

Health conditions studied**1****Description of health condition studied**

Lung and pancreatic cancer

ICD-10 code**ICD-10 code description****Primary outcomes****1****Description**

Peak Plasma Concentration (Cmax), AUC (Area Under the Concentration-Time Curve)

Timepoint

At 0 (before intervention), 0.5, 1.1.5, 2, 2.5, 3, 5, 4, 6, 8, 12, 24, 48, 72 hour after dosing

Method of measurement

High-performance liquid chromatography—mass spectrometry (HPLC-MS) and using non-compartmental model of Win-Nonlin Professional software version 3.2.A (Pharsight Corporation, USA) or SPSS Intervention groups

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group (Test): Erlotinib 150 mg tablets, produced by Kimia pharmaceutical Co. is the test product. In each period, 15 of 30 subjects will be given single oral dose of this product.

Category

Treatment - Drugs

2

Description

Intervention group (Reference): Erlotinib 150 mg tablets (produced by Roche co.) is the reference product. In each period, 15 of 30 subjects will be given single oral dose of this product.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Drug Applied Research Center

Full name of responsible person

Dr Hamed Hamishehkar

Street address

Drug Applied Research Center, In front of Shahid Madani Hospital, Daneshgah Blvd, Tabriz, Iran

City

Tabriz

Province

East Azarbaijan

Postal code

5165665811

Phone

+98 41 3336 7914

Fax

+98 41 3336 7914

Email

hamishehkar.hamed@gmail.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Kimia pharmaceutical Co

Full name of responsible person

Esmail Moazeni

Street address

No. 1462, Bu Ali Biotechnology Park, Opposite North Campus, University of Tehran, North Kargar St., Tehran, Iran

City

Tehran

Province

Tehran

Postal code

1111111111

Phone

+98 21 8801 2946

Fax

+98 21 8822 0700

Email

mitra.movahedian@gmail.com

Web page address

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Kimia pharmaceutical Co

Proportion provided by this source

100

Public or private sector

Private

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Industry

Person responsible for general inquiries

Contact

Name of organization / entity

Tabriz University of Medical Sciences

Full name of responsible person

Dr Hamed Hamishehkar

Position

Professor

Latest degree

Ph.D.

Other areas of specialty/work

Medical Pharmacy

Street address

Drug Applied Research Center, In front of Shahid Madani Hospital, Daneshgah Blvd, Tabriz, Iran

City

Tabriz

Province

East Azarbaijan

Postal code

5165665811

Phone

+98 41 3336 7914

Email

Hamishehkar.hamed@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Esfahan University of Medical Sciences

Full name of responsible person

Dr Jaber Emami

Position

Professor

Latest degree

Ph.D.

Other areas of specialty/work

Pharmaceutics

Street address

Hezarjarib St., School of Pharmacy and
Pharmaceutical Sciences , Isfahan, Iran

City

Isfahan

Province

Isfahan

Postal code

8174673461

Phone

+98 31 3792 7111

Fax

+98 31 3668 0011

Email

Emami@pharm.mui.ac.ir

Person responsible for updating data

Contact

Name of organization / entity

Tabriz University of Medical Sciences

Full name of responsible person

Dr Fatima Molavi

Position

PhD student of Pharmaceutics

Latest degree

Medical doctor

Other areas of specialty/work

Pharmaceutics

Street address

Drug Applied Research Center, In front of Shahid
Madani Hospital, Daneshgah Blvd, Tabriz, Iran

City

Tabriz

Province

East Azarbaijan

Postal code

5165665811

Phone

+98 41 3336 2700

Fax

Email

Molavif@tbzmed.ac.ir

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to
make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to
make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to
make this available

Informed Consent Form

No - There is not a plan to make this available

Clinical Study Report

No - There is not a plan to make this available

Analytic Code

No - There is not a plan to make this available

Data Dictionary

No - There is not a plan to make this available