

Clinical Trial Protocol

Iranian Registry of Clinical Trials

10 Jun 2026

Evaluation of the relationship between end tidal carbon dioxide pressure and the incidence of severe nausea and vomiting after general anesthesia in laparoscopic cholecystectomy

Protocol summary

Study aim

Evaluation of the relationship between end-expiratory carbon dioxide pressure and the incidence of severe nausea and vomiting after general anesthesia in laparoscopic cholecystectomy

Design

Randomized three-way parallel blind group clinical trial on 88 patients Randomized allocation software was used for randomization

Settings and conduct

The operating room and recovery ward of Al-Zahra and Kashani hospitals are blindfolded with a researcher, outcome assessor and participant.

Participants/Inclusion and exclusion criteria

88 candidates for laparoscopic cholecystectomy with ASA1,2 in the age group of 18-65 years No history of motion sickness and no history of postoperative nausea and vomiting as well as insensitivity to anesthesia Exclusion criteria are: severe intraoperative hemodynamic disorders that lead to a change in anesthesia and failure to complete the questionnaire after surgery. Also in case of allergy to anesthetic drugs in those who are undergoing surgery for the first time If the operation lasts longer, it will be removed from the study after 2 hours Non-admission: Patients with ASA 3 and 4 and severe underlying diseases such as heart failure, COPD, ESRD

Intervention groups

Intervention group: The first group of people undergoing laparoscopic cholecystectomy with a capnograph to maintain the level of carbon dioxide at the end of exhalation between 40-40 mm Hg, The second group of people undergoing laparoscopic cholecystectomy with a capnograph to maintain the level of carbon dioxide at the end of exhalation between 40-40 mm Hg

Main outcome variables

Frequency and severity of nausea and vomiting after

surgery. Severe pain. Blood pressure. Antiemetic drug. Drugs

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20210503051169N1**

Registration date: **2021-07-17, 1400/04/26**

Registration timing: **registered_while_recruiting**

Last update: **2021-07-17, 1400/04/26**

Update count: **0**

Registration date

2021-07-17, 1400/04/26

Registrant information

Name

mahdi mianji

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 31 3661 7278

Email address

mahdimianji313@gmail.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2021-07-16, 1400/04/25

Expected recruitment end date

2021-08-16, 1400/05/25

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date
empty

Scientific title
Evaluation of the relationship between end tidal carbon dioxide pressure and the incidence of severe nausea and vomiting after general anesthesia in laparoscopic cholecystectomy

Public title
Evaluation of the relationship between end tidal carbon dioxide pressure and the incidence of severe nausea and vomiting after general anesthesia in laparoscopic cholecystectomy

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
88 candidates for laparoscopic cholecystectomy with ASA1,2 in the age group of 18-65 years
Exclusion criteria:
Patients with ASA 3 and 4 Severe underlying disease such as heart failure, COPD, ESRD History of motion sickness and history of postoperative nausea and vomiting Allergy to anesthesia

Age
From **18 years** old to **65 years** old

Gender
Both

Phase
N/A

Groups that have been masked

- Participant
- Investigator
- Outcome assessor

Sample size
Target sample size: **88**

Randomization (investigator's opinion)
Randomized

Randomization description
Random sequence (blocking) is generated by the help of Excel software and blocks of four are used to equalize the two groups so that the groups 1 and 2 of each person included in the study, can be determined randomly and equally. The blocks of four are separated from the samples and placed in the block randomly by the Excel software of group A or B. At the end, it is determined which letter represents the intervention group 1 and 2.

Blinding (investigator's opinion)
Triple blinded

Blinding description
The participant (patient) is not aware of which group they are in. The clinical caregiver adjusts the capnograph to one of two groups according to the randomization. Without knowing the grouping of people after the operation, the evaluator completes the outcome with a questionnaire without personal information. The questionnaires are given to the researcher in the form of A and B who do not know which is the first or second group

Placebo
Not used

Assignment
Parallel

Other design features

Secondary Ids
empty

Ethics committees

1

Ethics committee
Name of ethics committee
Ethics Committee of Isfahan University of Medical Sciences
Street address
No.87, 3rdAlley, Golestan, Apadana St,1stAlley, Feiz square, Isfahan, Iran
City
Esfahan
Province
Isfahan
Postal code
8165636761

Approval date
2021-04-30, 1400/02/10

Ethics committee reference number
IR.MUI.MED.REC.1400.080

Health conditions studied

1

Description of health condition studied
Evaluation of the relationship between end tidal carbon dioxide pressure and the incidence of severe nausea and vomiting after general anesthesia in laparoscopic cholecystectomy

ICD-10 code
ICD-10 code description

Primary outcomes

1

Description
Determining and comparing the frequency of postoperative nausea and vomiting in two groups with expiratory end carbon dioxide pressure of 40-40 and 40-45

Timepoint
Every 15 minutes in recovery 2, 4 and 6 hours after surgery

Method of measurement
Through a questionnaire

2

Description

Determining and comparing the average dose of antiemetic drugs in two groups with expiratory carbon dioxide pressure of 40-40 and 45-40

Timepoint

At recovery time 2, 4 and 6 hours after surgery

Method of measurement

Through a questionnaire

3

Description

Determining and comparing the average dose of opioids in two groups with expiratory end carbon dioxide pressure of 35-40 and 40-45

Timepoint

At recovery time 2, 4 and 6 hours after surgery

Method of measurement

Through a questionnaire

4

Description

Determination and comparison of pain intensity during recovery in two groups with expiratory end of carbon dioxide pressure of 35-40 and 40-45

Timepoint

2, 4 and 6 hours after surgery

Method of measurement

Based on VAS

5

Description

Determining and comparing the average level of patient satisfaction in two groups with expiratory end carbon dioxide pressure of 40-40 and 45-40

Timepoint

In 6 hours after surgery

Method of measurement

Based on VAS

Secondary outcomes

1

Description

Determination and comparison of mean arterial blood pressure, oxygen saturation and heart rate in two groups with expiratory end carbon dioxide pressure of 40-40 and 45-40

Timepoint

Basically then every half hour during surgery and recovery

Method of measurement

Through a questionnaire

2

Description

Determining and comparing the duration of anesthesia and the duration of recovery surgery (duration of extubation) in two groups with expiratory end carbon dioxide pressure of 35-40 and 40-45

Timepoint

end of surgery

Method of measurement

Through a questionnaire

Intervention groups

1

Description

Intervention group: The first group of people undergoing laparoscopic cholecystectomy, which is maintained by a capnograph of the end-tidal carbon dioxide level between 35-40 mm Hg.

Category

Treatment - Other

2

Description

Intervention group: The second group of people underwent laparoscopic cholecystectomy, which is maintained by a capnograph of the end-tidal carbon dioxide level between 40-45 mm Hg.

Category

Treatment - Other

Recruitment centers

1

Recruitment center

Name of recruitment center

Al-Zahra Hospital of Isfahan

Full name of responsible person

Dr.Khosro Naghibi

Street address

Sefeh Blvd, alzahra hospital

City

Esfahan

Province

Isfahan

Postal code

8174675731

Phone

+98 31 3620 2020

Email

alzahra@mui.ac.ir

2

Recruitment center

Name of recruitment center

Kashani hospital

Full name of responsible person

DR.Khosro Naghibi

Street address

Kashani St, Kashani Hospital

City

Esfahan

Province

Isfahan

Postal code
8183983434
Phone
+98 31 3233 0091
Email
kashani@mui.ac.ir

City
Esfahan
Province
Isfahan
Postal code
8175675333
Phone
+98 31 3670 2548
Email
khnaghibi@gmail.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity
Esfahan University of Medical Sciences
Full name of responsible person
Dr.Khosro Naghibi
Street address
Hezar Jarib St., Isfahan University of Medical Sciences
City
Esfahan
Province
Isfahan
Postal code
8174673461
Phone
+98 31 3668 0048
Email
jims@med.mui.ac.ir
Grant name
Grant code / Reference number
Is the source of funding the same sponsor organization/entity?
Yes
Title of funding source
Esfahan University of Medical Sciences
Proportion provided by this source
40
Public or private sector
Public
Domestic or foreign origin
Domestic
Category of foreign source of funding
empty
Country of origin
Type of organization providing the funding
Academic

Person responsible for general inquiries

Contact

Name of organization / entity
Esfahan University of Medical Sciences
Full name of responsible person
Dr.Khosro Naghibi
Position
Assistant Professor
Latest degree
Specialist
Other areas of specialty/work
Anesthesiology
Street address
No. 17, Hezar Jarib St., Sepahan Alley, 6th St.

Person responsible for scientific inquiries

Contact

Name of organization / entity
Esfahan University of Medical Sciences
Full name of responsible person
Dr.Khosro Naghibi
Position
Associate professor
Latest degree
Specialist
Other areas of specialty/work
Anesthesiology
Street address
No. 17, Hezar Jarib St., Sepahan Alley, 6th St.
City
Esfahan
Province
Isfahan
Postal code
8175675333
Phone
+98 31 3670 2548
Email
khnaghibi@gmail.com

Person responsible for updating data

Contact

Name of organization / entity
Esfahan University of Medical Sciences
Full name of responsible person
Dr.Khosro Naghibi
Position
Assistant Professor
Latest degree
Specialist
Other areas of specialty/work
Anesthesiology
Street address
No. 17, Hezar Jarib St., Sepahan Alley, 6th St.
City
Esfahan
Province
Isfahan
Postal code
8175675333
Phone
+98 31 3670 2548
Email

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Yes - There is a plan to make this available

Study Protocol

No - There is not a plan to make this available

Statistical Analysis Plan

No - There is not a plan to make this available

Informed Consent Form

No - There is not a plan to make this available

Clinical Study Report

No - There is not a plan to make this available

Analytic Code

No - There is not a plan to make this available

Data Dictionary

No - There is not a plan to make this available

Title and more details about the data/document

Only registered marks can be published without mentioning the names of the participants

When the data will become available and for how long

6 months after printing the results

To whom data/document is available

It will be available only to researchers working in academic and scientific institutions

Under which criteria data/document could be used

Written request by e-mail and approval of the Vice Chancellor for Research

From where data/document is obtainable

By correspondence with the responsible author via email

What processes are involved for a request to access data/document

The applicant will be notified within one week of receiving the consent from the university, Maximum access takes 10 business days

Comments