

Clinical Trial Protocol

Iranian Registry of Clinical Trials

11 Jun 2026

Ketamine versus midazolam as an adjuvant to peribulbar block using single inferonasal injection in patients undergoing vitreoretinal surgery: A randomized controlled trial

Protocol summary

Study aim

Evaluating the role of midazolam and ketamine as adjuvants to the peribulbar block in lengthier ophthalmic procedures such as vitreoretinal surgeries.

Design

Parallel group randomized controlled clinical trial with 1:1:1 allocation ratio.

Settings and conduct

Research Institute of Ophthalmology, Giza, Egypt.

Participants/Inclusion and exclusion criteria

We will include adult (30-65 years-old) male or female patients, indicated for vitreoretinal surgeries (with axial length 20-29 mm), and are American Society of Anesthesiologists (ASA) physical status I or II. We will exclude uncooperative patients, patients who can't lie flat for the duration of the procedure (such as orthopedic patients and those with skeletal problems), and those having coagulopathy or using anticoagulant drugs.

Intervention groups

The trial has three groups. Control group (Group C) includes 31 patients. Each will receive peribulbar anesthesia in the form of 4 ml of lidocaine 2%, 75 units of hyaluronidase, and 4 ml of bupivacaine 0.5% to which 1 ml of normal saline is added. Midazolam group (Group M) includes 31 patients. Each will receive peribulbar anesthesia in the form of 4 ml of lidocaine 2%, 75 units of hyaluronidase, and 4 ml of bupivacaine 0.5% to which 1 mg midazolam is added. Ketamine group (Group K) includes 31 patients. Each will receive peribulbar anesthesia in the form of 4 ml of lidocaine 2%, 75 units of hyaluronidase, and 4 ml of bupivacaine 0.5% to which 25 mg of ketamine is added.

Main outcome variables

Primary outcomes include the onset of globe akinesia and the duration of analgesia. Secondary outcomes include the duration of motor block, the onset of corneal anesthesia, lid akinesia, and the vital data (blood

pressure, oxygen saturation, and pulse rate).

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20201220049777N2**

Registration date: **2021-07-07, 1400/04/16**

Registration timing: **prospective**

Last update: **2021-07-07, 1400/04/16**

Update count: **0**

Registration date

2021-07-07, 1400/04/16

Registrant information

Name

Noha Osama

Name of organization / entity

Research Institute of Ophthalmology

Country

Egypt

Phone

+20 2 35735688

Email address

noha.a.osama22@gmail.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2021-07-15, 1400/04/24

Expected recruitment end date

2021-08-15, 1400/05/24

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date
empty

Scientific title
Ketamine versus midazolam as an adjuvant to peribulbar block using single inferonasal injection in patients undergoing vitreoretinal surgery: A randomized controlled trial

Public title
Ketamine versus midazolam as an adjuvant to peribulbar block using single inferonasal injection in patients undergoing vitreoretinal surgery: A randomized controlled trial

Purpose
Supportive

Inclusion/Exclusion criteria
Inclusion criteria:
Patients undergoing vitreoretinal surgeries with axial length 20-29 mm Adults (male or female) aged from 30 to 65 years old American Society of Anesthesiologists (ASA) physical status I or II
Exclusion criteria:
Uncooperative patients Patients who can't lie flat for the duration of the procedure as those with skeletal problems or orthopneic patients Patients with coagulopathy or using anticoagulant drugs

Age
From **30 years** old to **65 years** old

Gender
Both

Phase
2

Groups that have been masked

- Participant

Sample size
Target sample size: **93**

Randomization (investigator's opinion)
Randomized

Randomization description
We will use the sequentially numbered, opaque sealed envelopes method. We will use envelopes that are impermeable to intense light, and the allocation sequence will be concealed from the physicians enrolling and assessing participants. To prevent subversion of the allocation sequence, the name and hospital admission number of the participant will be written on the envelope. Carbon paper will transfer the information onto the allocation card inside the envelope. Corresponding envelopes will be opened only after the enrolled participants complete all baseline assessments and it is time to allocate the intervention.

Blinding (investigator's opinion)
Single blinded

Blinding description
Only participants will be blinded to the type of intervention.

Placebo
Used

Assignment

Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Research Ethical Committee of the Research Institute of Ophthalmology

Street address

2 El Ahram Street

City

Giza

Postal code

12557

Approval date

2021-03-14, 1399/12/24

Ethics committee reference number

14-3-2021

Health conditions studied

1

Description of health condition studied

Peribulbar block in adult patients undergoing vitreoretinal surgeries.

ICD-10 code

ICD-10 code description

Primary outcomes

1

Description

The onset of globe akinesia.

Timepoint

At 1, 3, 5 minutes after the block.

Method of measurement

The 3-point scale.

2

Description

The duration of analgesia.

Timepoint

Time from the block till first analgesia required.

Method of measurement

The 10-point Visual Analog Scale.

Secondary outcomes

1

Description

The duration of motor block.

Timepoint

At 1, 2, 3, 4, and 5 h postoperative.

Method of measurement

Clinical assessment of regaining full movement.

2**Description**

The onset of lid akinesia.

Timepoint

At 1, 2, and 3 min after the block.

Method of measurement

The 3-point scale.

3**Description**

The onset of corneal anesthesia.

Timepoint

At 15 seconds intervals for one minute after the block.

Method of measurement

Clinical assessment using a cotton pad.

4**Description**

The vital data (blood pressure, oxygen saturation, and pulse rate).

Timepoint

Before giving the block (baseline) and then every 5 minutes after the block.

Method of measurement

Clinical assessment.

Intervention groups**1****Description**

Control group (Group C) received peribulbar anesthesia with a local anesthetic mixture composed of 4 ml of lidocaine 2%, 75 units of hyaluronidase, and 4 ml of bupivacaine 0.5% to which 1 ml of normal saline is added.

Category

Other

2**Description**

Midazolam group (Group M) received peribulbar anesthesia with a local anesthetic mixture composed of 4 ml of lidocaine 2%, 75 units of hyaluronidase, and 4 ml of bupivacaine 0.5% to which 1 mg of midazolam is added.

Category

Other

3**Description**

Ketamine group (Group K) received peribulbar anesthesia with a local anesthetic mixture composed of 4 ml of lidocaine 2%, 75 units of hyaluronidase, and 4 ml of

bupivacaine 0.5% to which 25 mg of ketamine is added.

Category

Other

Recruitment centers**1****Recruitment center****Name of recruitment center**

Research Institute of Ophthalmology

Full name of responsible person

Dr. Noha Osama

Street address

2 El Ahram Street

City

Giza

Postal code

12557

Phone

+20 2 35718304

Email

noha.a.osama22@gmail.com

Sponsors / Funding sources**1****Sponsor****Name of organization / entity**

Research Institute of Ophthalmology

Full name of responsible person

Dr. Noha Osama

Street address

2 El Ahram Street

City

Giza

Postal code

12557

Phone

+20 2 35718304

Email

noha.a.osama22@gmail.com

Grant name**Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

No

Title of funding source

Self-funded

Proportion provided by this source

100

Public or private sector

Private

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin**Type of organization providing the funding**

Persons

Person responsible for general inquiries

Contact

Name of organization / entity
Research Institute of Ophthalmology
Full name of responsible person
Dr. Noha Osama
Position
Assistant professor
Latest degree
Medical doctor
Other areas of specialty/work
Anesthesiology
Street address
2 El Ahram Street
City
Giza
Province
Cairo
Postal code
12557
Phone
+20 2 35718304
Email
noha.a.osama22@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity
Research Institute of Ophthalmology
Full name of responsible person
Dr. Noha Osama
Position
Assistant professor
Latest degree
Medical doctor
Other areas of specialty/work
Anesthesiology
Street address
2 El Ahram Street
City
Giza
Province
Cairo
Postal code
12557
Phone
+20 2 35718304
Email
noha.a.osama22@gmail.com

Person responsible for updating data

Contact

Name of organization / entity
Research Institute of Ophthalmology
Full name of responsible person

Dr. Noha Osama

Position

Assistant professor

Latest degree

Medical doctor

Other areas of specialty/work

Anesthesiology

Street address

2 El Ahram Street

City

Giza

Province

Cairo

Postal code

12557

Phone

+20 2 35718304

Email

noha.a.osama22@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

No - There is not a plan to make this available

Informed Consent Form

No - There is not a plan to make this available

Clinical Study Report

No - There is not a plan to make this available

Analytic Code

No - There is not a plan to make this available

Data Dictionary

No - There is not a plan to make this available

Title and more details about the data/document

Ketamine versus midazolam for peribulbar block in vitreoretinal surgeries IPD set (all collected deidentified IPD).

When the data will become available and for how long

Beginning 12 months and ending 24 months following article publication.

To whom data/document is available

Researchers from academic institutions whose proposal for the use of data has been approved by an independent review committee identified for this purpose.

Under which criteria data/document could be used

For IPD meta-analysis.

From where data/document is obtainable

From the PI.

What processes are involved for a request to access data/document

A proposal for the use of data to be submitted to the PI, then evaluated by an independent review committee identified for this purpose.

Comments