

Clinical Trial Protocol

Iranian Registry of Clinical Trials

11 Sep 2026

Comparative evaluation of anesthetic efficacy of 1.8 mL articaine, 1.8 mL and 3.6 mL of lidocaine for mental nerve block in mandibular premolar with irreversible pulpitis

Protocol summary

Study aim

Determine success rate of 1.8 articaine 4% mental nerve block in mandibular premolar with irreversible pulpitis by age and gender Determine success rate of 1.8 lidocaine 2% mental nerve block in mandibular premolar with irreversible pulpitis by age and gender Determine success rate of 3.6 lidocaine 2% mental nerve block in mandibular premolar with irreversible pulpitis by age and gender Comparison of success rate in all 3 groups under investigation

Design

Randomised, parallel group trial with blinded outcome assessment. Randomisation will be written on pieces of paper and kept in sealed envelopes

Settings and conduct

The study will be performed by 2 dentists in a private clinic in Rafsanjan. After the anesthesia injection, patients and the operator are unaware (double-blinded). Patients are instructed to report any pain at any stage of treatment in VAS form.

Participants/Inclusion and exclusion criteria

Healthy adult patients 18-60 years old having mandibular premolar tooth with symptomatic irreversible pulpitis and a normal periapical radiographic appearance

Intervention groups

In the 1st group, 3.6 ml of 2% lidocaine solution (two anesthetic cartridges three minutes apart), in the second group, 1.8 ml of 4% articaine solution (one anesthetic cartridge and three minutes later followed by a moking injection), the third group 1.8 ml of 2% lidocaine solution (an anesthetic cartridge and three minutes later followed by a moking injection); 2-3 minutes after the anesthesia injection, the patient is asked about the numbness of the lower lip, and if the answer is negative, he is excluded the study, If the answer is positive, the tooth will be isolate by a rubberdam, the caries will be removed, the access cavity is prepared and instrumentation will be

performed.

Main outcome variables

Pain rate by Visual Analogue Scale form

General information

Reason for update

Acronym

MINB

IRCT registration information

IRCT registration number: **IRCT20210515051306N1**

Registration date: **2021-07-07, 1400/04/16**

Registration timing: **registered_while_recruiting**

Last update: **2021-07-07, 1400/04/16**

Update count: **0**

Registration date

2021-07-07, 1400/04/16

Registrant information

Name

Ramin Abazarpour

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 34 3424 2322

Email address

abazarpour@rums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2021-06-22, 1400/04/01

Expected recruitment end date

2021-08-01, 1400/05/10

Actual recruitment start date

empty

Actual recruitment end date
empty

Trial completion date
empty

Scientific title
Comparative evaluation of anesthetic efficacy of 1.8 mL articaine, 1.8 mL and 3.6 mL of lidocaine for mental nerve block in mandibular premolar with irreversible pulpitis

Public title
anesthetic efficacy of 1.8 mL articaine, 1.8 mL and 3.6 mL of lidocaine for mental nerve block in irreversible pulpitis of the mandibular premolar

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
 Healthy adult patients 18–60 years old Having a mandibular premolar tooth with symptomatic irreversible pulpitis Normal periapical radiographic appearance
Exclusion criteria:
 History of sensitivity to 4% articaine or epinephrine Systemic diseases Pregnancy or breastfeeding Any type of medication that could potentially interact with the anesthetic solution Spontaneous pain Periodontal disease or unable to get restoration Having pain killer late 12 hours

Age
From **18 years** old to **60 years** old

Gender
Both

Phase
N/A

Groups that have been masked

- Participant
- Care provider

Sample size
Target sample size: **165**

Randomization (investigator's opinion)
Randomized

Randomization description
Simple randomization individually 3 categories (1.8 lidocaine, 1.8 articaine and 3.6 lidocaine) were written on 165 pieces of paper and kept in sealed envelopes.

Blinding (investigator's opinion)
Double blinded

Blinding description
The first practitioner who perform the local anesthetic injection will open the envelope, and based on the category each patient will receive either 2 cartridges of the anesthetic solution or a cartridge of the anesthetic solution followed by a mock injection. Another practitioner will perform the rest of the treatment including access cavity preparation and root canal instrumentation. Hence, the second practitioner and the patients won't be aware of the volume of anesthetic solution used.

Placebo

Not used

Assignment
Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics committee of Rafsanjan University of Medical Sciences

Street address

Imam Ali Blv.

City

Rafsanjan

Province

Kerman

Postal code

7717933777

Approval date

2021-06-22, 1400/04/01

Ethics committee reference number

IR.RUMS.REC.1400.053

Health conditions studied

1

Description of health condition studied

irreversible pulpitis of the mandibular premolar

ICD-10 code

K04.0

ICD-10 code description

Pulpitis

Primary outcomes

1

Description

Pain score during treatment on Visual Analogue Scale (VAS)

Timepoint

before administration of the anesthetic solution and during the endodontic treatment

Method of measurement

Visual Analogue Scale (VAS)

Secondary outcomes

empty

Intervention groups

1

Description

1st Intervention group: The mental nerve block involved a deposition of 1.8 mL 2% lidocaine with 1:80,000 epinephrine (Xilonibsa, Inibsa, Barcelona, Spain) each patient received 2 cartridges of the anesthetic solution. The treatment including access cavity preparation and root canal instrumentation were performed 2-3 minutes after the injection. The patients were asked to rate their pain using a Heft-Parkervisual analog pain scale (VAS) before administration of the anesthetic solution and during the endodontic treatment.

Category

Treatment - Drugs

2

Description

2nd Intervention group: The mental nerve block involved a deposition of 1.8 mL 4% articaine with 1:100,000 epinephrine (Artinibsa, Inibsa, Barcelona, Spain) each patient received a cartridge of the anesthetic solution followed by a mock injection. The treatment including access cavity preparation and root canal instrumentation were performed 2-3 minutes after the injection. The patients were asked to rate their pain using a Heft-Parkervisual analog pain scale (VAS) before administration of the anesthetic solution and during the endodontic treatment.

Category

Treatment - Drugs

3

Description

3rd Intervention group: The mental nerve block involved a deposition of 1.8 mL 2% lidocaine with 1:80,000 epinephrine (Xilonibsa, Inibsa, Barcelona, Spain) each patient received a cartridge of the anesthetic solution followed by a mock injection. The treatment including access cavity preparation and root canal instrumentation were performed 2-3 minutes after the injection. The patients were asked to rate their pain using a Heft-Parkervisual analog pain scale (VAS) before administration of the anesthetic solution and during the endodontic treatment.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Private Clinic

Full name of responsible person

Ramin Abazarpour

Street address

Dental Clinic, Sarallah St., Imam Khomeini Blvd.

City

Rafsanjan

Province

Kerman

Postal code

7719757047

Phone

+98 34 3223 0488

Email

ram_aba@yahoo.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Rafsanjan University of Medical Sciences

Full name of responsible person

Ali Shamsizadeh

Street address

Dentistry school, Khalij-e fars Blvd.

City

Rafsanjan

Province

Kerman

Postal code

7717931136

Phone

+98 34 3428 0031

Email

ram_aba@yahoo.com

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Rafsanjan University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Rafsanjan University of Medical Sciences

Full name of responsible person

Ramin Abazarpour

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Dentistry

Street address

Dental school, Khalij-e fars Blvd.

City

Rafsanjan

Province

Kerman

Postal code

7717931136

Phone

+98 34 3428 0031

Email

ram_aba@yahoo.com

Person responsible for scientific inquiries**Contact****Name of organization / entity**

Rafsanjan University of Medical Sciences

Full name of responsible person

Ramin Abazarpour

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Dentistry

Street address

Khalij-e fars Blvd., Dentistry Faculty

City

Rafsanjan

Province

Kerman

Postal code

7717931136

Phone

+98 34 3424 2322

Fax**Email**

abazarpour@rums.ac.ir

Person responsible for updating data**Contact****Name of organization / entity**

Rafsanjan University of Medical Sciences

Full name of responsible person

Ramin Abazarpour

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Dentistry

Street address

Khalij-e fars Blvd., Dentistry Faculty

City

Rafsanjan

Province

Kerman

Postal code

7717931136

Phone

+98 34 3424 2322

Fax**Email**

abazarpour@rums.ac.ir

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

No - There is not a plan to make this available

Justification/reason for indecision/not sharing IPD

There is no more information

Study Protocol

No - There is not a plan to make this available

Statistical Analysis Plan

No - There is not a plan to make this available

Informed Consent Form

No - There is not a plan to make this available

Clinical Study Report

No - There is not a plan to make this available

Analytic Code

No - There is not a plan to make this available

Data Dictionary

No - There is not a plan to make this available