

Clinical Trial Protocol

Iranian Registry of Clinical Trials

23 Feb 2026

Evaluation of the efficacy of Favipiravir in comparison with standard medication on clinical and laboratory findings of COVID-19 patients with moderate severity

Protocol summary

Study aim

Comparison of the therapeutic effect of Favipiravir with Standard medication in COVID-19 patients with moderate-severity referred to the infectious disease clinic of Labbafinejad hospital in 1400

Design

Phase 3 block randomized, open-label clinical trial with intervention and control groups (allocation ratio 1:1) The sample size of each group is considered about 40 .

Settings and conduct

This study was performed on patients with moderate COVID-19 referred to the infectious diseases clinic of Labbafinejad hospital in 2021. Eligible patients, they are divided into two groups of intervention and control using a random number table. The intervention group, in addition to supportive and symptomatic treatment, receives oral Favipiravir (according to the order mentioned above). The control group receives standard medication. A trained clinical evaluator then reports patients' recovery on days 1 (start of treatment), 3, 5, and 7. Blood tests are also taken from the patient on days 1 and 7. This is an open-label study.

Participants/Inclusion and exclusion criteria

Inclusion criteria are: Laboratory confirmation of COVID-19 virus by RT-PCR or COVID-19 compliant imaging evidence; Moderate-severity disease (respiration rate <30 per minute, oxygen saturation > 94%, or pulmonary infiltration <50% in both lungs); and Age over 14 years. Exclusion criteria are: Immunocompromised patients; Consumption of effective drugs in the treatment of COVID-19; and History anaphylaxis.

Intervention groups

The intervention group, in addition to supportive and symptomatic treatment, receives oral Favipiravir at a dose of 1600 mg every 12 hours for the first day and then 600 mg every 12 hours for the next four days. The control group also receives standard medication.

Main outcome variables

Trend of clinical symptoms

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20211004052664N1**

Registration date: **2021-10-06, 1400/07/14**

Registration timing: **prospective**

Last update: **2021-10-06, 1400/07/14**

Update count: **0**

Registration date

2021-10-06, 1400/07/14

Registrant information

Name

Afshin Bagherzade

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 2263 2554

Email address

dr.bagherzade@yahoo.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2021-10-31, 1400/08/09

Expected recruitment end date

2021-12-30, 1400/10/09

Actual recruitment start date

empty

Actual recruitment end date

empty
Trial completion date
empty

Scientific title
Evaluation of the efficacy of Favipiravir in comparison with standard medication on clinical and laboratory findings of COVID-19 patients with moderate severity

Public title
The therapeutic effect of Favipiravir in COVID-19 patients

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
Laboratory confirmation of COVID-19 virus by RT-PCR or imaging findings consistent with COVID-19 Moderate-severity disease (respiratory rate <30 per minute, oxygen saturation > 94% or pulmonary infiltration < 50% in both lungs) Age above 14 years Willingness to participate in this study

Exclusion criteria:
Immunocompromised patients Pregnancy Consumption of effective drugs in the treatment of COVID-19 in this clinical course History of severe hypersensitivity or anaphylactic shock

Age
From **14 years** old

Gender
Both

Phase
3

Groups that have been masked
No information

Sample size
Target sample size: **80**

Randomization (investigator's opinion)
Randomized

Randomization description
The randomization method is a simple randomization that is done in the form of individual random units. The tool used to do this is a random numbers table. The method of constructing a random sequence is that first the researcher selects one of the numbers with his eyes closed and then moves in the right direction. Odd numbers are considered for intervention and even numbers are for control. Random concealment is also performed using sequentially numbered sealed opaque envelopes (SNOSE).

Blinding (investigator's opinion)
Not blinded

Blinding description
Placebo

Not used

Assignment
Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Research ethics committees of School of Medicine - Shahid Beheshti University of Medical Sciences

Street address

School of medicine of Shahid Beheshti University of medical sciences, Koodakyar Ave., Daneshjoo Blvd., Yaman St., Chamran highway.

City

Tehran

Province

Tehran

Postal code

1985717443

Approval date

2021-02-28, 1399/12/10

Ethics committee reference number

IR.SBMU.MSP.REC.1399.750

Health conditions studied

1

Description of health condition studied

COVID-19

ICD-10 code

U07.1

ICD-10 code description

COVID-19 has been confirmed by laboratory testing irrespective of severity of clinical signs or symptoms

Primary outcomes

1

Description

Body temperature

Timepoint

Days 1 (start of treatment), 3, 5 and 7

Method of measurement

Thermometer

2

Description

Respiratory rate (per minute)

Timepoint

Days 1 (start of treatment), 3, 5 and 7

Method of measurement

Physical examination by physician

3

Description

Oxygen saturation

Timepoint

Days 1 (start of treatment), 3, 5 and 7

Method of measurement

Pulseoxymeter

Secondary outcomes

1

Description

Hospitalization

Timepoint

Seventh day from the beginning of treatment

Method of measurement

Patient medical record

2

Description

Serum CRP level

Timepoint

Days 1 (start of treatment), 3, 5, and 7

Method of measurement

Laboratory report

3

Description

Lymphocyte count

Timepoint

Days 1 (start of treatment), 3, 5, and 7

Method of measurement

Laboratory report

Intervention groups

1

Description

Intervention group: Patients in the intervention group, in addition to standard medication (serum therapy, analgesics, antipyretic, and vitamins), take oral Favipiravir at a dose of 1600 mg every 12 hours for the first day and then 600 mg every 4 hours for 4 days. Favipiravir used is made by Abidi Pharmaceutical Company.

Category

Treatment - Drugs

2

Description

Control group: Patients in the control group receive symptomatic and supportive treatment (analgesic, antipyretic and vitamin) according to the national protocol.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Labbafinejad hospital

Full name of responsible person

Afshin Bagherzade

Street address

9th Boostan St., Pasdaran, Tehran

City

Tehran

Province

Tehran

Postal code

1666663111

Phone

+98 21 2360 2280

Email

dr.bagherzade@yahoo.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Shahid Beheshti University of Medical Sciences

Full name of responsible person

Dr. Afshin Zarghi

Street address

Shahid Chamran Highway, Yemen St., Shahid Abbas Arabi St. (Parvaneh), Next to Taleghani hospital, Shahid Beheshti University of medical sciences and health services, Headquarters building 2, Floor 5, Deputy of research and technology

City

Tehran

Province

Tehran

Postal code

1983969411

Phone

+98 21 2243 9780

Email

Mpajouhesh@sbmu.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Shahid Beheshti University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

dr.bagherzade@yahoo.com

Contact

Name of organization / entity
Shahid Beheshti University of Medical Sciences
Full name of responsible person
Afshin Bagherzade
Position
Resident
Latest degree
Medical doctor
Other areas of specialty/work
Infectious diseases
Street address
No. 2, Habibi Ave., Sajjad Ave., Gholhak, Shariati ST.
City
Tehran
Province
Tehran
Postal code
1941936491
Phone
+98 21 2263 2554
Email
dr.bagherzade@yahoo.com

Person responsible for scientific inquiries

Contact

Name of organization / entity
Shahid Beheshti University of Medical Sciences
Full name of responsible person
Afshin Bagherzade
Position
Resident
Latest degree
Medical doctor
Other areas of specialty/work
Infectious diseases
Street address
No. 2, Habibi Ave., Sajjad Ave., Gholhak, Shariati ST.
City
Tehran
Province
Tehran
Postal code
1941936491
Phone
+98 21 2263 2554
Email

Person responsible for updating data

Contact

Name of organization / entity
Shahid Beheshti University of Medical Sciences
Full name of responsible person
Afshin Bagherzade
Position
Resident
Latest degree
Medical doctor
Other areas of specialty/work
Infectious diseases
Street address
No. 2, Habibi Ave., Sajjad Ave., Gholhak, Shariati ST.
City
Tehran
Province
Tehran
Postal code
1941936491
Phone
+98 21 2263 2554
Email
dr.bagherzade@yahoo.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available