

Clinical Trial Protocol

Iranian Registry of Clinical Trials

21 Jun 2026

The evaluation of the effect of intravenous dexamethasone on hemodynamic variables and post-spinal hypotension in the women undergoing cesarean section

Protocol summary

Study aim

Determining the effect of intravenous dexamethasone on hemodynamic variables and the rate of hypotension after spinal anesthesia in women undergoing cesarean section

Design

A clinical trial with a control group, with parallel groups, double-blind, randomized, phase 2 is performed on 60 patients. Random allocation software version 1.0 is used for randomization under Windows.

Settings and conduct

This study is performed on women candidates for cesarean section under spinal anesthesia in Kosar operating room of Shahid Sadoughi Hospital in Yazd. Prior to spinal anesthesia, the study drug or placebo is injected intravenously and then hemodynamic variables are measured and recorded during surgery and during recovery. This study is double-blind and neither the researcher nor the patient knows the type of drug prescribed, so that the drugs are prepared and coded in two identical syringes and the third person injects the drug for the patient based on the specified code.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Pregnant women aged 20-35 years, Class I ASA, non-emergency cesarean section, spinal anesthesia Non-inclusion criteria: dissatisfaction with the study, diabetes, preeclampsia and eclampsia, BMI above 35 and below 18, severe heart, lung, kidney and liver disease, drug and psychiatric addiction, and cases of emergency cesarean section

Intervention groups

Intervention group: In this group, 30 patients were randomly injected with 8 mg dexamethasone (equivalent to 2 ml) slowly intravenously before spinal anesthesia. Control group: 30 patients were randomly injected with 2 ml of normal saline slowly intravenously before spinal anesthesia

Main outcome variables

Systolic blood pressure; diastolic blood pressure; mean arterial blood pressure; heart rate

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20100102002963N34**

Registration date: **2022-01-23, 1400/11/03**

Registration timing: **prospective**

Last update: **2022-01-23, 1400/11/03**

Update count: **0**

Registration date

2022-01-23, 1400/11/03

Registrant information

Name

Shekoufeh Behdad

Name of organization / entity

Shahid Sadoughi University of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 35 1822 1386

Email address

drbehdad@ssu.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2022-04-04, 1401/01/15

Expected recruitment end date

2022-09-06, 1401/06/15

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

The evaluation of the effect of intravenous dexamethasone on hemodynamic variables and post-spinal hypotension in the women undergoing cesarean section

Public title

The evaluation of the effect of administration of dexamethasone on hemodynamic variables and hypotension due to regional anesthesia in the women undergoing cesarean section

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

20-35 years old women with term pregnancy American Society of Anesthesia (ASA) physical status I non-emergency repeated cesarean delivery spinal anesthesia

Exclusion criteria:

BMI>35 chronic hypertension placenta previa placenta accreta gestational age <28 weeks Polyhydramnios

Age

From **20 years** old to **35 years** old

Gender

Female

Phase

2

Groups that have been masked

- Participant
- Investigator

Sample size

Target sample size: **60**

Randomization (investigator's opinion)

Randomized

Randomization description

In order to randomly allocate 60 eligible applicants, we randomly divide them into two groups of 30 people. For this purpose, we use Random allocation software version 1.0 under Windows to create a sequence, and by using this software we make A list which is specified from 1 to 60 with group A or B treatment. By Using this list, we give the first person who is eligible to enter the study, number one and the last person the number 60, then based on the random allocation list and by the software, it is determined which group A or B each person is in. Each drug is placed in a package and the packages are coded and based on the table of random numbers and specified code, the drug is given to patients by a third person who is not involved in evaluating patients and recording results.

Blinding (investigator's opinion)

Double blinded

Blinding description

Patients and researchers themselves are unaware of which medication the patient has received, in this way, each drug is placed in a package and the packages are

coded and based on the table of random numbers and specified code, the drug is given to patients by a third person who is not involved in evaluating patients and recording results.

Placebo

Used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics Committee of Medical School - Shahid Sadoughi University of Medical Sciences, Yazd

Street address

Faculty of Medicine. Shohadayegomnam Blv.Yazd

City

Yazd

Province

Yazd

Postal code

8915887857

Approval date

2021-10-27, 1400/08/05

Ethics committee reference number

IR.SSU.MEDICINE.REC.1400.262

Health conditions studied**1****Description of health condition studied**

Hemodynamic variables and hypotension after spinal anesthesia in the women undergoing cesarean section

ICD-10 code

I95.81

ICD-10 code description

Postprocedural hypotension

Primary outcomes**1****Description**

Systolic blood pressure

Timepoint

Before the injection of the study drug, immediately after the spinal anesthesia and then every three minutes until the birth of the baby and then every 5 minutes until the end of surgery, and every 15 minutes during recovery

Method of measurement

Using monitoring device

2

Description

Diastolic Blood Pressure

Timepoint

Before the injection of the study drug, immediately after the spinal anesthesia and then every three minutes until the birth of the baby and then every 5 minutes until the end of surgery, and every 15 minutes during recovery

Method of measurement

Using monitoring device

3

Description

Mean Arterial Pressure

Timepoint

Before the injection of the study drug, immediately after the spinal anesthesia and then every three minutes until the birth of the baby and then every 5 minutes until the end of surgery, and every 15 minutes during recovery

Method of measurement

Using monitoring device

4

Description

Heart Rate

Timepoint

Before the injection of the study drug, immediately after the spinal anesthesia and then every three minutes until the birth of the baby and then every 5 minutes until the end of surgery, and every 15 minutes during recovery

Method of measurement

Using monitoring device

5

Description

Drop in systolic blood pressure below 90 mm Hg

Timepoint

Before the injection of the study drug, immediately after the spinal anesthesia and then every three minutes until the birth of the baby and then every 5 minutes until the end of surgery, and every 15 minutes during recovery

Method of measurement

Using monitoring device

Secondary outcomes

1

Description

Bradycardia(drop in heart rate below 50/ min)

Timepoint

Before the injection of the study drug, immediately after the spinal anesthesia and then every three minutes until the birth of the baby and then every 5 minutes until the end of surgery, and every 15 minutes during recovery

Method of measurement

Using monitoring device

2

Description

hyperglycemia(blood glucose more than 200mg/dl)

Timepoint

In the recovery (one hour after operation)

Method of measurement

using Glucometer

Intervention groups

1

Description

Intervention group: In this group, dexamethasone at a dose of eight mg equivalent to 2 ml is injected slow intravenously and once immediately before spinal anesthesia to eligible patients.

Category

Treatment - Drugs

2

Description

Control group: In this group, 2 ml normal saline is injected slow intravenously and once immediately before spinal anesthesia to eligible patients.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Shahid Sadoughi Hospital

Full name of responsible person

Dr Shekoufeh Behdad

Street address

Shahid Sadoughi Hospital, Ebnesina Blv, Safayieh, Yazd

City

Yazd

Province

Yazd

Postal code

8916886938

Phone

+98 35 3822 4101

Email

behdad90@gmail.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Yazd University of Medical Sciences

Full name of responsible person

Dr Amirhooshang Mehrparvar

Street address

Central building of Yazd University of Medical Sciences, Bahonar Square

City

Yazd

Province

Yazd

Postal code

8915887857

Phone

+98 35 3724 0171

Email

ah.mehrparvar@gmail.com

Grant name**Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

Title of funding source

Yazd University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin**Type of organization providing the funding**

Academic

Person responsible for general inquiries**Contact****Name of organization / entity**

Yazd University of Medical Sciences

Full name of responsible person

Dr Shekoufeh Behdad

Position

Faculty member and full professor of Shahid Sadoughi University of Medical Sciences, Yazd

Latest degree

Specialist

Other areas of specialty/work

Anesthesiology

Street address

Central building of Yazd University of Medical Sciences, Bahonar Square

City

Yazd

Province

Yazd

Postal code

8915887857

Phone

0098 35 8231932

Email

drbehdad@ssu.ac.ir

Person responsible for scientific inquiries**Contact****Name of organization / entity**

Yazd University of Medical Sciences

Full name of responsible person

Dr Shekoufeh Behdad

Position

Faculty member and full professor of Shahid Sadoughi University of Medical Sciences, Yazd

Latest degree

Specialist

Other areas of specialty/work

Anesthesiology

Street address

خیابان آدرس Central building of Yazd University of Medical Sciences, Bahonar Square

City

Yazd

Province

Yazd

Postal code

8915887857

Phone

+98 35 3823 1932

Email

drbehdad@ssu.ac.ir

Person responsible for updating data**Contact****Name of organization / entity**

Yazd University of Medical Sciences

Full name of responsible person

Dr Shekoufeh Behdad

Position

Faculty member and full professor of Shahid Sadoughi University of Medical Sciences, Yazd

Latest degree

Specialist

Other areas of specialty/work

Anesthesiology

Street address

یزد، میدان باهنر، ساختمان مرکزی دانشگاه علوم پزشکی یزد

City

Yazd

Province

Yazd

Postal code

8915887857

Phone

+98 35 3823 1932

Email

drbehdad@ssu.ac.ir

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available