

Clinical Trial Protocol

Iranian Registry of Clinical Trials

12 Jun 2026

The comparison of Ropivacain versus Lidocain effect on intraoperative bleeding and pain, and postoperative pain after wisdom tooth surgery

Protocol summary

Study aim

Comparison of the efficacy of ropivacaine on intraoperative and postoperative factors of an impacted third mandibular molar with lidocaine with epinephrine

Design

Controlled clinical trial with parallel groups, single-blind, randomized

Settings and conduct

Department of Oral and Maxillofacial Surgery, Mashhad Dental School. The patient, the outcome assessor, and the data analyst are unaware of the type of drug being injected in either direction.

Participants/Inclusion and exclusion criteria

Inclusion criteria: ASA I or ASA II; informed consent; age between 18-30 years; two wisdom teeth (mesioangular impaction, level B, class 1 or 2) which are similar in terms of surgical severity; no general contraindications (low blood pressure, bradycardia, sinus disorder, unstable high blood pressure, arousability, tachyphylaxis and liver disorders); No lesions and malignancies at the surgical site; No smoking. Exclusion criteria: wisdom tooth surgery on one side; occurring medical problems during surgery, need more than one cartridge injection, surgery lasting more than 20 minutes.

Intervention groups

Patients who require mandibular wisdom tooth surgery on both sides are included in the study and undergo split-mouth surgery under the anesthesia of ropivacaine and lidocaine. Lidocaine will be injected on one side and ropivacaine on the other.

Main outcome variables

Bleeding during surgery, the amount of pain during and after surgery

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20181023041425N3**

Registration date: **2021-12-06, 1400/09/15**

Registration timing: **prospective**

Last update: **2021-12-06, 1400/09/15**

Update count: **0**

Registration date

2021-12-06, 1400/09/15

Registrant information

Name

Majid Hosseini Abrishami

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 51 3882 9501

Email address

hoseiniabrishamim@mums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2021-12-31, 1400/10/10

Expected recruitment end date

2022-03-20, 1400/12/29

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

The comparison of Ropivacain versus Lidocain effect on intraoperative bleeding and pain, and postoperative pain after wisdom tooth surgery

Public title

The comparison of Ropivacain versus Lidocain effect on intraoperative bleeding and pain, and postoperative pain after wisdom tooth surgery

Purpose

Treatment

Inclusion/Exclusion criteria

Inclusion criteria:

According to the ASA physical status classification system, patient should be ASA I or ASA II (normal healthy patient or patient with mild systemic disease) Patient with informed consent. Patient's age should be between 18-30 years. Patients should have two wisdom teeth (classified in the same class by Pell & Gregory; mesioangular impaction, level B, class 1 or 2), which are similar in terms of surgical severity No general contraindications (patients with low blood pressure, bradycardia, sinus disorder, unstable high blood pressure, arousability, tachyphylaxis and liver disorders.) No lesions and malignancies at the surgical site; No smoking.

Exclusion criteria:

Patient with wisdom tooth surgery on one side Patient who needs more than one cartridge injection Occurring medical problems during surgery; Surgery lasting more than 20 minutes.

Age

From **18 years** old to **30 years** old

Gender

Both

Phase

3

Groups that have been masked

- Participant
- Outcome assessor
- Data analyser

Sample size

Target sample size: **60**

More than 1 sample in each individual

Number of samples in each individual: **2**

Left and right mandibular impacted third molar

Randomization (investigator's opinion)

Randomized

Randomization description

The randomization steps are as followed: for the first patient, two envelopes with the same appearance are selected, inside one of them there is a card on which dexmedetomidine in ropivacaine, and inside the other is a card on which lidocaine is written. After that, the surgeries are performed alternately. (Note that if for the first patient, surgery is performed by the ropivacaine; for the opposite tooth surgery, lidocaine will be used and vice versa.)

Blinding (investigator's opinion)

Single blinded

Blinding description

In this study blinded groups involves patients and persons who analyses the data. Participants will be unaware of the fact that they receive Ropivacaine or Lidocaine in which side (of course during signing moral Satisfaction form ,they will be notified if they receive

both of these two drugs.)

Placebo

Not used

Assignment

Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics Committee of Mashhad University of Medical Sciences

Street address

Mashhad University of Medical Science, Daneshgah Ave, Mashhad, Iran

City

Mashhad

Province

Razavi Khorasan

Postal code

9138813944

Approval date

2019-12-25, 1398/10/04

Ethics committee reference number

IR.MUMS.DENTISTRY.REC.1398.119

Health conditions studied

1

Description of health condition studied

Acute pain

ICD-10 code

G89.1

ICD-10 code description

Acute pain, not elsewhere classified

2

Description of health condition studied

intraoperative bleeding

ICD-10 code

R58

ICD-10 code description

Hemorrhage, not elsewhere classified

Primary outcomes

1

Description

Evaluate the amount of pain after surgery

Timepoint

2 hour, 6 hours, 12hours, 18 hours, and 24 hours postoperatively

Method of measurement

Visual analogue scale (VAS) for pain

2**Description**

The amount of surgical bleeding

Timepoint

at the end of surgery

Method of measurement

Blood in suction and gauze

3**Description**

Evaluate the amount of pain during surgery

Timepoint

After flap removal, after osteotomy, and after tooth extraction

Method of measurement

Visual analogue scale (VAS) for pain

Secondary outcomes

empty

Intervention groups**1****Description**

Intervention group: includes group that received 2cc Ropivacaine 0/5% (naropin) as preoperative anesthesia

Category

Treatment - Drugs

2**Description**

Control group: includes group that received 1/8cc Lidocaine 2% with epinephrine 1/80000 (Persocaine) as preoperative anesthesia

Category

Treatment - Drugs

Recruitment centers**1****Recruitment center****Name of recruitment center**

oral and maxillofacial department of mashhad dental school

Full name of responsible person

majid hoseini abrishami

Street address

vakilabad Blvd

City

Mashhad

Province

Razavi Khorasan

Postal code

9177948959

Phone

+98 51 3882 9501

Email

dentistry@mums.ac.ir

Sponsors / Funding sources**1****Sponsor****Name of organization / entity**

Mashhad University of Medical Sciences

Full name of responsible person

majid hoseini abrishami

Street address

Vakilabad Blvd

City

Mashhad

Province

Razavi Khorasan

Postal code

9177948959

Phone

+98 51 3882 9501

Email

dentistry@mums.ac.ir

Grant name**Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

Title of funding source

Mashhad University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin**Type of organization providing the funding**

Academic

Person responsible for general inquiries**Contact****Name of organization / entity**

Mashhad University of Medical Sciences

Full name of responsible person

Majid Hosseini Abrishami

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Dentistry

Street address

Mashhad School of Dentistry, Vakilabad Ave.

City

Mashhad

Province

Razavi Khorasan

Postal code

935659916

Phone

+98 51 3882 9501

Fax

+98 51 3882 9500

Email

hoseiniabrishamim@mums.ac.ir

Person responsible for scientific inquiries**Contact****Name of organization / entity**

Mashhad University of Medical Sciences

Full name of responsible person

Majid Hosseini Abrishami

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Oral and maxillofacial surgery

Street address

Mashhad School of Dentistry, Vakilabad Ave.

City

Mashhad

Province

Razavi Khorasan

Postal code

935659916

Phone

+98 51 3882 9501

Fax

+98 51 3882 9500

Email

hoseiniabrishamim@mums.ac.ir

Person responsible for updating data**Contact****Name of organization / entity**

Mashhad University of Medical Sciences

Full name of responsible person

Majid Hosseini Abrishami

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Oral and maxillofacial surgery

Street address

Mashhad School of Dentistry, Vakilabad Ave.

City

Mashhad

Province

Razavi Khorasan

Postal code

935659916

Phone

+98 51 3882 9501

Fax

+98 51 3882 9500

Email

hoseiniabrishamim@mums.ac.ir

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Yes - There is a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Yes - There is a plan to make this available

Data Dictionary

Yes - There is a plan to make this available

Title and more details about the data/document

All collected data would be shared for all researchers after the participants were unidentified.

When the data will become available and for how long

The access to data will be started 6 months after publication

To whom data/document is available

The data would only be available for people working in academic institutions.

Under which criteria data/document could be used

It is allowed to use the data for meta-analysis and systematic reviews.

From where data/document is obtainable

The data can be obtained via email, from the corresponding researchers (Dr Sahand samiee rad). E-mail: samieerads@mums.ac.ir

What processes are involved for a request to access data/document

The new research proposal and the processes details should be e-mailed to corresponding researcher in order to get the access permission

Comments