

# Clinical Trial Protocol

## Iranian Registry of Clinical Trials

09 Jun 2026

### Comparison of the effect of cabergoline, letrozole and triptorelin on the treatment of uterine myomas: a randomized clinical trial

#### Protocol summary

Uterine size; uterine bleeding amount; uterine myoma size

#### Study aim

Comparison of the effect of cabergoline, letrozole and triptorelin on the treatment of uterine myomas.

#### Design

A randomized, parallel group, and single-blind trial without control group, phase 3 on 75 patients.

Randomization will be computerized with concealed randomization sequence.

#### Settings and conduct

Setting: The gynecology clinic of Akbarabadi hospital, Tehran. Design: a parallel-group, single-blind, and randomized clinical trial on 75 patients with uterine myoma. Patients and data analyzer are unaware while physician is aware about the type of treatments. Interventions: Patients will be randomly divided into three groups and treated for 3 months from the first day of menstrual cycle. Respectively, the first, second, and third groups will be received letrozole (2.5 mg/day orally), cabergoline (0.5 mg/week), and triptorelin (2 mg once month) through intramuscular injection. Every three months, the effect of treatments on uterine myoma size, uterine size (ultrasonography), bleeding amount, the levels of lactate dehydrogenase, serum iron, and hemoglobin will be examined every three months.

#### Participants/Inclusion and exclusion criteria

Inclusion criteria: 20-45 years old women with uterine myoma. Exclusion criteria: patients above 45 years with a hemoglobin  $\geq$  9 g/dL, sustained myoma, severe bleeding, kidney and/or liver diseases, and anti-psychotic drug consumers.

#### Intervention groups

Control group: None First intervention group: Patients will be received letrozole (2.5 mg/day, orally) from the first to the 5th day of the menstrual cycle for 3 months. Second intervention group: Patients will be received cabergoline (0.5 mg/week, orally) for 3 months. Third intervention group: Patients will be received tryptorlin (2 mg) through intramuscular injection every 4 weeks for 3 months.

#### Main outcome variables

#### General information

##### Reason for update

##### Acronym

##### IRCT registration information

IRCT registration number: **IRCT20211212053372N1**

Registration date: **2021-12-21, 1400/09/30**

Registration timing: **prospective**

Last update: **2021-12-21, 1400/09/30**

Update count: **0**

##### Registration date

2021-12-21, 1400/09/30

##### Registrant information

##### Name

Nooshin Modaber

##### Name of organization / entity

##### Country

Iran (Islamic Republic of)

##### Phone

+98 21 8670 2221

##### Email address

modaber.n336@gmail.com

##### Recruitment status

**Recruitment complete**

##### Funding source

##### Expected recruitment start date

2022-01-23, 1400/11/03

##### Expected recruitment end date

2022-03-26, 1401/01/06

##### Actual recruitment start date

empty

##### Actual recruitment end date

empty

**Trial completion date**

empty

**Scientific title**

Comparison of the effect of cabergoline, letrozole and triptorelin on the treatment of uterine myomas: a randomized clinical trial

**Public title**

Comparison of the effect of cabergoline, letrozole and triptorelin on the treatment of uterine myomas: a randomized clinical trial

**Purpose**

Treatment

**Inclusion/Exclusion criteria****Inclusion criteria:**

20-45 years old women with uterine myoma (size 3 to 8 cm) presenting bleeding and pelvic pain.

**Exclusion criteria:**

Patients who have a hemoglobin level of 9 grams per deciliter or higher and consume iron pills. Patients over the age of 45 years. Patients with basal myoma who have received hormonal treatment in the past three months. Patients with kidney and/or liver disease. Consumers of antipsychotic drugs. Patients with a history of drug treatment or surgery for uterine myoma with severe bleeding

**Age**

From **18 years** old to **45 years** old

**Gender**

Female

**Phase**

3

**Groups that have been masked**

- Participant

**Sample size**

Target sample size: **75**

**Randomization (investigator's opinion)**

Randomized

**Randomization description**

Randomization type: Block randomization: blocks with size of 6 Randomization tool: www.sealedenvelope.com Random sequence concealment: Each patient's drug is placed into a matte envelope and an unique code assigned by www.sealedenvelope.com is pasted on every envelope.

**Blinding (investigator's opinion)**

Single blinded

**Blinding description**

This is a single blinded study. Drug intervention is the same for the three groups in terms of shape, color or appearance of drugs. Patients as well as data analyzer are unaware about the type of groups while physician investigator is aware about the type of groups or treatment intervention.

**Placebo**

Not used

**Assignment**

Parallel

**Other design features****Secondary Ids**

empty

**Ethics committees****1****Ethics committee****Name of ethics committee**

Ethics committee of Iran University of Medical Sciences

**Street address**

Hemat Highway next to Milad Tower, Tehran

**City**

Tehran

**Province**

Tehran

**Postal code**

۱۴۳۹۶۱۴۵۳۵

**Approval date**

2021-02-22, 1399/12/04

**Ethics committee reference number**

IR.IUMS.FMD.REC.1400.515

**Health conditions studied****1****Description of health condition studied**

Uterine myoma

**ICD-10 code**

D25.9

**ICD-10 code description**

Leiomyoma of uterus, unspecified

**Primary outcomes****1****Description**

Uterine size

**Timepoint**

At the beginning of the study (before the intervention) and three months later.

**Method of measurement**

Sonography

**2****Description**

Uterine bleeding amount

**Timepoint**

At the beginning of the study (before the intervention) and three months later.

**Method of measurement**

menstrual cup

**3****Description**

Uterine myoma size

### **Timepoint**

At the beginning of the study (before the intervention) and three months later.

### **Method of measurement**

Sonography

## **Secondary outcomes**

### 1

#### **Description**

Lactate Dehydrogenase (LDH)

#### **Timepoint**

At the beginning of the study (before the intervention) and three months later.

#### **Method of measurement**

Lactate Dehydrogenase (LDH) Assay Kit (Colorimetric)

### 2

#### **Description**

Serum iron

#### **Timepoint**

At the beginning of the study (before the intervention) and three months later.

#### **Method of measurement**

Serum Iron Assay Kit (Colorimetric)

### 3

#### **Description**

Hemoglobin

#### **Timepoint**

At the beginning of the study (before the intervention) and three months later.

#### **Method of measurement**

Hemiglobincyanide method

### 4

#### **Description**

Possible clinical side effects of the drug (Including hot flashes, headaches, vaginal dryness and vomiting, etc.).

#### **Timepoint**

During and after 12 weeks of treatment.

#### **Method of measurement**

Clinical examination

## **Intervention groups**

### 1

#### **Description**

First intervention group will be received Letrozole tab (2.5 mg once day, orally, Femara, Novartis, Basel Switzerland) for 3 months from the first day of the menstrual cycle.

#### **Category**

Treatment - Drugs

### 2

#### **Description**

Second intervention group will be received cabergoline tab ( 0.5 mg once week, orally, CABERLIN, Iran Hormone, Iran) for 3 months from the first day of the menstrual cycle.

#### **Category**

Treatment - Drugs

### 3

#### **Description**

Third intervention group will be received triptorelin syringe (2 mg once month, intramuscular, Femara, Novartis, Basel Switzerland)) for 3 months from the first day of the menstrual cycle.

#### **Category**

Treatment - Drugs

## **Recruitment centers**

### 1

#### **Recruitment center**

##### **Name of recruitment center**

Gynecology clinic of Akbarabadi Hospital

##### **Full name of responsible person**

Shahnaz Ahmadi

##### **Street address**

Hemat Highway next to Milad Tower, Tehran

##### **City**

Tehran

##### **Province**

Tehran

##### **Postal code**

1449614535

##### **Phone**

+98 21 86701

##### **Email**

ahmadish@iums.ac.ir

## **Sponsors / Funding sources**

### 1

#### **Sponsor**

##### **Name of organization / entity**

Iran University of Medical Sciences

##### **Full name of responsible person**

Shahnaz Ahmadi

##### **Street address**

Hemat Highway next to Milad Tower, Tehran

##### **City**

Tehran

##### **Province**

Tehran

##### **Postal code**

1449614535

##### **Phone**

+98 21 86701

##### **Email**

ahmadish@iums.ac.ir

**Grant name**

**Grant code / Reference number**

**Is the source of funding the same sponsor organization/entity?**

Yes

**Title of funding source**

Iran University of Medical Sciences

**Proportion provided by this source**

100

**Public or private sector**

Public

**Domestic or foreign origin**

Domestic

**Category of foreign source of funding**

empty

**Country of origin**

**Type of organization providing the funding**

Academic

## Person responsible for general inquiries

**Contact**

**Name of organization / entity**

Iran University of Medical Sciences

**Full name of responsible person**

Nooshin Modaber

**Position**

Physician and Gynecology and Obstetrics Assistante

**Latest degree**

Specialist

**Other areas of specialty/work**

Gynecology and Obstetrics

**Street address**

Hemat Highway next to Milad Tower, Tehran

**City**

Tehran

**Province**

Tehran

**Postal code**

1449614535

**Phone**

+98 21 8670 2221

**Fax**

**Email**

modaber.n336@gmail.com

## Person responsible for scientific inquiries

**Contact**

**Name of organization / entity**

Iran University of Medical Sciences

**Full name of responsible person**

Shahnaz Ahmadi

**Position**

Professor of Obstetrics and Gynecology

**Latest degree**

Specialist

**Other areas of specialty/work**

Gynecology and Obstetrics

**Street address**

Hemat Highway next to Milad Tower, Tehran

**City**

Tehran

**Province**

Tehran

**Postal code**

1449614535

**Phone**

+98 21 86701

**Email**

ahmadish@iums.ac.ir

## Person responsible for updating data

**Contact**

**Name of organization / entity**

Iran University of Medical Sciences

**Full name of responsible person**

Nooshin Modaber

**Position**

Physician and Gynecology and Obstetrics Assistant

**Latest degree**

Specialist

**Other areas of specialty/work**

Gynecology and Obstetrics

**Street address**

Hemat Highway next to Milad Tower, Tehran

**City**

Tehran

**Province**

Tehran

**Postal code**

1449614535

**Phone**

+98 21 86701

**Email**

modaber.n336@gmail.com

## Sharing plan

**Deidentified Individual Participant Data Set (IPD)**

Undecided - It is not yet known if there will be a plan to make this available

**Study Protocol**

Undecided - It is not yet known if there will be a plan to make this available

**Statistical Analysis Plan**

Undecided - It is not yet known if there will be a plan to make this available

**Informed Consent Form**

Undecided - It is not yet known if there will be a plan to make this available

**Clinical Study Report**

Undecided - It is not yet known if there will be a plan to make this available

**Analytic Code**

Undecided - It is not yet known if there will be a plan to make this available

**Data Dictionary**

Undecided - It is not yet known if there will be a plan to make this available