

Clinical Trial Protocol

Iranian Registry of Clinical Trials

01 Jul 2026

Comparison of the effectiveness of aripiprazole and risperidone on the psychotic symptoms of methamphetamine use

Protocol summary

Study aim

Comparing effectiveness of aripiprazole and risperidone in methamphetamine induced psychosis

Design

A block Randomized using a block size of 4, double blinded, two arm parallel group, clinical trial which is performed on 32 patients in each experimental group.

Settings and conduct

eligible patients Admitted in razi psychiatric hospital diagnosed with Metamphetamin induced psychosis, would be assessed by researcher made questionnaire, vital signs and positive and negative syndrome scale after informed consent and before medication.assessment will be repeated using vital signs and positive and negative syndrome scale 1 week after medication. assessments are going to be repeated again using positive and negative syndrome scale and vital signs and saint Hans rating scale 4weeks after medication. researcher and data gatherer and patients would be unaware of the medication type and physical features of two medication types are going to be similar.

Participants/Inclusion and exclusion criteria

inclusion criteria: informed consent to enter the trial, No other substance dependencies except for Tobacco, diagnosis of Metamphetamin induced psychotic disorder based on Diagnostic and Statistical Manual of Mental Disorders 5th Edition exclusion criteria: major or urgent psychiatric or nonpsychiatric condition including allergies to Risperidone or Aripiprazole, Psychiatric medication use in last 4 weeks other than Benzodiazepines

Intervention groups

intervention group 1:taking Risperidone oral tablet, 2-8mg over 24 hours variable dosage decided by clinical care giver, daily, for at least a month and Abidi pharma brand; intervention group 2:taking Aripiprazole oral tablet, 5-20mg over 24 hours variable dosage decided by clinical care giver, daily, for at least a month and Abidi pharma brand

Main outcome variables

Score of positive and negative syndrom scale

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20220103053615N1**

Registration date: **2022-04-18, 1401/01/29**

Registration timing: **prospective**

Last update: **2022-04-18, 1401/01/29**

Update count: **0**

Registration date

2022-04-18, 1401/01/29

Registrant information

Name

Sepehr Mazloomi Koohbanani

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 6515 1703

Email address

sep.mazloomi@uswr.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2022-04-30, 1401/02/10

Expected recruitment end date

2022-06-22, 1401/04/01

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Comparison of the effectiveness of aripiprazole and risperidone on the psychotic symptoms of methamphetamine use

Public title

Best Choice between aripiprazole and risperidone in methamphetamine psychosis

Purpose

Treatment

Inclusion/Exclusion criteria

Inclusion criteria:

Men and women with written informed consent to enter the trial At least one Positive and Negative Syndrome Scale score equal or greater than 4 Methamphetamine use in less than 4 weeks leading to admission No other substance dependencies except for Tobacco diagnosis of Metamphetamin induced psychotic disorder according to Diagnostic and Statistical Manual of Mental Disorders, 5th Edition

Exclusion criteria:

Sever nonpsychiatric condition in which Risperidone or Aripiprazole are contraindicated Aripiprazole or Risperidone Allergies Active suicidal or homicidal thoughts Comorbid mood or anxiety disorders Pregnant or nursing women or high suspicion of pregnancy Psychiatric medication use in last 4 weeks other than Benzodiazepines

Age

From **18 years** old to **60 years** old

Gender

Both

Phase

3

Groups that have been masked

- Participant
- Investigator
- Outcome assessor
- Data analyser

Sample size

Target sample size: **64**

Randomization (investigator's opinion)

Randomized

Randomization description

We are going to divide samples into two (A) and (B) groups using block randomization of size 4. letters A and B would be used randomly to make 6 blocks of 4 letters and 6 blocks are going to be labeled with numbers 1 to 6. 16 times, random numbers from 1 to 6 are chosen and corresponding block of letters are written down in a row. For example if the first random number is 2 and second number is 5, letters in block no.2 are written down and letters in block no.5 are going to be written after (repeated up to 16 blocks) and a random row of letters A and B (of size 64) is generated. Number for Place of letters in the row would be written on the sealed envelope and the letters would be placed inside. The envelopes with numbers corresponding to the number of the patients according to participation time, is opened by

researcher and group of each participant is determined (A or B) when they roll into the study.

Blinding (investigator's opinion)

Double blinded

Blinding description

this is a double blinded study. Both participants and researcher who is tasked with diagnosis and clinical evaluation, are unaware of the medication given to participants. shape, smell, color and taste of both medications are similar which are delivered by a nurse and researcher is invited by clinical care giver to perform the evaluation.

Placebo

Not used

Assignment

Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics committee of the University of University of social welfare and rehabilitation sciencess

Street address

University of social welfare and rehabilitation sciencess, Koodakyar st, Daneshjoo blvd, Evin st, Tehran

City

Tehran

Province

Tehran

Postal code

1985713834

Approval date

2022-03-09, 1400/12/18

Ethics committee reference number

IR.USWR.REC.1400.342

Health conditions studied

1

Description of health condition studied

Metamphetamin induced psychotic disorder

ICD-10 code

F15.15

ICD-10 code description

Other stimulant abuse with stimulant-induced psychotic disorder

Primary outcomes

1

Description

Score of Positive and Negative Syndrome Scale

Timepoint

Days: 0, 7, 28 after medication

Method of measurement

Positive and Negative Syndrome Scale

Secondary outcomes

empty

Intervention groups

1

Description

intervention group 1:taking Risperidone oral tablet, 2-8mg over 24 hours variable dosage decided by clinical care giver, daily, for at least a month and abidi pharma brand

Category

Treatment - Drugs

2

Description

intervention group 2:taking Aripiprazole oral tablet, 5-20mg over 24 hours variable dosage decided by clinical care giver, daily, for at least a month and abidi pharma brand

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Razi psychiatric hospital

Full name of responsible person

Sepehr Mazloomi Koohbanani

Street address

Razi psychiatric hospital, Rastegar Blvd, shahr_e_rey, Tehran, Iran

City

Tehran

Province

Tehran

Postal code

1867612016

Phone

+98 21 3340 1226

Email

sepehr.mk@gmail.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

University of social welfare and rehabilitation sciences

Full name of responsible person

Hamid Reza Khorram Khorshid

Street address

University of social welfare and rehabilitation sciences, Koodakyar st, Daneshjoo blvd, Evin st, Tehran

City

Tehran

Province

Tehran

Postal code

1985713871

Phone

+98 21 7173 2832

Email

Hrkhkh@yahoo.com

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

University of social welfare and rehabilitation sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

University of social welfare and rehabilitation sciences

Full name of responsible person

Sepehr Mazloomi Koohbanani

Position

Resident

Latest degree

Medical doctor

Other areas of specialty/work

Psychiatrics

Street address

University of social welfare and rehabilitation sciences, Koodakyar st, Daneshjoo blvd, Evin st, Tehran

City

Tehran

Province

Tehran

Postal code

1985713834

Phone

+98 21 7173 2832

Email

sep.mazloomi@uswr.ac.ir

Person responsible for scientific inquiries

Contact

Name of organization / entity

University of social welfare and rehabilitation sciences

Full name of responsible person

Sepehr Mazloomi Koohbanani

Position

Resident

Latest degree

Medical doctor

Other areas of specialty/work

Psychiatrics

Street address

University of social welfare and rehabilitation sciences, Koodakyar st, Daneshjoo blvd, Evin st, Tehran

City

Tehran

Province

Tehran

Postal code

1985713834

Phone

+98 21 7173 2832

Email

sep.mazloomi@uswr.ac.ir

Person responsible for updating data

Contact

Name of organization / entity

University of social welfare and rehabilitation sciences

Full name of responsible person

Sepehr Mazloomi Koohbanani

Position

Resident

Latest degree

Medical doctor

Other areas of specialty/work

Psychiatrics

Street address

University of social welfare and rehabilitation sciences, Koodakyar st, Daneshjoo blvd, Evin st, Tehran

City

Tehran

Province

Tehran

Postal code

1985713834

Phone

+98 21 7173 2832

Email

sep.mazloomi@uswr.ac.ir

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available