

Clinical Trial Protocol

Iranian Registry of Clinical Trials

11 Jul 2026

Comparing the efficacy of inhaled versus infused milrinone in management of persistent pulmonary hypertension (PPHN) in infants

Protocol summary

Symptoms of respiratory distress, Oxygen supply index, Die or survive

Study aim

Comparison of the efficacy of inhaled and injectable milrinone in the treatment of PPHN

Design

the parallel-group randomized trial, one-sided blinding, phase 3 on 32 patients, block randomization, randomization of blocks through random number table

Settings and conduct

Infants admitted to the NICU with PPHN are randomly divided into two groups, after considering inclusion and non-inclusion criteria. Demographic information, maternal underlying diseases, vital signs, and clinical findings are recorded in the checklist. Both groups receive an intravenous dopamine infusion, then the control and intervention groups receive intravenous milrinone and inhaled milrinone respectively, until the patient recovers or develops symptoms of respiratory distress or increased oxygen demand. Echocardiography is repeated in the first 24 hours of hospitalization, 24 hours after the start of treatment, and when the infant shows signs of respiratory distress or increased oxygen demand (by a physician unaware of the treatment task). Rhythm, PR, intravascular pressure, urinary output, peripheral perfusion, and IV injection site are controlled. In the event of hypotension, arrhythmia, HR > 220, and thrombocytopenia, the infant is excluded from the study, and supportive measures are initiated for the infant.

Participants/Inclusion and exclusion criteria

entry: Infants 1 to 28 days with a diagnosis of PPHN; Hospitalized in NICU and indicated for treatment; Existence of conscious parental consent
No entry: Neonates with congenital heart disorders, diaphragmatic hernias, pulmonary abnormalities; Infants are candidates for major surgery to eliminate abnormality

Intervention groups

1: Dopamine + injectable milrinone
2: Dopamine + inhaled milrinone

Main outcome variables

Pulmonary artery pressure, Systemic artery pressure,

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20220130053890N1**

Registration date: **2022-02-26, 1400/12/07**

Registration timing: **prospective**

Last update: **2022-02-26, 1400/12/07**

Update count: **0**

Registration date

2022-02-26, 1400/12/07

Registrant information

Name

Peyman Shahhosseini

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 8801 6197

Email address

peishah@yahoo.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2022-03-01, 1400/12/10

Expected recruitment end date

2022-11-21, 1401/08/30

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Comparing the efficacy of inhaled versus infused milrinone in management of persistent pulmonary hypertension (PPHN) in infants

Public title

milrinone in persistent neonatal pulmonary hypertension

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

Infants 1 to 28 days with a diagnosis of persistent pulmonary hypertension (diagnosed on Basis of echocardiographic findings) and hospitalization in the NICU. Indicated for receiving treatment based on the diagnosis of the treating physician. Existence of informed consent of parents to enter the study.

Exclusion criteria:

Neonates with congenital heart disorders, diaphragmatic hernias, pulmonary abnormalities. Infants are candidates for major surgery to eliminate abnormality.

Age

From **1 day** old to **28 days** old

Gender

Both

Phase

3

Groups that have been masked

- Outcome assessor

Sample size

Target sample size: **32**

Randomization (investigator's opinion)

Randomized

Randomization description

Randomization with blocks, using binary blocks, Randomization of blocks using random number table. The intervention and control groups are called A and B, respectively, we prepare two series of blocks No. 1 (AB) and No. 2 (BA). Select a point in the table of random numbers at random and start moving in one direction. In each cell of the table, if the digit is an odd number, select block 1, and if it is even, selects block two, and place it in a row until 16 blocks selected (based on sample size). Then, each eligible patient who entered the study will be placed in the intervention or control group according to the order obtained.

Blinding (investigator's opinion)

Single blinded

Blinding description

The patient's echocardiography is performed by a different pediatrician who is unaware of the type of treatment intervention.

Placebo

Not used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Iran University of Medical Sciences

Street address

No. 174, Mozaffarikhah St., North Kargar St., Tehran

City

Tehtan

Province

Tehran

Postal code

1413654591

Approval date

2021-11-21, 1400/08/30

Ethics committee reference number

IR.IUMS.FMD.REC.1400.493

Health conditions studied**1****Description of health condition studied**

neonatal

ICD-10 code**ICD-10 code description****Primary outcomes****1****Description**

Pulmonary artery pressure: pulmonary artery pressure greater than 40 mm Hg is considered PPHN.

Timepoint

it is measured at first, during the first 24 hours of hospitalization, 24 hours after the start of treatment, and when the infant shows signs of respiratory distress or increased oxygen demand.

Method of measurement

Pulmonary artery pressure is determined by M-mode, two-dimensional, and color-Doppler echocardiography using the Bernoulli formula. Bernoulli equation: pulmonary artery systolic pressure (PASP) = tricuspid regurgitation gradient + right atrial pressure (RAP), $PASP = (V_{max} \times 4) + RAP$

2**Description**

Systemic artery pressure: Systolic and diastolic blood pressure

Timepoint

daily

Method of measurement

Using the NICU monitoring device

3

Description

signs of respiratory distress: Respiratory distress in the newborn is recognized as one or more signs of increased work of breathing, such as tachypnea, nasal flaring, chest retractions, or grunting

Timepoint

The baby is constantly monitored.

Method of measurement

Through clinical examination of the patient

4

Description

Oxygenation index(OI) : is used to assess the severity of hypoxic respiratory failure (HRF) and persistent pulmonary hypertension of the newborn (PPHN)

Timepoint

Daily and at the time of respiratory distress

Method of measurement

It is calculated by the following formula: (OI=mean airway pressure MAP × FiO2 × 100÷PaO2)

Secondary outcomes

1

Description

Die or survive

Timepoint

During treatment

Method of measurement

See the patient

Intervention groups

1

Description

Intervention group: treated with intravenous infusion of dopamine at a dose of 5 macro per kg body weight per minute for 3 to 5 days according to the doctor and then receive inhaled milrinone at a rate of 50 micrograms per kilogram body weight, during For 10 minutes with a frequency of twice a day. the intervention continues until the symptoms improve or the symptoms of respiratory distress or the need for oxygen increase.

Category

Treatment - Drugs

2

Description

Intervention group: Treated with intravenous infusion of dopamine at a dose of 5 macro per kg of infant weight per minute for 3 to 5 days according to the doctor's opinion and then, continuous injection of 0.3 to 0.5 micrograms per kg of body weight per minute Milrinone as a continuous intravenous infusion. the intervention

continues until the symptoms improve or the symptoms of respiratory distress or the need for oxygen increase.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Hazrat Ali Asghar hospital

Full name of responsible person

peyman shahhosseini

Street address

No. 174, Mozaffarikhah St., North Kargar St., Tehran

City

Tehran

Province

Tehran

Postal code

1413654591

Phone

+98 912 204 0854

Email

peishah@yahoo.com

2

Recruitment center

Name of recruitment center

Akbarabadi hospital

Full name of responsible person

Peyman shahhosseini

Street address

No. 174, Mozaffarikhah St., North Kargar St., Tehran

City

Tehran

Province

Tehran

Postal code

1413654591

Phone

+98 912 204 0854

Email

peishah@yahoo.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Iran University of Medical Sciences

Full name of responsible person

Hossein keyvani

Street address

No. 174, Mozaffarikhah St., North Kargar St., Tehran

City

Tehran

Province

Tehran

Postal code

1413654591

Phone

+98 912 204 0854

Email

peishah@yahoo.com

Grant name**Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

Title of funding source

Iran University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding*empty***Country of origin****Type of organization providing the funding**

Academic

Person responsible for general inquiries**Contact****Name of organization / entity**

Iran University of Medical Sciences

Full name of responsible person

peyman shahhosseini

Position

fellow of neonatology

Latest degree

Subspecialist

Other areas of specialty/work

Pediatrics

Street address

No. 174, Mozaffarikhah St., North Kargar St., Tehran

City

Tehran

Province

Tehran

Postal code

1413654591

Phone

+98 21 8801 6197

Email

peishah@yahoo.com

Person responsible for scientific inquiries**Contact****Name of organization / entity**

Iran University of Medical Sciences

Full name of responsible person

Peyman shahhosseini

Position

Fellow of neonatology

Latest degree

Subspecialist

Other areas of specialty/work

Pediatrics

Street address

No. 174, Mozaffarikhah St., North Kargar St., Tehran

City

Tehran

Province

Tehran

Postal code

1413654591

Phone

+98 21 8801 6197

Email

peishah@yahoo.com

Person responsible for updating data**Contact****Name of organization / entity**

Iran University of Medical Sciences

Full name of responsible person

Peyman shahhosseini

Position

Fellow of neonatology

Latest degree

Subspecialist

Other areas of specialty/work

Pediatrics

Street address

No. 174, Mozaffarikhah St., North Kargar St., Tehran

City

Tehran

Province

Tehran

Postal code

1413654591

Phone

+98 21 8801 6197

Email

peishah@yahoo.com

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

