

Clinical Trial Protocol

Iranian Registry of Clinical Trials

15 Jul 2026

The effect of prenatal supportive care of midwives in pregnant women with chronic diseases: Randomized Controlled Trial

Protocol summary

Study aim

The effect of prenatal supportive care of midwives in pregnant women with chronic diseases

Design

A clinical trial with a control group, with parallel design, without blinding, will be performed on 204 pregnant women (102 people in each group). For randomization, 4 random blocks with a 1: 1 allocation ratio will be used. After listing all possible modes of 4 blocks and assigning a number to each of them using a computer random number table, with a 1: 1 allocation ratio, individuals will be divided into two groups receiving routine care and supportive care. To hide the allocation, the type of intervention will be written on paper and numbered in a series of matte envelopes.

Settings and conduct

This study will be performed in the pregnancy clinic in Imam Khomeini Hospital in Ahvaz. Participants will be eligible for pregnant women with chronic illness. Pregnant women will be randomly divided into intervention and control groups, the intervention group will receive supportive care and the control group will receive routine pregnancy care.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Pregnant women with one or more chronic diseases; between 16-20 weeks of pregnancy; single pregnancy; able to understand Persian speech and writing; resident of Ahvaz, having a mobile phone; consent to participate in the study. Exclusion criteria: self-report history of substance abuse; self-report of mental disorder and use of psychiatric drugs; unwillingness to continue participating in the study.

Intervention groups

Intervention group, supportive care and pregnancy control control group will receive the routine.

Main outcome variables

The length of hospital stay (mean and standard deviation) is measured from the time of admission to the study until 2 weeks after delivery.

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20220203053927N1**

Registration date: **2022-02-10, 1400/11/21**

Registration timing: **prospective**

Last update: **2022-02-10, 1400/11/21**

Update count: **0**

Registration date

2022-02-10, 1400/11/21

Registrant information

Name

solmaz mohammadi

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 61 3321 9122

Email address

mohammadi-s@ajums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2022-02-26, 1400/12/07

Expected recruitment end date

2022-12-21, 1401/09/30

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

The effect of prenatal supportive care of midwives in pregnant women with chronic diseases: Randomized Controlled Trial	
Public title	The effect of prenatal supportive care of midwives in pregnant women with chronic diseases
Purpose	Supportive
Inclusion/Exclusion criteria	Inclusion criteria: 1.Pregnant women with one or more chronic diseases that are diagnosed more than 6 months before pregnancy, with continued recurrence and need for medical treatment 2.Be between 16-20 weeks pregnant at the time of enrollment in the study 3.Single pregnancy 4.Be able to understand Persian speech and writing 5.To live in Ahvaz 6.Having a cell phone 7.Satisfaction to participate in the study Exclusion criteria: 1.Self-report history of substance abuse 2.Self-report of mental disorder and use of psychiatric drugs 3.Reluctance to continue participating in the study
Age	No age limit
Gender	Female
Phase	N/A
Groups that have been masked	No information
Sample size	Target sample size: 204
Randomization (investigator's opinion)	Randomized
Randomization description	Eligible women will randomly assign into two groups of routine (individual) prenatal care or group prenatal care using block randomization with a block size of 4 and an allocation ratio of 1:1. Thus, after listing all possible situations of 4 blocks and assigning a number to each of them using a computer random number table with a 1: 1 ratio, participants will be allocated into two groups, namely routine prenatal care and supportive care care. For allocation concealment, each woman will receive a code and all codes will be kept in an opaque envelope until the time of intervention. Sequencing of allocation and preparation of envelopes will be done by a person that will not involve sampling and data collection. The researcher and the participant will not aware of the groups and the intervention that they received until the commencement of intervention
Blinding (investigator's opinion)	Not blinded
Blinding description	
Placebo	Not used
Assignment	Parallel
Other design features	

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Shahroud University of Medical Sciences

Street address

Shahroud ,7th of Tir Square - Shahroud University of Medical Sciences and Health Services

City

Shahroud

Province

Semnan

Postal code

۳۶۱۴۷-۷۳۹۴۳

Approval date

2020-12-01, 1399/09/11

Ethics committee reference number

IR.SHMU.REC.1399.123

Health conditions studied

1

Description of health condition studied

prenatal supportive care

ICD-10 code

O36.7

ICD-10 code description

Maternal care for viable fetus in abdominal pregnancy

Primary outcomes

1

Description

The length of hospital stay (mean and standard deviation) is measured from the time of admission to the study until 2 weeks after delivery.

Timepoint

Evaluation of this outcome will be done 2 weeks after delivery.

Method of measurement

medical records

Secondary outcomes

1

Description

World Health Organization 5-item Welfare Index

Timepoint

The evaluation will be performed at the beginning of the study (baseline), at 33-37 weeks of gestation and 6 weeks after delivery

Method of measurement

World Health Organization 5-item Welfare Scale World

2

Description

Pregnancy and postpartum depression

Timepoint

The evaluation will be performed at the beginning of the study (baseline), at 33-37 weeks of gestation and 6 weeks after delivery

Method of measurement

Edinburgh Postpartum Depression Scale

3

Description

Pregnancy worries

Timepoint

The evaluation will be done at the beginning of the study (baseline) and at 33-37 weeks of pregnancy

Method of measurement

Cambridge Pregnancy Anxiety Scale Questionnaire

4

Description

Health-related quality of life

Timepoint

The evaluation will be performed at the beginning of the study (baseline), at 33-37 weeks of gestation and 6 weeks after delivery

Method of measurement

Health-related quality of life questionnaire

5

Description

Quality prenatal care from the perspective of service recipients

Timepoint

Evaluation 6 weeks after delivery

Method of measurement

Quality of Prenatal Care Questionnaire

6

Description

Satisfaction with childbirth

Timepoint

Evaluation 2 weeks after delivery

Method of measurement

Maki Maternity Satisfaction Scale

7

Description

Economic consequences of health (use of health services)

Timepoint

Evaluation 6 weeks after delivery

Method of measurement

Researcher-made questionnaire

8

Description

Prenatal health behaviors

Timepoint

The evaluation will be done at the beginning of the study (baseline) and at 33-37 weeks of pregnancy

Method of measurement

Prenatal health behaviors scale

9

Description

Consequences of pregnancy and childbirth

Timepoint

Evaluation 6 weeks after delivery

Method of measurement

Researcher-made questionnaire

Intervention groups

1

Description

InterIntervention group: Supportive prenatal care in the intervention group consists of 3 components: (1) active and passive telephone counseling before and after delivery, (2) coordination of care and case management, (3) continuous care buyDedicated midwife during pregnancy, during labor and delivery.Individuals in the prenatal care intervention group will receive the researcher in the specialized clinic of the selected hospital in weeks 30-24, 34-31, 37-35, 38, 39, 40.The researcher works in consultation with a perinatologist.At each visit, while examining the individual needs and desires of each woman, counseling and training appropriate to the gestational age will be provided individually and face to face.During the intervention period, the researcher will have one phone call per week with the participants and in each post-greeting call, she will examine three main areas: physical-mental health status and pregnancy health, evaluation-based recommendations, and discussion about Any other additional issues that are important to the mother.In this intervention, each participant can contact the midwife whenever they need to be consulted.Care coordination will be done by the researcher during the intervention period.The researcher identifies the specific needs and wants of each woman and discusses the optimal care of the woman with the obstetrician who is responsible for her medical care.The intervention group will be supported by the researcher as a companion midwife (Dola) from the beginning of the mother's hospitalization (beginning of the active phase of labor in the expansion of the cervix 3-4 cm) until the first 2 hours after delivery.The researcher will provide supportive measures for the mother during labor, classified into psychological, emotional, educational, and physical categories.The researcher will also be able to follow up and respond to maternal problems by phone and, if necessary, in person after the first 2 hours of labor.

Category

N/A

2

Description

Control group: The control group will receive routine care at the prenatal care clinic of the selected hospital by the resident on duty and under the supervision of a perinatologist. Routine pregnancy care based on national protocol includes 8 visits (in weeks 6-10, 20-16, 30-24, 34-31, 37-35, 38, 39, 40) which Based on the severity of the chronic disease and the risks associated with pregnancy, the treating physician will set up an individual care plan for each person's visit and care.

Category

N/A

Recruitment centers

1

Recruitment center

Name of recruitment center

Pregnancy care clinic is an Imam Khomeini Hospital in Ahvaz (referral level 3 Hospital)

Full name of responsible person

Solmaz Mohammadi

Street address

Ahvaz - Azadegan St. - Imam Khomeini Medical Center of Ahvaz.

City

Ahvaz

Province

Khouzestan

Postal code

6193673111

Phone

+98 61 3222 2922

Fax

Email

sl.mohammadi89@yahoo.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Shahroud University of Medical Sciences

Full name of responsible person

Hamid Vahedi

Street address

Shahroud, Haft Tir Square, University of Medical Sciences, School of Medicine

City

Shahroud

Province

Semnan

Postal code

۳۶۱۴۷-۷۳۹۴۳

Phone

+98 23 3239 5009

Email

vahedi@shmu.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Shahroud University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Shahroud University of Medical Sciences

Full name of responsible person

Zahra Motaghi

Position

Associate Professor

Latest degree

Ph.D.

Other areas of specialty/work

Reproductive Health

Street address

Haftam Tir Square - Shahroud University of Medical Sciences and Health Services

City

Shahroud

Province

Semnan

Postal code

۳۶۱۴۷-۷۳۹۴۳

Phone

+98 23 3239 5009

Email

Zahra.motagy63@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Shahroud University of Medical Sciences

Full name of responsible person

Solmaz Mohammadi

Position

PhD Student in Reproductive Health

Latest degree

Master

Other areas of specialty/work

Reproductive Health

Street address

Golestan Alley, Dey Bin Bahman and Esfand

St.No.116

City

Ahvaz

Province

Khouzestan

Postal code

6135935697

Phone

+98 61 3321 9122

Email

sl.mohammadi89@yahoo.com

Person responsible for updating data

Contact

Name of organization / entity

Shahrour University of Medical Sciences

Full name of responsible person

Solmaz Mohammadi

Position

PhD student in Reproductive Health

Latest degree

Master

Other areas of specialty/work

Reproductive Health

Street address

Golestan alley, Dee street between Bahman and
Esfand, NO.116

City

Ahvaz

Province

Khouzestan

Postal code

6135935697

Phone

+98 61 3321 9122

Email

sl.mohammadi89@yahoo.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Yes - There is a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to
make this available

Statistical Analysis Plan

Not applicable

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

No - There is not a plan to make this available

Data Dictionary

No - There is not a plan to make this available

Title and more details about the data/document

The data can be published after the completion of the
dissertation

**When the data will become available and for how
long**

One year after completing the dissertation

To whom data/document is available

Shahrour and Ahvaz University of Medical Sciences,
Hospital Officials, Researchers

Under which criteria data/document could be used

Data analysis through publication in scientific research
journals in They will be available to others

From where data/document is obtainable

solmaz mohammadi, E mail:
sl.mohammadi89@yahoo.com

**What processes are involved for a request to access
data/document**

The information will be available through the publication
of the article. But if more information is needed, the
request should be sent via email

Comments