

# Clinical Trial Protocol

## Iranian Registry of Clinical Trials

09 Jun 2026

### Comparison of two rotary file systems with manual instrumentation for root canal preparation in primary teeth: a randomized clinical trial

#### Protocol summary

##### Study aim

clinical comparison of two rotary file systems with manual instrumentation in root canal preparation of primary molars Objectives: 1. Determination of the time of canal preparation for two rotary file systems (FKG iRace plus and M3-immatural) and hand file (K-file) 2. Determination of the time of obturation for two rotary file systems (FKG iRace plus and M3-immatural) and hand file (K-file) 3. Determination of patient cooperation during the canal preparation with rotary file systems (FKG iRace plus and M3-immatural) and hand file (K-file) 4. Determination of intensity and duration of pain immediately after the treatment and during the 6, 12, 24, 48, and 72 hours and 1 week after treatment 5, 6. Determination of clinical and radiographic success rate for two rotary file systems (FKG iRace plus and M3-immatural) and hand file (K-file) during the 6, 12 and 18 months after treatment.

##### Design

Randomised, parallel group trial, double-blinded, randomised with randomisation application

##### Settings and conduct

Pediatric Dentistry Department

##### Participants/Inclusion and exclusion criteria

children with systemic diseases or with special healthcare needs Children with poor oral hygiene or periodontal disease radiographic signs of internal or external root resorption, root canal calcification, non-restorable teeth

##### Intervention groups

group 1: root canal preparation with hand files (Control group) group 2: root canal preparation with rotary file system (M3-immatural, G. T. A., China) group 3: root canal preparation with rotary file system (FKG, iRace Plus)

##### Main outcome variables

time of canal preparation and obturation, patient cooperation, pain duration and intensity, clinical and radiographic success

#### General information

##### Reason for update

##### Acronym

##### IRCT registration information

IRCT registration number: **IRCT20110823007402N8**

Registration date: **2022-03-04, 1400/12/13**

Registration timing: **prospective**

Last update: **2022-03-04, 1400/12/13**

Update count: **0**

##### Registration date

2022-03-04, 1400/12/13

##### Registrant information

##### Name

Mahtab Memarpour

##### Name of organization / entity

Shiraz University of Medical Sciences

##### Country

Iran (Islamic Republic of)

##### Phone

+98 71 1626 3192

##### Email address

memarpour@sums.ac.ir

##### Recruitment status

**Recruitment complete**

##### Funding source

##### Expected recruitment start date

2022-04-03, 1401/01/14

##### Expected recruitment end date

2022-06-21, 1401/03/31

##### Actual recruitment start date

empty

##### Actual recruitment end date

empty

##### Trial completion date

empty

## Scientific title

Comparison of two rotary file systems with manual instrumentation for root canal preparation in primary teeth: a randomized clinical trial

## Public title

Rotary file system in primary teeth

## Purpose

Treatment

## Inclusion/Exclusion criteria

### Inclusion criteria:

clinical examination reveals carious lesion in primary molar without extension to the root vital signs during the intervention will be checked and only vital teeth are included in the study All cases report signs of irreversible pulpitis with chief complaint of spontaneous pain in the past few days. This pain is exacerbated with cold or warm stimuli and the patient requires analgesic consumption. minimum of two thirds of root remainings Children of 5-8 years old

### Exclusion criteria:

children with systemic diseases or with special healthcare needs Children with poor oral hygiene or periodontal disease radiographic signs of internal or external root resorption, root canal calcification, non-restorable teeth

## Age

From **5 years** old to **8 years** old

## Gender

Both

## Phase

3

## Groups that have been masked

- Participant
- Care provider
- Outcome assessor

## Sample size

Target sample size: **90**

## Randomization (investigator's opinion)

Randomized

## Randomization description

Patient selection is based on the block randomization method with the use of randomization application. For the concealment, Sequentially numbered, sealed, opaque envelopes are used.

## Blinding (investigator's opinion)

Double blinded

## Blinding description

The patient and the two researchers who record the time of canal preparation and obturation, pain intensity, and child cooperation during the intervention and also the researcher who interprets the quality of obturation, clinical and radiographic success are blind to the group allocation.

## Placebo

Not used

## Assignment

Parallel

## Other design features

## Secondary Ids

empty

## Ethics committees

### 1

#### Ethics committee

##### Name of ethics committee

Ethics committee of Shiraz Dental School

##### Street address

Shiraz Dental School, Qom Abad street, Qasrodasht avenue

##### City

Shiraz

##### Province

Fars

##### Postal code

7196515878

#### Approval date

2022-01-05, 1400/10/15

#### Ethics committee reference number

IR.SUMS.DENTAL.REC.1400.130

## Health conditions studied

### 1

#### Description of health condition studied

Primary second molar with irreversible pulpitis

#### ICD-10 code

K04.0

#### ICD-10 code description

Pulpitis

## Primary outcomes

### 1

#### Description

measurement of time of canal preparation with chronometer

#### Timepoint

From initiation to the end of filing

#### Method of measurement

with chronometer

### 2

#### Description

measurement of time of canal obturation with chronometer

#### Timepoint

From initiation to the end of obturation

#### Method of measurement

with chronometer

### 3

#### Description

patient cooperation

## **Timepoint**

during intervention

## **Method of measurement**

Frankel and FLACC criteria for patient cooperation

## **4**

### **Description**

Intensity and duration of pain

### **Timepoint**

6, 12, 24, 48, 72 hours and 1 week after intervention

### **Method of measurement**

four point pain intensity

## **5**

### **Description**

clinical success

### **Timepoint**

3, 6, 12, and 18 months after treatment

### **Method of measurement**

without signs of pain, abscess, redness, tenderness, mobility, swelling, sinus tract, and pus are considered successful

## **6**

### **Description**

radiographic success

### **Timepoint**

3, 6, 12, and 18 months after treatment

### **Method of measurement**

absence of pathologic findings, radiolucency in furca or periapical

## **Secondary outcomes**

empty

## **Intervention groups**

### **1**

#### **Description**

Control group: After access cavity preparation, the root canal will be prepared with hand file. Sodium hypochlorite and normal saline and EDTA (if needed) is used for canal irrigation and lubrication. Each file will be used for 4 teeth maximum. The prepared canals are then dried with paper cones (size 30-35) and filled with Endoflas (Sanlor and Cia. S. en C.S., Cali, Colombia) 1-2 mm shorter than the working length using injection method with Navitip (Ultradent, USA)

#### **Category**

Treatment - Devices

### **2**

#### **Description**

Intervention group: After access cavity preparation, the root canal will be prepared with rotary file m3-immatural. Sodium hypochlorite and normal saline and EDTA (if needed) is used for canal irrigation and lubrication. Each

file will be used for 4 teeth maximum. The prepared canals are then dried with paper cones (size 30-35) and filled with Endoflas (Sanlor and Cia. S. en C.S., Cali, Colombia) 1-2 mm shorter than the working length using injection method with Navitip (Ultradent, USA)

#### **Category**

Treatment - Devices

### **3**

#### **Description**

Intervention group: After access cavity preparation, the root canal will be prepared with Rotary file iRace plus. Sodium hypochlorite and normal saline and EDTA (if needed) is used for canal irrigation and lubrication. Each file will be used for 4 teeth maximum. The prepared canals are then dried with paper cones (size 30-35) and filled with Endoflas (Sanlor and Cia. S. en C.S., Cali, Colombia) 1-2 mm shorter than the working length using injection method with Navitip (Ultradent, USA)

#### **Category**

Treatment - Devices

## **Recruitment centers**

### **1**

#### **Recruitment center**

##### **Name of recruitment center**

Department of Pediatric Dentistry, Shiraz Dental School

##### **Full name of responsible person**

Dr. Mahtab Memarpour

##### **Street address**

Qomabad street, Qasrodasht avenue

##### **City**

Shiraz

##### **Province**

Fars

##### **Postal code**

7196515878

##### **Phone**

+98 912 337 4680

##### **Email**

memarpour@sums.ac.ir

## **Sponsors / Funding sources**

### **1**

#### **Sponsor**

##### **Name of organization / entity**

Shiraz University of Medical Sciences

##### **Full name of responsible person**

Dr. Mahtab Memarpour

##### **Street address**

Zand street

##### **City**

Shiraz

##### **Province**

Fars

##### **Postal code**

7134814336

**Phone**

+98 71 3230 5410

**Email**

memarpour@sums.ac.ir

**Grant name**

**Grant code / Reference number**

**Is the source of funding the same sponsor organization/entity?**

Yes

**Title of funding source**

Shiraz University of Medical Sciences

**Proportion provided by this source**

100

**Public or private sector**

Public

**Domestic or foreign origin**

Domestic

**Category of foreign source of funding**

empty

**Country of origin**

**Type of organization providing the funding**

Academic

## Person responsible for general inquiries

**Contact**

**Name of organization / entity**

Shiraz University of Medical Sciences

**Full name of responsible person**

Mahtab Memarpour

**Position**

Professor

**Latest degree**

Specialist

**Other areas of specialty/work**

Dentistry

**Street address**

Zand street

**City**

Shiraz

**Province**

Fars

**Postal code**

7196515878

**Phone**

+98 71 3628 0118

**Email**

memarpour@sums.ac.ir

## Person responsible for scientific inquiries

**Contact**

**Name of organization / entity**

Shiraz University of Medical Sciences

**Full name of responsible person**

Mahtab Memarpour

**Position**

professor

**Latest degree**

Specialist

**Other areas of specialty/work**

Dentistry

**Street address**

Qomabad street, qasrodasht avenue

**City**

Shiraz

**Province**

Fars

**Postal code**

7196515878

**Phone**

+98 71 3628 0118

**Email**

memarpour@sums.ac.ir

## Person responsible for updating data

**Contact**

**Name of organization / entity**

Shiraz University of Medical Sciences

**Full name of responsible person**

Mahtab Memarpour

**Position**

professor

**Latest degree**

Specialist

**Other areas of specialty/work**

Dentistry

**Street address**

qomabad street, qasrodasht avenue

**City**

shiraz

**Province**

Fars

**Postal code**

7196515878

**Phone**

+98 71 3628 0118

**Email**

memarpour@sums.ac.ir

## Sharing plan

**Deidentified Individual Participant Data Set (IPD)**

Undecided - It is not yet known if there will be a plan to make this available

**Study Protocol**

Undecided - It is not yet known if there will be a plan to make this available

**Statistical Analysis Plan**

Undecided - It is not yet known if there will be a plan to make this available

**Informed Consent Form**

Undecided - It is not yet known if there will be a plan to make this available

**Clinical Study Report**

Undecided - It is not yet known if there will be a plan to make this available

**Analytic Code**

Undecided - It is not yet known if there will be a plan to make this available

**Data Dictionary**

Undecided - It is not yet known if there will be a plan to make this available