

Clinical Trial Protocol

Iranian Registry of Clinical Trials

18 Sep 2026

Effects of "compound Ma-ol-asal" syrup on cancer-related fatigue in gastrointestinal (GI) cancer patients who are undergoing chemotherapy

Protocol summary

Study aim

Determination of the effect of "compound Ma-ol-asal" syrup on cancer-related fatigue in gastrointestinal (GI) cancer patients who are undergoing chemotherapy

Design

A randomized, double blinded, controlled clinical trial with a parallel group, phase 3

Settings and conduct

The sample cases are the patients with GI cancer referring to oncology and chemotherapy departments of Tohid hospital of Sanandaj who have symptoms of cancer-related fatigue. In order to blind the investigator, medications are named as "A" for "compound Ma-ol-asal" syrup and B for placebo. The patients don't aware of the type of drug she or he is assigned to. . In the first visit, consent forms and questionnaires of the fatigue severity based on Visual Analogue Fatigue Scale (VAS), Fatigue Severity Scale (FSS) and the Cancer Fatigue Scale (CFS) are completed. After two weeks, patients are followed up by phone and after 4 weeks, patients are re-visited and questionnaires of fatigue severity will be completed again.

Participants/Inclusion and exclusion criteria

Inclusion criteria: 1.Age between 18- 70 years old; 2. GI cancer (pathologically diagnosed).3.Undergoing chemotherapy 4. Hemoglobin level at least 10g/dl
Exclusion criteria: 1. Heart disease with unstable conditions 2. Liver disease with unstable conditions .3. Positive history of hypersensitivity to each component of the "compound Ma-ol-asal" syrup., 4. Serious accompanying disease. .

Intervention groups

Group A: patients with GI cancer-related fatigue receiving "compound Ma-ol-asal" syrup, 10 cc three times daily. Group B: patients with GI cancer-related fatigue receiving placebo, 10 cc three times daily.

Main outcome variables

1. The mean of score of "Visual Analogue Fatigue Scale",
2.The mean of score of "Fatigue Severity Scale", 3. The

mean of score of "The Cancer Fatigue Scale"

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20191211045693N1**

Registration date: **2022-08-20, 1401/05/29**

Registration timing: **registered_while_recruiting**

Last update: **2022-08-20, 1401/05/29**

Update count: **0**

Registration date

2022-08-20, 1401/05/29

Registrant information

Name

ata amani

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 8877 3521

Email address

dr-amani@sbmu.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2022-07-23, 1401/05/01

Expected recruitment end date

2023-07-23, 1402/05/01

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty	
Scientific title	Effects of "compound Ma-ol-asal" syrup on cancer-related fatigue in gastrointestinal (GI) cancer patients who are undergoing chemotherapy
Public title	Effects of "compound Ma-ol-asal" syrup on cancer-related fatigue
Purpose	Treatment
Inclusion/Exclusion criteria	Inclusion criteria: 1.Age between 18- 70 years old 2. GI cancer (pathologically diagnosed) 3.Undergoing chemotherapy 4. Hemoglobin level at least 10g/dl 5. Hematocrit level at least 30% . 6. No clinical symptom of hypothyroidism 7. Visual Analogue Fatigue Scale (VAS)>=4 Exclusion criteria: 1. Heart disease with unstable conditions 2. Liver disease with unstable conditions 3. Disabling pulmonary disease 4. Positive history of hypersensitivity to honey and its compounds 5. Positive history of hypersensitivity to each component of the "compound Ma-ol-asal" syrup. 6. Uncontrolled pain. 7. An individual who uses treatment due to known psychiatric disease 8.Pregnancy. 9. Simultaneous use of drugs that affect fatigue. 10. kidney disease with unstable conditions 11. Severe infection 12. Serious accompanying disease.
Age	From 18 years old to 78 years old
Gender	Both
Phase	3
Groups that have been masked	• Participant • Investigator
Sample size	Target sample size: 120
Randomization (investigator's opinion)	Randomized
Randomization description	In this study, the restricted randomization method of block randomization is used. Blocking is used to balance the number of samples assigned to each of the study groups. The randomization method was performed using balanced block randomization and in the form of 4 blocks using the computer. Each drug is labeled with a number from 1 to 120. Patients were divided into two groups for the trial: the first group (60 people) was the intervention group and the second (60 people) was the control group (placebo group). Both groups were equally divided in terms of characteristics and coordinated conditions. The control group is assigned to "A" and the intervention group to "B", and then these two groups are divided into 6 blocks of 4: (1) AABB, (2) BBAA, (3) ABAB, (4) BABA, (5) AB BA, (6) BAAB . These blocks are randomly stacked together by a computer to form a chain of random groups (e.g. B B A A A B B A B A B B A A B B A B A

A B) Patients then enter these groups in the order of enrollment. For randomization, a randomization tool for random sequence software called Random allocation software is used. In addition to simple randomization, this software is also able to generate random sequences by the block generation method. For concealment, we use allocation concealment, which is the method used to execute a random sequence on the study participants, so that the assigned group is not known before the individual is assigned. Jollab or placebo bottles are produced with the same shape and color and after coding with a random sequence, each of the random sequences created is recorded on a label. The labels are stuck on Jollab or placebo bottles. Participants will receive the labeled bottles	
Blinding (investigator's opinion)	Double blinded
Blinding description	In this study, both Jollab syrup and placebo are made by the pharmacist in the laboratory and dumped and coded in similar bottles that only the pharmacist knows about the codes and in the same way it will be given to researchers and basis on randomization finally for participants both so the researcher and the participant are blinded.
Placebo	Used
Assignment	Parallel
Other design features	
Secondary Ids	empty
Ethics committees	
1	
Ethics committee	
Name of ethics committee	Ethics Committee of Shahid Beheshti University of Medical Sciences
Street address	Velenjak, Yaman Ave., Sh. Aarabi Ave., Shahid Beheshti University of Medical Sciences
City	Tehran
Province	Tehran
Postal code	1985717443
Approval date	2020-06-07, 1399/03/18
Ethics committee reference number	IR.SBMU.RETECH.REC.1399.260
Health conditions studied	
1	
Description of health condition studied	

Neoplastic (malignant) related fatigue

ICD-10 code

R53.0

ICD-10 code description

Neoplastic (malignant) related fatigue

Primary outcomes

1

Description

Score of Fatigue Severity "Visual Analogue Fatigue Scale"

Timepoint

Week 0 (before the start of the intervention) and week 4 (after the start of the intervention)

Method of measurement

Using Visual Analogue Fatigue Scale questionnaire

2

Description

Score of "The Cancer Fatigue Scale"

Timepoint

The weeks of 0 and 4 after treatment

Method of measurement

The Cancer Fatigue Scale questionnaire

Secondary outcomes

1

Description

dyspepsia

Timepoint

Week 0 (before the start of the intervention) and week 4 (after the start of the intervention)

Method of measurement

Likert scale

Intervention groups

1

Description

Intervention group: In addition to all the standard and required medicines, patients with GI cancer-related fatigue receiving "compound Ma-ol-asal" syrup that is made by Niak Pharmaceutical Company, 10 cc three times daily for four weeks;

Category

Treatment - Drugs

2

Description

Control group: In addition to all the standard and required medicines, patients with GI cancer-related fatigue receiving placebo that is made by Niak pharmaceutical company, 10 cc three times daily for four weeks.

Category

Placebo

Recruitment centers

1

Recruitment center

Name of recruitment center

Tohid hospital, Oncology and Chemotherapy clinic

Full name of responsible person

Ata Amani

Street address

Gryashan Blvd

City

Sanandaj

Province

Kurdistan

Postal code

66168-13131

Phone

+98 903 094 8802

Email

dr-amani@sbmu.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Shahid Beheshti University of Medical Sciences

Full name of responsible person

Sponsor Vice chancellor for research, Shahid Beheshti University of Medical Sciences

Street address

7th Floor, Bldg No.2 SBUMS, Arabi Ave, Daneshjoo Blvd, Velenjak, Tehran, Iran.

City

Tehran

Province

Tehran

Postal code

1985717443

Phone

+98 21 23871

Email

dr-amani@sbmu.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Shahid Beheshti University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Shahid Beheshti University of Medical Sciences

Full name of responsible person

Ata Amani

Position

MD, PhD student

Latest degree

Medical doctor

Other areas of specialty/work

Traditional Medicine

Street address

No8, Shams Alley, In front of Tavanir Ave., Vali-Asr Ave., Faculty of Traditional Medicine, Shahid Beheshti University of Medical Sciences

City

Tehran

Province

Tehran

Postal code

1516745811

Phone

+98 21 8877 3521

Email

dr-amani@sbmu.ac.ir

Person responsible for scientific inquiries

Contact

Name of organization / entity

Shahid Beheshti University of Medical Sciences

Full name of responsible person

Dr. Ghazaleh Heydarirad

Position

Assistant Professor

Latest degree

Ph.D.

Other areas of specialty/work

Traditional Medicine

Street address

No8, Shams Alley, In front of Tavanir Ave., Vali-Asr Ave., Faculty of Traditional Medicine, Shahid Beheshti University of Medical Sciences

City

Tehran

Province

Tehran

Postal code

1516745811

Phone

+98 21 8877 6027

Email

ghazalrad@yahoo.com

Person responsible for updating data

Contact

Name of organization / entity

Shahid Beheshti University of Medical Sciences

Full name of responsible person

Ata Amani

Position

MD, PhD student

Latest degree

Medical doctor

Other areas of specialty/work

Traditional Medicine

Street address

No8, Shams Alley, In front of Tavanir Ave., Vali-Asr Ave., Faculty of Traditional Medicine, Shahid Beheshti University of Medical Sciences

City

Tehran

Province

Tehran

Postal code

1516745811

Phone

+98 21 8877 3521

Email

dr-amani@sbmu.ac.ir

Sharing plan

Deidentified Individual Participant Data Set (IPD)

No - There is not a plan to make this available

Justification/reason for indecision/not sharing IPD

The study has not started yet, and the progress of the work and the data cannot be predicted so a decision will be made after the completion of the project.

Study Protocol

No - There is not a plan to make this available

Statistical Analysis Plan

No - There is not a plan to make this available

Informed Consent Form

No - There is not a plan to make this available

Clinical Study Report

No - There is not a plan to make this available

Analytic Code

No - There is not a plan to make this available

Data Dictionary

No - There is not a plan to make this available