

Clinical Trial Protocol

Iranian Registry of Clinical Trials

17 Sep 2026

Evaluation and comparison of bleeding and Activated Clotting Time (ACT) after coronary artery bypass grafting in protamine-heparin injection 1: 1 and protamine-heparin 0.5: 1

Protocol summary

Study aim

Evaluation and comparison of bleeding and Activated Clotting Time after coronary bypass grafting in protamine-heparin 1: 1 and 0.5: 1

Design

Clinical trial containing control double blind randomized group and parallel group phase 3 has been tried on 60 patients randomized by SPSS.

Settings and conduct

The study is conducted in Isfahan in Operation room department and Heart intensive care unit at Chamran and Milad Hospitals, according to entry and exit criteria on 60 person involve two 30-participant groups who were randomly grouped, the study is done. and the study is double blind and participants and Health care providers and Implication evaluators are unknowing from allocation participant to which group and all the interference procedures are utterly similar as regards the aspects of volume and color and appearance and time. After the end of Coronary By pass surgery in the intervention group, received Heparin is neutralized with a half routine dose of Protamine and in control group with complete dose of Protamine. Performance in each of two group is completely similar. Protamine it is infused in 100 milliliter of Normal saline serum during 15 minuets. 5 minuets after the end of infusion, Activated Clotting Time, evaluate with coagulometer device and bleeding level after surgery, 12 hours and 36 hours after surgery evaluate with drain and chest tubs box control.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Discontinue use anti-coagulation drugs for at least one week prior to surgery, absence of Hemostatic Disorders Exclusion criteria: Pregnancy, Emergency surgery

Intervention groups

Intervention group receives protamine in a ratio of 0.5 to 1 in proportion to heparin. Control group receives

protamine in a ratio of 1 to 1 in proportion to heparin.

Main outcome variables

Activated Clotting Time, bleeding, re-exploration

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20220610055128N1**

Registration date: **2023-03-02, 1401/12/11**

Registration timing: **prospective**

Last update: **2023-03-02, 1401/12/11**

Update count: **0**

Registration date

2023-03-02, 1401/12/11

Registrant information

Name

Amir Mirmohammadsadeghi

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 31 3260 0961

Email address

am-sadeghi@mui.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2023-03-10, 1401/12/19

Expected recruitment end date

2023-09-10, 1402/06/19

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Evaluation and comparison of bleeding and Activated Clotting Time (ACT) after coronary artery bypass grafting in protamine-heparin injection 1: 1 and protamine-heparin 0.5: 1

Public title

The Evaluation of the impact of reduction in the Protamine dose in comparison to its total dose after coronary artery bypass grafting

Purpose

Supportive

Inclusion/Exclusion criteria**Inclusion criteria:**

Omitting anti-coagulation drugs at least one week prior to surgery Patient should be a candidate for coronary artery bypass grafting Informed consent to participate in the study CPB duration less than 100 minutes

Exclusion criteria:

Allergy and the risk of anaphylaxis shock Coagulation abnormality Bleeding and hemostasis dysfunctions due to non-medical causes Patients dependent on dialysis and patients suffering from blood dyscrasia and known platelet dysfunction Pregnancy Heparin re-administration Need for emergency surgery Patients with BMIs higher than 30 Under 28 degrees hypothermia Dissent to participate in the study

Age

From **18 years** old

Gender

Both

Phase

3

Groups that have been masked

- Participant
- Investigator
- Outcome assessor

Sample size

Target sample size: **60**

Randomization (investigator's opinion)

Randomized

Randomization description

Sampling in two super specialist hospital Milad and Chamran in Isfahan is done. Patients portion from each one of this two hospitals determined with portion apportionment formula. For defined portion of each hospital to be assigned individuals for each hospital to A group and B group to be used the method double randomized blocks. In this way that with reference to the hospital reception by patients, respectively each two persons that have inclusion criteria, considered as one block and this blocking for each hospital continue until the enough blocks according to sample size. After formation each block, people of each block they are arranged according to the national code, this matter running in total blocks equally and by using random

number table, if let the number 0 to 4 first person is allocated to A group and the second person is allocated to B group, if let the number 5 to 9 first person is allocated to B group and second person to A group. Eventually persons are allocated to A group or B group. Nomenclature is placed in envelope and is delivered to reception area in operating room. In operating room determine an evaluator that again specifies that which one to receive routine treatment and which one receive new treatment with random number table. If let the number 0 to 4 consider A group routine that is mean to give total dose Protamine Sulfate and if let the number 5 to 9 consider B group routine, and then give other group new treatment that is mean decrease Protamine Sulfate to half dose of routine dose. Without us knowing that which one has received patient routine treatment and which one new treatment. When we go to collect and analyze data this evaluator informs relationship individuals to A or B group and type of treatment.

Blinding (investigator's opinion)

Double blinded

Blinding description

In this study, participants and caretakers including nurses and doctors and implication evaluators are totally unaware of the categorization of participants into which study groups and all the interference procedures are utterly similar as regards the aspects of appearance such as the volume and the color of the drug and the type and the volume of the serum used for infusion and also the time frame needed for the drug to be administered.

Placebo

Not used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Isfahan University of Medical Sciences

Street address

Chamran Hospital, Salman-E-Farsi Street

City

Isfahan

Province

Isfahan

Postal code

81583-88994

Approval date

2022-05-25, 1401/03/04

Ethics committee reference number

IR.MUI.MED.REC.1401.088

Health conditions studied

1

Description of health condition studied

Patients in need of coronary artery bypass grafting

ICD-10 code

ICD-10 code description

Primary outcomes

1

Description

Percent of participants with number of Activated Clotting Time near normal domain (70-120) second

Timepoint

5 minutes after the end of protamine injection

Method of measurement

Activated Clotting Time assessment with Coagulometer device according to second

2

Description

Percent of abnormal bleeding

Timepoint

Drainage assessment of the drains and chest tubes 12 hours and 36 hours after the end of surgery

Method of measurement

Drainage assessment of the drains and chest tubes according to cubic centimeter

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group: This group involve 30 person that intervention means reduction Protamine dose to the half the usual amount in they is done. In this group relative to the amount received Heparin, in the end of surgery, a half dose of Protamine receive in 15 minutes as infusion in 100 milliliter of Normal saline serum. 5 minuets after the end of Protamine receipt, evaluate Activated Clotting Time level with coagulometer device. Bleeding level control after 12 hours and 36 hours after surgery through evaluation blood drainage level inside of the chest tubes box. Heparin as Heparin Sodium, it is produced in SHAHID GHAZI PHARMACEUTICAL company as 5000 unit in milliliter in ampule and Protamine as Protamine Sulfate, it is produced in Ronak pharmaceutical company as 1000 unit in milliliter in 5 milliliter in vial.

Category

Treatment - Drugs

2

Description

Control group: This group involve 30 person that intervention means reduction Protamine dose in they it is not done . In this group relative to the amount received Heparin, in the end of surgery, a one dose of Protamine receive in 15 minutes as infusion in 100 milliliter of Normal saline serum. 5 minuets after the end of Protamine receipt, evaluate Activated Clotting Time level with coagulometer device. Bleeding level control after 12 hours and 36 hours after surgery through evaluation blood drainage level inside of the chest tubes box. Heparin as Heparin Sodium , it is produced in SHAHID GHAZI pharmaceutical company as 5000 unit in milliliter in ampule and Protamine as Protamine3Sulfate, it is produced in Ronak pharmaceutical company as 1000 unit in milliliter in 5 milliliter in vial.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Chamran Hospital, Milad hospital

Full name of responsible person

Amir Mirmohammadsadeghi

Street address

Chamran Hospital Salamn-E-Farsi (3rd Mosthagh) St; Shahid-Bakhshi St, Vali-E-Asr Quartier, Simin T-junction

City

Isfahan

Province

Isfahan

Postal code

881583-88994

Phone

+98 31 3260 0961

Fax

+98 31 3260 0961

Email

mahbubeismaili@gmail.com

Web page address

<https://imsh.ir/>

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Esfahan University of Medical Sciences

Full name of responsible person

Amir Mirmohammadsadeghi

Street address

Chamran Heart Hospital-after Shahrestan bridge-Salman Farsi St-Isfahan

City

Isfahan
Province
 Isfahan
Postal code
 81583-88997
Phone
 +98 31 3260 0961
Email
 am-sadeghi@mui.ac.ir
Grant name
Grant code / Reference number
Is the source of funding the same sponsor organization/entity?
 Yes
Title of funding source
 Esfahan University of Medical Sciences
Proportion provided by this source
 100
Public or private sector
 Public
Domestic or foreign origin
 Domestic
Category of foreign source of funding
 empty
Country of origin
Type of organization providing the funding
 Academic

Person responsible for general inquiries

Contact
Name of organization / entity
 Esfahan University of Medical Sciences
Full name of responsible person
 Dr.Amir MirMohammadSadeghi
Position
 Assistant Professor
Latest degree
 Subspecialist
Other areas of specialty/work
 Cardiology
Street address
 Shahid Chamran Heart Hospital, After Shahrestan bridge, 3tMoshtagh,isfahan
City
 Isfahan
Province
 Isfahan
Postal code
 81583-88997
Phone
 +98 31 3260 0961
Email
 am-sadeghi@mui.ac.ir

Person responsible for scientific inquiries

Contact
Name of organization / entity
 Esfahan University of Medical Sciences
Full name of responsible person

Amir Mirmohammadsadeghi
Position
 Associate professor
Latest degree
 Subspecialist
Other areas of specialty/work
 Cardiology
Street address
 Shahid Chamran Heart Hospital, After Shahrestan bridge, 3tMoshtagh St, Isfahan
City
 Isfahan
Province
 Isfahan
Postal code
 81583-88997
Phone
 +98 31 3260 0961
Email
 am-sadeghi@mui.ac.ir
Web page address
 https://www.chamranhospital.ir

Person responsible for updating data

Contact
Name of organization / entity
 Esfahan University of Medical Sciences
Full name of responsible person
 Amir MirMohammadSadeghi
Position
 Associate Professor
Latest degree
 Subspecialist
Other areas of specialty/work
 Cardiology
Street address
 Shahid Chamran Hospital,After Shahrestan bridge, 3t Moshtagh St, Isfahan
City
 Isfahan
Province
 Isfahan
Postal code
 81583-88997
Phone
 +98 31 3260 0961
Email
 am-sadeghi@mui.ac.ir
Web page address
 https://www.chamranhospital.ir

Sharing plan

Deidentified Individual Participant Data Set (IPD)
 Undecided - It is not yet known if there will be a plan to make this available
Study Protocol
 Undecided - It is not yet known if there will be a plan to make this available
Statistical Analysis Plan
 Undecided - It is not yet known if there will be a plan to

make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available