

Clinical Trial Protocol

Iranian Registry of Clinical Trials

27 May 2026

Comparison of "immediate" endoscopic necrosectomy vs. "on-demand" necrosectomy for treatment of infected walled-off pancreatic necrosis

Protocol summary

necrosis after 1 and 3 months; Survival after 3 months;
Incidence rate of new diabetes

Study aim

Comparing the success rate of "immediate" vs. "on demand" endoscopic necrosectomy for infected walled off pancreatic necrosis (WOPN)

Design

Two arm, parallel group, single blind randomized clinical trial (randomization with using "random number table")

Settings and conduct

Patients with infected walled off pancreatic necrosis, admitted to the Shariati Hospital, Tehran, Iran, are randomly assigned to study groups. Patients at both groups would be followed up for 3 months and compared in terms of success rate and complications. The responsible physician for postprocedure care and the outcome assessors would be blinded to the random allocation.

Participants/Inclusion and exclusion criteria

Inclusion criteria: 1. Age at least 18 years 2. Definite diagnosis of infected walled off pancreatic necrosis 3. At least 20% solid component at the necrotic lesion
Exclusion criteria: 1. Uncorrectable coagulopathy with platelet count less than 50,000 or international normalized ratio (INR) above 1.5 2. Location of the infected walled-off pancreatic necrosis is unreachable with endosonography 3. Pregnancy (in females) 4. Prior intervention on the infected walled-off pancreatic necrosis (such as cutaneous drainage, ...)

Intervention groups

"Immediate" necrosectomy group: Patients at this group will have endoscopic necrosectomy at the time of stent placement. "On demand" necrosectomy group: For patients in this group, endoscopic necrosectomy is not performed at the time of stent placement. Such patients may undergo endoscopic necrosectomy during follow up if clinically indicated.

Main outcome variables

Clinical success rate; Complication rate; Duration of hospitalization; Number of necrosectomy sessions; Mean time of necrosectomies; Size of walled off pancreatic

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20220718055486N1**

Registration date: **2022-08-08, 1401/05/17**

Registration timing: **prospective**

Last update: **2022-08-08, 1401/05/17**

Update count: **0**

Registration date

2022-08-08, 1401/05/17

Registrant information

Name

Morteza Hassanzadeh

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 8670 3411

Email address

hassanzadeh.m@iums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2022-08-23, 1401/06/01

Expected recruitment end date

2023-02-20, 1401/12/01

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Comparison of "immediate" endoscopic necrosectomy vs. "on-demand" necrosectomy for treatment of infected walled-off pancreatic necrosis

Public title

Endoscopic necrosectomy for treatment of infected walled-off pancreatic necrosis

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

Definite diagnosis of walled-off pancreatic necrosis At least 20% solid component at the necrotic lesion

Exclusion criteria:

Uncorrectable coagulopathy with platelet count < 50,000 or INR > 1.5 Location of the infected walled-off pancreatic necrosis is unreachable with endosonography Pregnancy (in females) Prior intervention on the infected walled-off pancreatic necrosis (such as cutaneous drainage, ...)

Age

From **18 years** old

Gender

Both

Phase

N/A

Groups that have been masked

- Investigator
- Outcome assessor
- Data analyser

Sample size

Target sample size: **40**

Randomization (investigator's opinion)

Randomized

Randomization description

Considering the small sample size and in order to balance the number of patients in two study groups, participants of this study were randomly assigned to each group using the restricted randomization method of "permuted block randomization". This way, in this study the block size of 4 would be used so that in each block 2 patients is assigned to the case group and 2 to the control one; having filled each block, the filling process of next block would be started. Before beginning of the investigation, the order of 10 blocks and the order of intra-block case assignment are prepared by a blinded statistician using "Random Allocation Software", and the assignment would be performed accordingly as follows. The sequential blocks are saved in the computer as ten folders (numbered 1 to 10) each containing four Word files (numbered 1 to 4) and either A (meaning "immediate" endoscopic necrosectomy) or B (meaning "on-demand" endoscopic necrosectomy) is written in each file. For the first patient, the folder No. 1 and then the containing Word file No. 1 are opened to determine the patient's group (A or B). For the 2nd to 4th patients, the Word files No. 2 to No. 4 from folder 1 are

sequentially opened. For the 5th to 8th patients, the Word files No. 1 to No. 4 from folder 2 are sequentially opened; and this way, the random allocation process is continued for the next patients.

Blinding (investigator's opinion)

Single blinded

Blinding description

The physician who performs the interventions could not be blinded. The responsible physician for post-procedural care and the investigator who collects the data and evaluates the outcomes, however, would be blinded to the randomization assignment.

Placebo

Not used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Digestive Disease Research Institute (DDRI), Tehran University of Medical Scienc

Street address

Digestive Diseases Research Institute (DDRI), Shariati Hospital, North Kargar Street

City

Tehran

Province

Tehran

Postal code

۱۴۱۱۷۱۳۱۳۵

Approval date

2022-05-17, 1401/02/27

Ethics committee reference number

IR.TUMS.DDRI.REC.1401.008

Health conditions studied**1****Description of health condition studied**

Acute pancreatitis; Infected walled off necrosis

ICD-10 code

K85.9

ICD-10 code description

Acute pancreatitis, unspecified

Primary outcomes**1****Description**

Size of infected walled-off pancreatic necrosis

Timepoint

1 month and 3 months

Method of measurement

Abdominal computerized tomography (CT) scan

2

Description

Clinical symptoms and signs related to the infected walled off pancreatic necrosis

Timepoint

1 months and 3 months

Method of measurement

Patient interview

Secondary outcomes

1

Description

Complications after endoscopic necrosectomy

Timepoint

1 month and 3 months after stent placement

Method of measurement

Clinical evaluation and reviewing the patient's medical records

2

Description

Length-of-stay in hospital

Timepoint

1 month and 3 months after stent placement

Method of measurement

Reviewing the patient's medical records

3

Description

Number of necrosectomy sessions

Timepoint

1 month and 3 months after stent placement

Method of measurement

Reviewing the patient's medical records

4

Description

Mean time of necrosectomies

Timepoint

1 month and 3 months after stent placement

Method of measurement

Reviewing the patient's medical records

5

Description

Survival after 3 months

Timepoint

3 months after stent placement

Method of measurement

Interview with the patient or his/her relatives

6

Description

Rate of newly-diagnosed diabetes

Timepoint

1 month and 3 months after stent placement

Method of measurement

Laboratory evaluation (blood glucose)

Intervention groups

1

Description

Intervention group ("immediate" necrosectomy): Patients at this group will have endoscopic necrosectomy at the time of stent placement. The necrotic collection is identified with endoscopic ultrasonography (EUS); then transmural placement of cystogastrostomy stent under EUS guidance is performed. The type of stent, either "double pigtail plastic stent" or "lumen apposing metallic stent", is selected at the discretion of endoscopist. Immediately after stent placement, the track is dilated with a 15 mm through-the-scope (TTS) balloon; then, direct endoscopic necrosectomy is performed with CO2 insufflation for 45 to 90 minutes.

Category

Treatment - Other

2

Description

Control group ("immediate" necrosectomy): For patients in this group, endoscopic necrosectomy is not performed at the time of stent placement. Here again, the necrotic collection is identified with endoscopic ultrasonography (EUS); then transmural placement of cystogastrostomy stent under EUS guidance is performed. Again, the type of stent, either "double pigtail plastic stent" or "lumen apposing metallic stent", is selected at the discretion of endoscopist. Such patients may undergo endoscopic necrosectomy during follow up if clinically indicated (e.g. no improvement in inflammatory markers, persistent multi-organ failure, or recurrence of these indices after a primary improvement). The necrosectomy procedure, if any, is performed with CO2 insufflation for 45 to 90 minutes.

Category

Treatment - Other

Recruitment centers

1

Recruitment center

Name of recruitment center

Shariati Hospital

Full name of responsible person

Morteza Hassanzadeh

Street address

Digestive Disease Research Institute (DDRI), Shariati Hospital, Intersection of North Karegar street and

Jalal-E-Al-E-Ahmad highway

City

Tehran

Province

Tehran

Postal code

1411713135

Phone

+98 21 8241 5000

Fax

+98 21 8241 5400

Email

drmhxim@gmail.com

Web page address

<https://www.ddri.ir/>

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Tehran University of Medical Sciences

Full name of responsible person

Akbar Fotouhi

Street address

Research and Technology Vice-Chancellor, Central building of Tehran University of Medical Sciences, Intersection of Ghods street and Keshavarz Blvd.

City

Tehran

Province

Tehran

Postal code

1417653761

Phone

+98 21 8163 3685

Email

vcr@tums.ac.ir

Web page address

<https://vcr.tums.ac.ir/>

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Tehran University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Iran University of Medical Sciences

Full name of responsible person

Morteza Hassanzadeh

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Internal Medicine

Street address

Rasoul-e-Akram Medical Center, Niyayesh St., Sattarkhan Ave.

City

Tehran

Province

Tehran

Postal code

1445613131

Phone

0098 21 64351

Fax

+98 21 8670 3411

Email

drmhxim@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Tehran University of Medical Sciences

Full name of responsible person

Mehdi Mohamadnejad

Position

Associate professor

Latest degree

Subspecialist

Other areas of specialty/work

Gastroenterology and hepatology

Street address

Digestive Disease Research Institute (DDRI), Shariati Hospital, Intersection of north Karegar street and Jalal-E-Al-E-Ahmad highway

City

Tehran

Province

Tehran

Postal code

1411713135

Phone

+98 21 8241 5000

Email

mehdi.nejad@gmail.com

Person responsible for updating data

Contact

Name of organization / entity

Iran University of Medical Sciences

Full name of responsible person

Morteza Hassanzadeh

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Internal Medicine

Street address

Rasoul-e-Akram Medical Center, Niyayesh St.,
Sattarkhan Ave

City

Tehran

Province

Tehran

Postal code

1445613131

Phone

0098 21 64351

Email

drmhxim@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Yes - There is a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Yes - There is a plan to make this available

Data Dictionary

Yes - There is a plan to make this available

Title and more details about the data/document

All the individual patient data and codes used for study analysis would be shared online on request. All other data or documents of the study would also be released either as a published paper or its appendix, or as requested.

When the data will become available and for how long

Since 6 months after study results are published

To whom data/document is available

All who request

Under which criteria data/document could be used

Any kind of use of the study data will only be allowed with the permission of the corresponding author of the published paper from the study.

From where data/document is obtainable

Sending email to the corresponding author of the published paper from the study

What processes are involved for a request to access data/document

Sending an official email to the corresponding author and receiving his approval

Comments