

Clinical Trial Protocol

Iranian Registry of Clinical Trials

28 May 2026

The effect of rectal oxytocin suppositories compared to routine methods in reducing pain and bleeding after elective cesarean section - a randomized clinical trial

Protocol summary

Study aim

The effect of rectal oxytocin suppositories compared to routine methods in reducing pain and bleeding after elective cesarean section.

Design

In this randomized clinical trial study, pregnant women are completely randomly divided into two intervention groups of 26 people: oxytocin rectal suppository and placebo: placebo rectal suppository.

Settings and conduct

Term pregnant women candidates for elective cesarean section for the second time, referred to Kamali Hospital with the conditions for entering the study, will be randomly assigned to one of the intervention/placebo groups in two groups of 26.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Pregnant women candidates for elective cesarean surgery for the second time; 37 weeks of pregnancy and singletons; Insensitivity to oxytocin. Exclusion criteria: Hemodynamic changes during surgery; Nausea and vomiting; Respiratory arrest; Arrhythmia; Severe bleeding; The need for additional days of oxytocin or the need for other drugs such as metrogren and misopropylol; Chills and severe pain after surgery.

Intervention groups

Intervention group: In recovery, 10 units of intravenous oxytocin (per liter of serum) are injected and then rectal oxytocin suppositories are given. Suppositories contain 10 effective units of oxytocin. Placebo group: In recovery, 10 units of intravenous oxytocin (per liter of serum) are injected and then placebo rectal suppositories are given. Placebo suppositories are completely similar to medicinal suppositories in terms of shape, size and color, and in terms of composition, they contain paraffin.

Main outcome variables

Pain; Bleeding

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20221011056143N1**

Registration date: **2022-10-16, 1401/07/24**

Registration timing: **prospective**

Last update: **2022-10-16, 1401/07/24**

Update count: **0**

Registration date

2022-10-16, 1401/07/24

Registrant information

Name

Mehdi Zakikhani

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 26 3428 7383

Email address

mehdizakikhani90@gmail.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2022-10-31, 1401/08/09

Expected recruitment end date

2023-02-17, 1401/11/28

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

The effect of rectal oxytocin suppositories compared to routine methods in reducing pain and bleeding after elective cesarean section - a randomized clinical trial

Public title

The effect of rectal oxytocin suppositories compared to routine methods in reducing pain and bleeding after elective cesarean section

Purpose

Prevention

Inclusion/Exclusion criteria**Inclusion criteria:**

Pregnant women candidates for elective cesarean surgery for the second time Age 20 to 40 years Full-term women (37 full weeks of pregnancy and singletons) who undergo active cesarean section for non-emergency reasons. A.S.A Class II Not suffering from underlying diseases such as diabetes, high blood pressure, preeclampsia, eclampsia or a history of taking certain drugs. Not suffering from hypothyroidism Insensitivity to oxytocin Absence of fetal anomalies No history of headache and migraine No history of taking psychotropic drugs No alcohol or drug addiction Complete mastery of official language conversation and the ability to read and write in Persian No meningitis at the time of study Not suffering from psychiatric diseases

Exclusion criteria:

Severe drop in blood pressure during cesarean section Any arrhythmia, whether tachyarrhythmia or bradyrhythmia Heavy bleeding during cesarean section Any disruption in the delivery process that prolongs the surgical process or repeats the caesarean section, including rupture of the bladder or bowels during surgery. Hemodynamic changes during surgery, nausea and vomiting, respiratory arrest, arrhythmia and severe bleeding The occurrence of shivering and severe pain in patients after surgery The need for extra days of oxytocin or the need for other drugs such as metrogen and misopropylol

Age

From **20 years** old to **40 years** old

Gender

Female

Phase

2-3

Groups that have been masked

- Participant
- Outcome assessor

Sample size

Target sample size: **52**

Randomization (investigator's opinion)

Randomized

Randomization description

Sampling will be done as a block randomization method. So, initially, in the Excel software, there are 6 blocks of 4 as (AA, BB), (BB, AA), (AB, BA), (BA, AB). (AB, AB), (BA, BA) are prepared and then these blocks will be arranged

from one to six. A is the confirmation of the treatment or intervention group and B is the confirmation of the placebo group. Then one of these blocks will be randomly selected and based on the sequence of letters A and B in the selected block, the eligible people will be assigned to the treatment or placebo groups. The random process of selecting blocks and assigning people to the intervention and placebo groups will continue until the desired sample size is reached.

Blinding (investigator's opinion)

Double blinded

Blinding description

For the study subjects, before the random assignment, it is explained how the work process is and they may receive one of the two treatments randomly, and the drug used for the subjects is not known in advance, the form of the intervention drug and placebo and also, the frequency and times of administration of these two will be similar, so that it is not possible for the patient to distinguish them from each other, so the patient will not know which group she is in.

Placebo

Used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics Committee of Alborz University of Medical Sciences

Street address

Second floor, Deputy of Research and Technology, Saffarian Alley, 45 meters from Golshahr, Karaj.

City

Karaj

Province

Alborz

Postal code

3149779453

Approval date

2022-05-20, 1401/02/30

Ethics committee reference number

IR.ABZUMS.REC.1401.176

Health conditions studied**1****Description of health condition studied**

Pain and bleeding after Cesaean Section

ICD-10 code

O75.4

ICD-10 code description

Other complications of obstetric surgery and procedures

Primary outcomes

1

Description

Pain

Timepoint

0.5, 1, 1.5, 3.5, 6 hours after surgery

Method of measurement

Visual analog scale questionnaire

2

Description

Bleeding

Timepoint

Within 24 hours after delivery

Method of measurement

Counting gasses and blood-soaked sheets to estimate the amount of bleeding

Secondary outcomes

1

Description

Headache

Timepoint

12, 24, 48 and 72 hours after surgery

Method of measurement

visual analog scale questionnaire

2

Description

Shivering

Timepoint

20, 35, 50, 65, 80 and 95 minutes after surgery

Method of measurement

Crossley and Mahajan scale

Intervention groups

1

Description

Intervention group: In recovery, 10 units of intravenous oxytocin (per liter of serum) are injected and then rectal oxytocin suppositories are given. Suppositories contain 10 effective units of oxytocin.

Category

Prevention

2

Description

Control group: In recovery, 10 units of intravenous oxytocin (per liter of serum) are injected and then placebo rectal suppositories are given. Placebo suppositories are completely similar to medicinal

suppositories in terms of shape, size and color, and in terms of composition, they contain paraffin.

Category

Prevention

Recruitment centers

1

Recruitment center

Name of recruitment center

Kamali Hospital

Full name of responsible person

Banafsheh Mashak MD

Street address

Shahada Square, Qazvin St.

City

Karaj

Province

Alborz

Postal code

3134877179

Phone

+98 26 3222 2021

Email

mashakbanafsheh@yahoo.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Karaj University of Medical Sciences

Full name of responsible person

Hatam Godini P.H.D

Street address

Saffarian alley, 45 meters from Golshahr, Karaj

City

Karaj

Province

Alborz

Postal code

3198764653

Phone

+98 26 3464 3705

Email

h.godini@abzums.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Karaj University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Karaj University of Medical Sciences

Full name of responsible person

Mehdi Zakikhani MD

Position

Anesthesiology resident

Latest degree

Medical doctor

Other areas of specialty/work

Anesthesiology

Street address

Kamali Medical Education Center, Kamali Street,
Shahada Square, Shahid Beheshti Street

City

Karaj

Province

Alborz

Postal code

3134877179

Phone

+98 26 3222 2021

Email

mehdizakikhani90@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Karaj University of Medical Sciences

Full name of responsible person

Mehdi Zakikhani MD

Position

Anesthesiology resident

Latest degree

Medical doctor

Other areas of specialty/work

Anesthesiology

Street address

Kamali Medical Education Center, Kamali Street,
Shahada Square, Shahid Beheshti Street

City

Karaj

Province

Alborz

Postal code

3134877179

Phone

+98 26 3222 2021

Email

mehdizakikhani90@gmail.com

Person responsible for updating data

Contact

Name of organization / entity

Karaj University of Medical Sciences

Full name of responsible person

Mehdi Zakikhani MD

Position

Anesthesiology resident

Latest degree

Medical doctor

Other areas of specialty/work

Anesthesiology

Street address

Kamali Medical Education Center, Kamali Street,
Shahada Square, Shahid Beheshti Street

City

Karaj

Province

Alborz

Postal code

3134877179

Phone

+98 26 3222 2021

Email

mehdizakikhani90@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available

Title and more details about the data/document

All data is potentially shareable after unidentified individuals

When the data will become available and for how long

Access period starts 6 months after the results are published.

To whom data/document is available

Research centers and faculty members

Under which criteria data/document could be used

At the request of the researcher and faculty members

From where data/document is obtainable

send email to the scientific respondent

What processes are involved for a request to access data/document

Within two months from the time of requesting and sending the email, the documents will be sent to the

mentioned people
Comments