

Clinical Trial Protocol

Iranian Registry of Clinical Trials

24 Jun 2026

Comparison of the Effect of vitamin E Supplementation on the Treatment of Neonates with Hyperbilirubinemia: A Double-blind Randomized Clinical Trial

Protocol summary

Study aim

Determining the effect of vitamin E supplementation on the treatment of newborns with hyperbilirubinemia

Design

This controlled, parallel-group, double-blind, randomized, phase 3 clinical trial is conducted on 70 infants. Randomization of infants into drug and placebo groups was done using the Random between function of Excel software.

Settings and conduct

The study is conducted in the Neonatal Department of Besat Hospital located in Sanandaj, Kurdistan, Iran. In this study, 70 babies are randomly placed in two groups receiving vitamin E and dextrose. Nurses and parents of infants are blinded to the type of drug received. In order to perform blinding, the drugs are kept in dark and same-colored bottles labeled A and B and given to babies using a dropper.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Term newborns with hyperbilirubinemia admitted to the neonatal department of Besat Hospital of Sanandaj in 2022, gestational age from 37 weeks to 42 weeks and 6 days, birth weight from 2500 gr to 4000 gr
Exclusion criteria: Evidence of infection, congenital malformation, history of phenobarbital use, hypothyroidism, intrauterine growth restriction, oral intolerance, mechanical ventilation

Intervention groups

The group receiving vitamin E oral drops at the rate of 0.5 cc once a day. Placebo group: the group receiving 10% dextrose serum in the amount of 0.5 cc once a day

Main outcome variables

Average serum total bilirubin
Average serum indirect bilirubin
The amount of changes in the mean total serum bilirubin before and after the intervention

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20220806055625N2**

Registration date: **2022-12-26, 1401/10/05**

Registration timing: **registered_while_recruiting**

Last update: **2022-12-26, 1401/10/05**

Update count: **0**

Registration date

2022-12-26, 1401/10/05

Registrant information

Name

Siros Hemmatpour

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 87 3362 7751

Email address

dr.siroshemmatour@yahoo.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2022-12-01, 1401/09/10

Expected recruitment end date

2023-01-30, 1401/11/10

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Comparison of the Effect of vitamin E Supplementation on the Treatment of Neonates with Hyperbilirubinemia: A Double-blind Randomized Clinical Trial

Public title

Investigating the effect of vitamin E on the Treatment of Neonatal Hyperbilirubinemia

Purpose

Treatment

Inclusion/Exclusion criteria

Inclusion criteria:

Term infants with hyperbilirubinemia admitted to the neonatal department of Besat Sanandaj Hospital in 1401 Gestational age from 37 weeks to 42 weeks and 6 days Birth weight from 2500 Grams to 4000 Grams

Exclusion criteria:

Evidence of infection Congenital malformation History of phenobarbital use in mother Hypothyroidism Inappropriate intrauterine growth Oral intolerance Mechanical ventilation

Age

From **1 day** old to **30 days** old

Gender

Both

Phase

3

Groups that have been masked

- Participant
- Care provider

Sample size

Target sample size: **70**

Randomization (investigator's opinion)

Randomized

Randomization description

Neonates will be completely randomly assigned to two groups receiving vitamin E and placebo (10% Dextrose serum). To perform randomization, Excel software is used with the Random between command. To carry out this process, a two-digit code is assigned to each of the people entered into the study, and then using the software, these numbers are randomly selected to enter each of the groups. Odd or even numbers will be assigned to one group each.

Blinding (investigator's opinion)

Double blinded

Blinding description

In this study, the design is double-blind; so that the neonates studied in two groups and their families and clinical caregivers are blinded to the intervention and intervention status.

Placebo

Used

Assignment

Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics committee of Kurdistan University of Medical Sciences

Street address

Kurdistan University of Medical Sciences, Pasdaran Street

City

Sanandaj

Province

Kurdistan

Postal code

661776796

Approval date

2022-03-12, 1400/12/21

Ethics committee reference number

IR.MUK.REC.1400.326

Health conditions studied

1

Description of health condition studied

Neonatal Hyperbilirubinemia

ICD-10 code

P58

ICD-10 code description

Neonatal jaundice due to other excessive hemolysis

Primary outcomes

1

Description

Mean serum total bilirubin

Timepoint

Serum total bilirubin 24 hours, 48 hours and 72 hours after intervention in two groups

Method of measurement

Taking blood samples from the infants in the study at 24 hours, 48 hours and 72 hours after the intervention by a trained nurse and sending them to the lab

2

Description

Mean serum indirect bilirubin

Timepoint

Serum indirect bilirubin 24 hours, 48 hours and 72 hours after intervention in two groups

Method of measurement

Taking blood samples from the infants in the study at 24 hours, 48 hours and 72 hours after the intervention by a trained nurse and sending them to the lab

3

Description

The amount of changes in the mean serum total bilirubin

Timepoint

Before the intervention and 24, 48 and 72 hours after the intervention

Method of measurement

Comparing the average total serum bilirubin before the intervention and the average total serum bilirubin obtained 24, 48 and 72 hours after the intervention.

Secondary outcomes

1

Description

The average number of hospitalization days of newborns in two groups

Timepoint

Number of hospitalization days 24 hours, 48 hours and 72 hours after intervention in two groups

Method of measurement

Registration the number of hospitalization days of the newborns according to the file by a trained nurse

2

Description

The average hours of receiving phototherapy for newborns in two groups

Timepoint

Number of hours receiving phototherapy 24 hours, 48 hours and 72 hours after intervention in two groups

Method of measurement

Registering data of number of hours receiving phototherapy by a trained nurse

3

Description

Possible complications of vitamin E drug

Timepoint

24 hours, 48 hours and 72 hours after the intervention in two groups

Method of measurement

A booklet containing the desired questions related to possible complications (these complications are selected by reviewing the literature) is provided to the mothers of babies and is followed up by a trained nurse.

Intervention groups

1

Description

Intervention group: 35 infants are placed in the group receiving vitamin E orally with a dose of 0/5 cc (equivalent to 10 drops) orally once a day, on the first, second and third days of the intervention.

Category

Treatment - Drugs

2

Description

Control group: 35 infants are placed in the group receiving 10% dextrose serum orally on the first, second and third days of the intervention. Dextrose serum in the amount of 0/5 cc orally once a day is administered to infants in the control group.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Besat hospital

Full name of responsible person

Sirus Hematpour

Street address

Keshavarz Street

City

Sanandaj

Province

Kurdistan

Postal code

6618634683

Phone

+98 87 3328 5911

Email

Info@muk.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Sanandaj University of Medical Sciences

Full name of responsible person

Afshin Maleki

Street address

Abidar street

City

Sanandaj

Province

Kurdistan

Postal code

6618634683

Phone

+98 87 3322 9494

Email

Info@muk.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

No

Title of funding source

Sanandaj University of Medical Sciences

Proportion provided by this source

1

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Sanandaj University of Medical Sciences

Full name of responsible person

Sirous Hematpour

Position

Assistant professor

Latest degree

Subspecialist

Other areas of specialty/work

Pediatrics

Street address

NO.10, Pirooz alley, Jamejam Avenue

City

Sanandaj

Province

Kurdistan

Postal code

6618634683

Phone

+98 87 3322 9494

Email

Dr.siroshematour@yahoo.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Sanandaj University of Medical Sciences

Full name of responsible person

Sirous Hematpour

Position

Assistant professor

Latest degree

Subspecialist

Other areas of specialty/work

Pediatrics

Street address

NO.10, Pirooz alley, Jamejam Avenue

City

Sanandaj

Province

Kurdistan

Postal code

6618634683

Phone

+98 87 3322 9494

Email

Dr.siroshematour@yahoo.com

Person responsible for updating data

Contact

Name of organization / entity

Sanandaj University of Medical Sciences

Full name of responsible person

Sirus Hematpour

Position

Assistant professor

Latest degree

Subspecialist

Other areas of specialty/work

Pediatrics

Street address

NO.10, Pirooz alley, Jamejam Avenue

City

Sanandaj

Province

Kurdistan

Postal code

6618634683

Phone

+98 87 3322 9494

Email

Dr.siroshematour@yahoo.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available