

# Clinical Trial Protocol

## Iranian Registry of Clinical Trials

10 Jun 2026

### Effect of Docosahexaenoic Acid Supplementation on neonatal outcomes of preterm infants

#### Protocol summary

##### Study aim

Effect of Docosahexaenoic Acid Supplementation on neonatal outcomes of preterm infants at Mahdiah, Arash and Imam Hossein Hospitals

##### Design

Participating infants will be randomly assigned to two groups. Regarding that the medicinal products and placebo have already been coded by the clinical pharmacist, the doctor and nurse in charge of the patient will not know the nature of the product. The estimated sample size is: 384 patient.

##### Settings and conduct

The participated neonates divided in two groups receiving DHA and placebo. When the received milk reached 50 cc/kg/day, intervention with 0.5 cc/kg/day of the prepared drug solution and placebo will be prescribed and the neonates will be compared i

##### Participants/Inclusion and exclusion criteria

inclusion criteria: Premature babies with a gestational age of < 34 weeks and weighing <2000 grams. exclusion criteria: infants who are candidates for extensive surgeries, extensive congenital abnormalities, platelets count <80,000/mm<sup>3</sup>, discharge earlier than 14 days, special treatment regimen for the mother, feeding with a formula containing DHA in the infant, lack of parental consent

##### Intervention groups

The infants included in the study are preterm infants who can tolerate enteral feeding with the minimum considered volume and will be able to tolerate nutritional supplementation.

##### Main outcome variables

Determining the effect of doxohexanoic acid on the growth indices of premature babies in Mofid, Mahdia, Arash and Imam Hossein (AS) Children's Hospital.

#### General information

##### Reason for update

##### Acronym

DHA

##### IRCT registration information

IRCT registration number: **IRCT20221120056556N2**

Registration date: **2023-01-28, 1401/11/08**

Registration timing: **registered\_while\_recruiting**

Last update: **2023-01-28, 1401/11/08**

Update count: **0**

##### Registration date

2023-01-28, 1401/11/08

##### Registrant information

###### Name

Minoofallahi

###### Name of organization / entity

###### Country

Iran (Islamic Republic of)

###### Phone

+98 21 2222 7021

###### Email address

minoofallahi@yahoo.com

##### Recruitment status

**Recruitment complete**

##### Funding source

##### Expected recruitment start date

2022-12-22, 1401/10/01

##### Expected recruitment end date

2023-12-22, 1402/10/01

##### Actual recruitment start date

empty

##### Actual recruitment end date

empty

##### Trial completion date

empty

##### Scientific title

Effect of Docosahexaenoic Acid Supplementation on neonatal outcomes of preterm infants

**Public title**

Effect of Docosahexaenoic Acid Supplementation on neonatal outcomes of pereterm infants

**Purpose**

Treatment

**Inclusion/Exclusion criteria****Inclusion criteria:**

Preterm infants with gestational age less than 34 weeks.  
Birth weight less than 2000 gr.

**Exclusion criteria:**

Infants need to major surgery Infants with major congenital anomalies Exclusively formula fed infants  
Discharge to home on less than 14th day of life Infants of mother whit special treatment diet

**Age**

From **1 day** old to **30 days** old

**Gender**

Both

**Phase**

3

**Groups that have been masked**

- Participant
- Care provider
- Investigator
- Outcome assessor
- Data analyser

**Sample size**

Target sample size: **384**

**Randomization (investigator's opinion)**

Randomized

**Randomization description**

In this study, we will use the block randomization method. This method should be used in order to create a balance in the number of samples allocated to each groups and it helps the researchers in cases where there is a need to perform analysis during the sampling process, the number of samples allocated to Each of the studied groups should be equal. In this trial, we will have two groups of 4 blocks (BAAB), (ABBA), (AABB), (BBAB), (ABAB) (including 2 participants in the doxohexanoic acid group and 2 participants in the placebo group). Randomization will also be done using random sequence generation software (random allocation software). Based on the list of randomly prepared blocks of four, a trained person (clinical pharmacologist) outside the research team is responsible for randomly allocating patients, after each patient is admitted to the special ward, according to the block of four prepared in the first stage. Each patient will be randomly assigned to A) intervention) or B) placebo group) and the sampling process will be carried out consecutively until the end of sampling, the code of each patient will also be assigned to his family member. People are assigned to the desired group in the order of their entry into the study and randomly through randomized blocks, and this process continues until the selection of the last block.

**Blinding (investigator's opinion)**

Triple blinded

**Blinding description**

Products that encoded to drug and placebo by clinical

pharmacist, will be prescribe for infants by blinded neonatologist. Then a blinded nurse will administrate the products. Our blinded coauthors who is responsible for outcome assessment and other statistical analyzer will be evaluate the outcomes and results.

**Placebo**

Used

**Assignment**

Parallel

**Other design features****Secondary Ids**

empty

**Ethics committees****1****Ethics committee****Name of ethics committee**

Ethics committee of Shahid Beheshti University of Medical Sciences

**Street address**

7th Floor, Bldg No.2 SBUMS, Arabi Ave, Daneshjoo Blvd, Velenjak, Tehran, Iran.

**City**

Tehran

**Province**

Tehran

**Postal code**

19839-63113

**Approval date**

2022-07-07, 1401/04/16

**Ethics committee reference number**

IR.SBMU.RICH.REC.1401.013

**Health conditions studied****1****Description of health condition studied**

Nutrition of premature babies / Growth of premature babies / Prognosis of premature babies

**ICD-10 code****ICD-10 code description****Primary outcomes****1****Description**

Determining the effect of Docosahexaenoic acid on the growth indices of premature infants

**Timepoint**

During the study, the growth indices will be checked daily to measure weight and weekly to measure height and head circumference, and they will be checked until the time the baby is admitted to the hospital.

**Method of measurement**

A scale will be used to measure weight and a meter will be used to measure height.

## Secondary outcomes

### 1

#### Description

Investigating the effect of Docosahexaenoic acid on the incidence of intraventricular hemorrhage in preterm infants

#### Timepoint

During the whole time of the baby's stay in the hospital

#### Method of measurement

With brain ultrasonography

### 2

#### Description

Investigating the effect of Docosahexaenoic acid acids on the incidence of neonatal sepsis in preterm infants

#### Timepoint

During the whole time of the baby's stay in the hospital

#### Method of measurement

Clinical finding and blood culture examination

### 3

#### Description

Investigating the effect of Docosahexaenoic acids on the incidence of neonatal necrotizing enterocolitis in preterm infants

#### Timepoint

During the whole time of the baby's stay in the hospital

#### Method of measurement

clinical and radiological findings

### 4

#### Description

Investigating the effect of Docosahexaenoic acids on the incidence of retinopathy of prematurity in preterm infants

#### Timepoint

During the whole time of the baby's stay in the hospital

#### Method of measurement

Based on the retinal exam by ophthalmologist

## Intervention groups

### 1

#### Description

Intervention group: Premature babies are divided into intervention and placebo groups using a random number table. So that the people who met the conditions to enter the study will be treated by pre-coded pharmaceutical and placebo products prepared by the clinical pharmacist and the doctor and nurse of the ward have no knowledge of their original nature. The baby receives 60 cc/kg of milk enterally, starting and continuing for 14 days. If the baby is discharged from the ward earlier than 14 days, it will be excluded from the study. In both the intervention and control groups, available emulsions (including

placebo and DHA) based on the weight of the baby with a dose of 0.5 cc/kg/day (as daily or every twelve hours based on the baby's tolerance) will be prescribed. During the daily visit, the request for the implementation of the intervention for 14 days will be included in the doctor's request sheet by the neonatologist. It will be given to the baby before feeding with breast milk and through gavage. It should be mentioned that DHA and placebo emulsion are similar in terms of color, volume and taste. Then, the growth indicators during the intervention period are daily and after completion. He will be evaluated weekly until he is discharged from the hospital and also after discharge in follow-up clinics on a monthly basis, and the relevant checklists will be completed. More about this source textSource text required for additional translation informationSend feedbackSide panels

#### Category

Treatment - Drugs

## Recruitment centers

### 1

#### Recruitment center

##### Name of recruitment center

Mofid Children Hospital

##### Full name of responsible person

Minoofallahi

##### Street address

7th Floor, Bldg No.2 SBUMS, Arabi Ave, Daneshjoo Blvd, Velenjak, Tehran, Iran.

##### City

Tehran

##### Province

Tehran

##### Postal code

19839-63113

##### Phone

+98 21 2243 9770

##### Email

minoofallahi@yahoo.com

### 2

#### Recruitment center

##### Name of recruitment center

Mahdieh Hospital

##### Full name of responsible person

Minoofallahi

##### Street address

7th Floor, Bldg No.2 SBUMS, Arabi Ave, Daneshjoo Blvd, Velenjak, Tehran, Iran.

##### City

Tehran

##### Province

Tehran

##### Postal code

19839-63113

##### Phone

+98 21 2243 9770

##### Email

minoofallahi@yahoo.com

### 3

#### Recruitment center

**Name of recruitment center**

Imam Hossein Hospital

**Full name of responsible person**

Minoo Fallahi

**Street address**

7th Floor, Bldg No.2 SBUMS, Arabi Ave, Daneshjoo Blvd, Velenjak, Tehran, Iran.

**City**

Tehran

**Province**

Tehran

**Postal code**

19839-63113

**Phone**

+98 21 2243 9770

**Email**

minoofallahi@yahoo.com

### 4

#### Recruitment center

**Name of recruitment center**

Arash Hospital

**Full name of responsible person**

Minoo Fallahi

**Street address**

7th Floor, Bldg No.2 SBUMS, Arabi Ave, Daneshjoo Blvd, Velenjak, Tehran, Iran.

**City**

Tehran

**Province**

Tehran

**Postal code**

19839-63113

**Phone**

+98 21 2243 9770

**Email**

minoofallahi@yahoo.com

## Sponsors / Funding sources

### 1

#### Sponsor

**Name of organization / entity**

Shahid Beheshti University of Medical Sciences

**Full name of responsible person**

افشین زرقي

**Street address**

7th Floor, Bldg No.2 SBUMS, Arabi Ave, Daneshjoo Blvd, Velenjak, Tehran, Iran.

**City**

Tehran

**Province**

Tehran

**Postal code**

19839-63113

**Phone**

+98 21 2243 9770

**Email**

azarghi@yahoo.com

**Grant name****Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

**Title of funding source**

Shahid Beheshti University of Medical Sciences

**Proportion provided by this source**

100

**Public or private sector**

Public

**Domestic or foreign origin**

Domestic

**Category of foreign source of funding**

*empty*

**Country of origin****Type of organization providing the funding**

Academic

## Person responsible for general inquiries

#### Contact

**Name of organization / entity**

Shahid Beheshti University of Medical Sciences

**Full name of responsible person**

Minoo Fallahi

**Position**

Associate professor

**Latest degree**

Subspecialist

**Other areas of specialty/work**

Pediatrics

**Street address**

7th Floor, Bldg No.2 SBUMS, Arabi Ave, Daneshjoo Blvd, Velenjak, Tehran, Iran.

**City**

Tehran

**Province**

Tehran

**Postal code**

19839-63113

**Phone**

+98 21 2243 9770

**Email**

minoofallahi@yahoo.com

## Person responsible for scientific inquiries

#### Contact

**Name of organization / entity**

Shahid Beheshti University of Medical Sciences

**Full name of responsible person**

Minoo Fallahi

**Position**

Associate professor

**Latest degree**

Subspecialist

**Other areas of specialty/work**

Pediatrics

**Street address**

7th Floor, Bldg No.2 SBUMS, Arabi Ave, Daneshjoo  
Blvd, Velenjak, Tehran, Iran.

**City**

Tehran

**Province**

Tehran

**Postal code**

19839-63113

**Phone**

+98 21 2243 9770

**Email**

minoofallahi@yahoo.com

**Person responsible for updating data**

**Contact**

**Name of organization / entity**

Shahid Beheshti University of Medical Sciences

**Full name of responsible person**

Minoo Fallahi

**Position**

Associate professor

**Latest degree**

Subspecialist

**Other areas of specialty/work**

Pediatrics

**Street address**

7th Floor, Bldg No.2 SBUMS, Arabi Ave, Daneshjoo  
Blvd, Velenjak, Tehran, Iran.

**City**

Tehran

**Province**

Tehran

**Postal code**

19839-63113

**Phone**

+98 21 2243 9770

**Email**

minoofallahi@yahoo.com

**Sharing plan**

**Deidentified Individual Participant Data Set (IPD)**

No - There is not a plan to make this available

**Justification/reason for indecision/not sharing IPD**

There is no further information

**Study Protocol**

Undecided - It is not yet known if there will be a plan to  
make this available

**Statistical Analysis Plan**

No - There is not a plan to make this available

**Informed Consent Form**

No - There is not a plan to make this available

**Clinical Study Report**

Undecided - It is not yet known if there will be a plan to  
make this available

**Analytic Code**

No - There is not a plan to make this available

**Data Dictionary**

No - There is not a plan to make this available