

Clinical Trial Protocol

Iranian Registry of Clinical Trials

04 Aug 2026

Comparison of the effect of foot reflexology massage with and without black seed oil on pain, nausea and vomiting, hemodynamic indicators and recovery quality of elective caesarean section patients under spinal anesthesia.

Protocol summary

Study aim

The effectiveness of these non-pharmacological methods in controlling pain, nausea and vomiting, hemodynamic indicators and the quality of recovery after surgery

Design

A parallel randomized clinical trial with a control group, on 102 patients, used Block randomization for randomization.

Settings and conduct

Place of performance: Imam Ali (a.s.) educational and therapeutic hospital in the surgical and operating room departments. Intervention group with black seed oil: pressure on three sensitive points the solar plexus, pituitary gland and heart with the thumb. This pressure is to the extent that the upper third of the researcher's thumb turns white, and then massage is given to all the soles of the feet in a circular manner. Intervention group with baby oil: same as the previous group with the difference in the use of baby oil Control group, touch without pressure in the form of gentle superficial massage at the same point Blinding patients, to separate patients in a private environment from screens, to isolate patients

Participants/Inclusion and exclusion criteria

Inclusion criteria: Pregnancy term - 18-45 years old - no touch - no sensitivity to touch - no drug addiction - no problems in speech, hearing and vision - elective caesarean section Exclusion criteria: spinal contraindications - preeclampsia - emergency cesarean

Intervention groups

Intervention group with black seed oil pressure on three sensitive points, solar plexus, pituitary gland, and heart, with the thumb. intervention group with baby oil: pressure on three sensitive points, which are the solar plexus, pituitary gland, and heart, with the thumb. Control group, touch without pressure

Main outcome variables

pain, severity of nausea and vomiting, hemodynamic indicators, quality of recovery.

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20230208057364N1**

Registration date: **2023-03-10, 1401/12/19**

Registration timing: **registered_while_recruiting**

Last update: **2023-03-10, 1401/12/19**

Update count: **0**

Registration date

2023-03-10, 1401/12/19

Registrant information

Name

Maryam Pouramanyanhir

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 11 4415 1828

Email address

pouramanyanmaryam@gmail.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2023-02-19, 1401/11/30

Expected recruitment end date

2023-07-21, 1402/04/30

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Comparison of the effect of foot reflexology massage with and without black seed oil on pain, nausea and vomiting, hemodynamic indicators and recovery quality of elective caesarean section patients under spinal anesthesia.

Public title

Comparison of the effect of massage with and without black seed oil on pain, nausea and vomiting of caesarean section patients using lumbar anesthesia.

Purpose

Supportive

Inclusion/Exclusion criteria**Inclusion criteria:**

Term of pregnancy Being 18-45 years old Not having a lesion at the place of application of touch Insensitivity to touch or massage No drug addiction Having no problems in speech, hearing and vision Not having known mental disorders Elective caesarean section Not having spinal restrictions No medical problems and no midwifery problems after surgery such as heavy bleeding Not having crises such as a history of divorce, loss of loved ones and immigration in the last 6 months

Exclusion criteria:

The presence of spinal contraindications Presence of preeclampsia Emergency caesarean section Conversion of spinal anesthesia to general anesthesia for any reason Hemodynamic instability Lack of consent to participate in the research Migration Divorce

AgeFrom **18 years** old to **45 years** old**Gender**

Female

Phase

N/A

Groups that have been masked*No information***Sample size**Target sample size: **102****Randomization (investigator's opinion)**

Randomized

Randomization description

Parallel randomized clinical trial - patients are continuously referred and then entered into the study based on the type of random allocation. This research will be allocated to three groups of foot reflex massage with oil (O), foot reflex massage without oil (W), control (C) or routine before starting the study by block randomization method. The blocks of this research are 6 (OO, WW, CC) and 27 states will be created. First, the possible states of these 6 letters inside the blocks will be determined, and then the numbers of the blocks will be determined in a simple random manner using a table of random numbers. In this way, the type of intervention

based on the desired letters will be determined with the number of each patient and will be kept in a master sheet, and finally, the intervention number of each patient will be inserted on a sheet when visiting and the type of intervention will be known at that moment (entry number The patient records are entered on the envelope and the type of intervention or control is specified inside the envelope. Gradually, according to the presence of eligible patients, the corresponding envelope is returned, and the type of intervention that is inside the non-transparent envelope is specified, and the desired technique will be done.)

Blinding (investigator's opinion)

Not blinded

Blinding description**Placebo**

Not used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Mazandaran University of Medical Sciences

Street address

Serah Joibar, the beginning of Vali Asr Highway (AJ), the headquarters of Mazandaran University of Medical Sciences and Health Services

City

Amol

Province

Mazandaran

Postal code

۳۳۹۷۱-۴۸۱۵۷

Approval date

2023-02-14, 1401/11/25

Ethics committee reference number

IR.MAZUMS.REC.1401.500

Health conditions studied**1****Description of health condition studied**

Nausea and vomiting - pain - duration of discharge from recovery - hemodynamic indicators - digestive index (constipation) - shaving - urinary output - reflex massage - cesarean section - spinal anesthesia - black seed

ICD-10 code**ICD-10 code description**

Primary outcomes

1

Description

Determining the postoperative pain level of patients at the time of discharge from recovery, 24 and 48 hours after surgery in caesarean section patients in the reflex massage groups with and without black seed oil and their control group, this scale was a ten-centimeter horizontal ruler ranging from zero to It was graded ten. The number zero indicated the absence of pain symptoms and the number ten meant the maximum intensity of the desired symptoms.

Timepoint

Post-operative pain level, recovery time, 24 and 48 hours after the operation and after reflexology massage with and without black seed oil.

Method of measurement

Visual analogue scale is used to measure the pain of the operation site

2

Description

Determining the severity of nausea in patients during surgery, after surgery and 24 hours after surgery in caesarean section patients of reflexology massage groups with and without black seed oil and their control group, the visual scale for registering the severity of nausea is a self-report scale. Nausea with a grade above 7 is classified as severe, between 3.5 and 7 as moderate, and less than 3.5 as mild.

Timepoint

Determining the severity of nausea in patients during surgery, after surgery and 24 hours after surgery and after reflexology massage with and without black seed oil.

Method of measurement

Visual scale

3

Description

To evaluate the amount of vomiting, counting the number of times vomiting is used. Vomiting more than 5 times is defined as severe, between 3-5 times as moderate and less than 3 times as mild.

Timepoint

The amount of nausea and vomiting is measured after the intervention, during the operation, after the operation and 24 hours after the operation.

Method of measurement

Visual scale

4

Description

Measurement of hemodynamic indicators (systolic and diastolic blood pressure, pulse and spo2)

Timepoint

Before the operation, after the birth of the baby and after the last suture in the cesarean section

Method of measurement

Monitoring device

5

Description

Measuring the duration of recovery in two time periods

Timepoint

The moment of entering recovery and the time of discharge from recovery after applying massage

Method of measurement

It is recorded in minutes

Secondary outcomes

1

Description

Determining postoperative headache in patients

Timepoint

Recovery time, 24 and 48 hours after the operation

Method of measurement

The measurement of headache is a visual analogue scale, this scale was a ten-centimeter horizontal ruler graded from zero to ten. The number zero indicates the absence of pain symptoms and the number ten means the maximum intensity of the symptoms

2

Description

2. Determining shivering of patients

Timepoint

During recovery

Method of measurement

By observing the patient during recovery and at four levels, the absence of muscle tremors is scored as zero, straightening of hair, peripheral cyanosis: 1, visible muscle tremors in one muscle group: 2, visible muscle tremors in more than one muscle group: 3 and muscle tremors. Visible in all the muscles of the body: 4

3

Description

6. Digestive index (constipation)

Timepoint

24 and 48 hours after the operation

Method of measurement

The checklist of digestive complications is constipation. Constipation by asking the patient and the information entered in the patient's file in terms of passing gas, straining, flatulence, abdominal pain, firm consistency, lack of defecation.

4

Description

Determination of urinary output of patients

Timepoint

During operation, exit from recovery and 12 hours later in patients

Method of measurement

Urinary output is measured by a questionnaire. After the implementation of foot reflex massage interventions with and without black seed oil through the inserted urinary catheter, he will do it by observing the urine bag and the patient's file.

Intervention groups

1

Description

Intervention group: The first intervention group: The intervention group (reflex massage of the soles of the feet): pressure on three sensitive points, which are the solar plexus, pituitary gland, and heart, with the thumb. This pressure is to the extent that the upper third of the researcher's thumb turns white, and then massage is given to all the soles of the feet in a circular manner. The meaning of massage in this study is a 20-minute foot massage (10 minutes after the patient is stabilized on the operating bed and 10 minutes during recovery and 3 seconds of rest for every 2 minutes of direct pressure). The movement of the thumb or other fingers is circular clockwise and continuously on the reflective points without breaking the contact with the skin and will be done with black seed oil (Barij company). Before the intervention, in order for the researcher's hand to have more contact with the massage area, the patient's feet were first cleaned using a wet towel, then the researcher performed reflex foot massage without using cream or emollient with black seed oil in the intervention group for 20 minutes (10 minutes for each foot) and it is done first on the left foot and then on the right foot. If there is edema in the client's leg, more pressure is applied to perform the techniques.

Category

Prevention

2

Description

Intervention group: The second intervention group: reflex massage of the soles of the feet: pressure on three sensitive points, which are the solar plexus, pituitary gland, and heart, with the thumb. This pressure is to the extent that the upper third of the researcher's thumb turns white, and then massage is given to all the soles of the feet in a circular manner. The meaning of massage in this study is a 20-minute foot massage (10 minutes after the patient is stabilized on the operating bed and 10 minutes during recovery and 3 seconds of rest for every 2 minutes of direct pressure). The movement of the thumb or other fingers is circular in the clockwise direction and continuously on the reflex points without breaking the contact with the skin and will be done with baby oil (Firooz Company). First, the patient's feet were cleaned using a wet towel, then the researcher performed a reflex foot massage without using cream or softener with black seed oil in the intervention group for 20 minutes (10 minutes on each foot, first on the left foot and then on the right foot). will be If there is edema in the client's leg, more pressure is applied to perform the

techniques.

Category

Prevention

3

Description

Control group: The touch without pressure will be applied with the same pattern as the sole reflex massage groups as a superficial and gentle massage at the same point.

Category

Placebo

Recruitment centers

1

Recruitment center

Name of recruitment center

Imam Ali (AS) Hospital

Full name of responsible person

Dr. Alireza Yahyai Shahandashti

Street address

Sheikh Fazlullah Nouri Street, km 2, Chamestan Road, Imam Ali Hospital

City

Amol

Province

Mazandaran

Postal code

46171 41497

Phone

+98 11 4426 4661

Email

EmamAlihospital@yahoo.com

Web page address

<https://bankpezeshkan.com>

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Mazandaran University of Medical Sciences

Full name of responsible person

Dr. Pedram Ebrahimnejad

Street address

No.2, Third Floor, Mazandaran University of Medical Sciences and Health Services Building, Research and Technology Vice-Chancellor, Moalem Square

City

Sari

Province

Mazandaran

Postal code

4817893134

Phone

+98 11 3448 4874

Email

jnums@mazums.ac.ir

Grant name

Grant code / Reference number
Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source
Mazandaran University of Medical Sciences
Proportion provided by this source
100

Public or private sector
Public

Domestic or foreign origin
Domestic

Category of foreign source of funding
empty

Country of origin

Type of organization providing the funding
Academic

Person responsible for general inquiries

Contact

Name of organization / entity
Mazandaran University of Medical Sciences
Full name of responsible person
Dr. Ebrahim Nasiri
Position
Associate Professor
Latest degree
Ph.D.
Other areas of specialty/work
Traditional Medicine
Street address
Kilometer 17 of Farah Abad Road, Prophet Azam University Complex, Faculty of Paramedicine
City
Sari
Province
Mazandaran
Postal code
7771
Phone
+98 11 3354 2469
Fax
+98 11 3354 2469
Email
rezanf2002@yahoo.com
Web page address

Person responsible for scientific inquiries

Contact

Name of organization / entity
Mazandaran University of Medical Sciences
Full name of responsible person
Dr. Ebrahim Nasiri
Position
Associate Professor
Latest degree
Ph.D.
Other areas of specialty/work
Traditional Medicine

Street address

Prophet Azam University Complex, Paramedical Faculty Km 17 Khazar Abad Road, Khazar Square

City

Sari

Province

Mazandaran

Postal code

7771

Phone

+98 11 3354 2469

Email

rezanf2002@yahoo.com

Person responsible for updating data

Contact

Name of organization / entity
Mazandaran University of Medical Sciences
Full name of responsible person
Dr. Ebrahim Nasiri
Position
Associate Professor
Latest degree
Ph.D.
Other areas of specialty/work
Traditional Medicine
Street address
Khazar Square, Km 17 Khazar Abad Road, Prophet Azam University Complex, Paramedical Faculty
City
Sari
Province
Mazandaran
Postal code
7771
Phone
+98 11 3354 2469
Email
rezanf2002@yahoo.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available