

Clinical Trial Protocol

Iranian Registry of Clinical Trials

29 Jun 2026

A comparative study of the effect of aromatherapy and music therapy on physiological indices and preoperative anxiety of mastectomy candidates

Protocol summary

Study aim

In this study, aromatherapy and music therapy as a non-invasive intervention will be compared and evaluated to reduce women's preoperative anxiety before mastectomy surgery.

Design

Randomized trial with a control group, with parallel groups, on 99 patients. The statistical website www.randomizer.org was used for randomization.

Settings and conduct

Study population is female mastectomy candidates at Imam Khomeini Hospital in Tehran. Anxiety data are collected first, along with physiological measurements. Aromatherapy involves placing a cotton ball containing three drops of 20% rose essential oil 15 to 20 cm from the nasal airway. Patients breathe normally for 30 minutes. After 30 minutes, aromatherapy will end. Music therapy involves listening to selected music through headphones for 30 minutes. After 30 minutes, music therapy ends. The parameters are collected 10 minutes after both interventions are completed. In the control group, only routine nursing care is used.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Consent for participation, female sex, 18 to 65 years old age, stage 3 or 4 of breast cancer, performing surgery on the same day for the first time, Anxiety score at least 5, not using sedatives, painkillers, or other affecting drugs, mentally healthy and literacy in Persian reading and writing. Exclusion criteria: Olfactory, auditory and visual impairment, history of allergies, eczema and respiratory diseases, reluctance in listening to music and or aromatherapy and rose essential oil.

Intervention groups

Aromatherapy: Inhaling 20% rose essential oil for 30 minutes. Music therapy: Listening to the selected music for 30 minutes. Control: Routine nursing cares.

Main outcome variables

This medicine can be used in nursing interventions more frequently if it proves effective due to its increasing

popularity, ease of use, and fewer side effects than other methods.

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20230221057482N1**

Registration date: **2023-02-28, 1401/12/09**

Registration timing: **prospective**

Last update: **2023-02-28, 1401/12/09**

Update count: **0**

Registration date

2023-02-28, 1401/12/09

Registrant information

Name

Faezeh Samadi

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 8474 2616

Email address

f-samadi@razi.tums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2023-04-03, 1402/01/14

Expected recruitment end date

2023-07-22, 1402/04/31

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

A comparative study of the effect of aromatherapy and music therapy on physiological indices and preoperative anxiety of mastectomy candidates

Public title

Comparing the effects of aromatherapy and music therapy on preoperative anxiety

Purpose

Supportive

Inclusion/Exclusion criteria**Inclusion criteria:**

Consent to participate in the study Female sex 18 to 65 years old age Stage 3 or 4 of breast cancer Performing surgery for the first time Having surgery on the same day Anxiety score of 5 or higher according to the NVAAS tool Not using sedatives and painkillers (at least in the last 24 hours) Not using drugs or corticosteroid products and other central nervous and endocrine system affecting drugs (according to medical records) Having a mental health condition Literacy in Persian reading and writing

Exclusion criteria:

Olfactory dysfunction (for the aromatherapy group) Auditory impairment (for the music therapy group) Visual impairment (to measure anxiety using the NVAAS scale) History of allergies, eczema and respiratory diseases Reluctance and disinterest in listening to music Reluctance and disinterest in aromatherapy and rose essential oil

Age

From **18 years** old to **65 years** old

Gender

Female

Phase

N/A

Groups that have been masked

No information

Sample size

Target sample size: **99**

Randomization (investigator's opinion)

Randomized

Randomization description

In the first stage, samples are selected by convenience sampling. In this way, the samples that met the conditions for entering the study are chosen. In the second stage, the random assignment of samples is done by the random sequence created on the statistical website www.randomizer.org with a ratio of 1:1:1 to three groups of aromatherapy, music therapy and control so that in each group, 33 people are included.

Blinding (investigator's opinion)

Not blinded

Blinding description**Placebo**

Not used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Imam Khomeini Hospital Complex Research - Tehran University of Medical Sciences

Street address

Room 604, 6th Floor, Central Building of Tehran University of Medical Sciences, Qods St, Keshavarz Blvd., Secretariat of Ethics Committee in Biomedical Research University of Tehran

City

Tehran

Province

Tehran

Postal code

1419733171

Approval date

2023-02-14, 1401/11/25

Ethics committee reference number

IR.TUMS.IKHC.REC.1401.389

Health conditions studied**1****Description of health condition studied**

Breast Cancer

ICD-10 code

C50-C50

ICD-10 code description

Malignant neoplasm of breast

Primary outcomes**1****Description**

Anxiety score on the numerical visual analogue anxiety scale

Timepoint

At the beginning of the study and 10 minutes after the intervention has ended

Method of measurement

Numerical Visual Analogue Anxiety Scale

Secondary outcomes**1****Description**

Physiological indices (systolic and diastolic blood pressure, heart rate, respiratory rate, arterial blood oxygen saturation and salivary cortisol level)

Timepoint

At the beginning of the study and 10 minutes after the

intervention has ended

Method of measurement

Monitor device, pulse oximetry, laboratory kit (by ELISA method)

Intervention groups

1

Description

First intervention group: Aromatherapy; The aims and methods of this study will be explained to all eligible patients at the beginning of the study. Next, the researcher will complete the demographic and clinical characteristics questionnaire by interviewing the patients and referring to their medical records. Before performing any intervention, the base levels of state anxiety and measurable physiological indicators of systolic and diastolic blood pressure, heart rate, respiration, and arterial blood oxygen saturation will be measured with the Numeric Visual Analogue Anxiety Scale (NVAAS) and monitoring device, respectively. The data will be recorded immediately. To measure the baseline level of salivary cortisol, patients are instructed to throw away the remaining saliva in their mouth and then empty their saliva into the laboratory tube by spitting, a non-invasive and non-stimulating method. They first sit calmly for two minutes in a sitting position. After that, while slightly bent forward, they spit their saliva in a covered laboratory tube for a maximum of five minutes, three to five cc. The test tube is immediately placed in an ice box. To prepare for the intervention, a sterile cotton ball containing three drops of 20% rose essential oil (*Rosa damascena*) of Barij company will be prepared and attached to the patient's collar with a pin to maintain a distance of 15-20 cm from the nasal airway. 15 minutes later, this procedure is repeated. For privacy, patients are advised to lie comfortably in their beds and usually breathe for 30 minutes. During this period, patients are placed in their rooms without the presence of a nurse or caregiver and without care or treatment intervention. The patient is assured that the researcher is present and available in case of any problems or questions. After 30 minutes, aromatherapy will end. In order to make the intervention effective, 10 minutes after the completion of aromatherapy, the researcher will collect the post-intervention data, which includes state anxiety, measurable physiological indicators and salivary cortisol parameters.

Category

Other

2

Description

Second intervention group: Music therapy; The aims and methods of this study will be explained to all eligible patients at the beginning of the study. Next, the researcher will complete the demographic and clinical characteristics questionnaire by interviewing the patients and referring to their medical records. Before performing any intervention, the base levels of state anxiety and

measurable physiological indicators of systolic and diastolic blood pressure, heart rate, respiration, and arterial blood oxygen saturation will be measured with the Numeric Visual Analogue Anxiety Scale (NVAAS) and monitoring device, respectively. The data will be recorded immediately. To measure the baseline level of salivary cortisol, patients are instructed to throw away the remaining saliva in their mouth and then empty their saliva into the laboratory tube by spitting, a non-invasive and non-stimulating method. They first sit calmly for two minutes in a sitting position. After that, while slightly bent forward, they spit their saliva in a covered laboratory tube for a maximum of five minutes, three to five cc. The test tube is immediately placed in an ice box. To prepare for the intervention, the room conditions are the same as those of the aromatherapy group. The patients listen to the selected music for 30 minutes using headphones and MP3 players. Headphones are used to block out the sounds of the environment and allow the patient to concentrate better. At first, patients are provided with four pieces of music (traditional, classical, elemental, ambient genres) selected in the field of music therapy with 60-80 beats per minute. For each music, the patient is exposed to a maximum of 15 seconds. The patient chooses a piece that is closely related and feels more relaxing. Then he listens to the music for 30 minutes through headphones. Patients have the option to listen to the next piece of music or just select the same piece during music therapy. The patient adjusts the sound according to their comfort.

Category

Other

3

Description

Control group: In the control group, routine nursing care is used. In this group, data collection and room and patient conditions are maintained as in the two intervention groups. However, no intervention is performed and only routine nursing care is used.

Category

Other

Recruitment centers

1

Recruitment center

Name of recruitment center

Imam Khomeini Hospital Complex

Full name of responsible person

Esmail Mohammadnejad

Street address

Keshavarz Blvd., Dr. Gharib St., Imam Khomeini Hospital Complex

City

Tehran

Province

Tehran

Postal code

۱۴۱۹۷۳۳۱۴۱

Phone
+98 21 6658 1638
Email
Imamhospital@tums.ac.ir
Web page address
<https://ikhc.tums.ac.ir>

Sponsors / Funding sources

1

Sponsor

Name of organization / entity
Tehran University of Medical Sciences
Full name of responsible person
Esmail Mohammadnejad
Street address
School of Nursing and Midwifery of Tehran University
of Medical Sciences, Dr. Mirkhani St., Tohid Square
City
Tehran
Province
Tehran
Postal code
1419733171
Phone
+98 21 6105 4000
Email
fnm@tums.ac.ir
Web page address
<http://fnm.tums.ac.ir/default/lang/En>

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Tehran University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity
Tehran University of Medical Sciences
Full name of responsible person
Faezeh Samadi
Position
MSc student in Medical-Surgical Nursing
Latest degree
Bachelor
Other areas of specialty/work

Nursery
Street address
Imam Khomeini Hospital Complex, Dr Qarib St,
Keshavarz Blvd
City
Tehran
Province
Tehran
Postal code
1419733141
Phone
+98 21 8474 2616
Fax
Email
f-samadi@razi.tums.ir

Person responsible for scientific inquiries

Contact

Name of organization / entity
Tehran University of Medical Sciences
Full name of responsible person
Esmail Mohammadnejad
Position
Associate professor
Latest degree
Ph.D.
Other areas of specialty/work
Nursery
Street address
School of Nursing and Midwifery of Tehran University
of Medical Sciences, Dr. Mirkhani St., Tohid Square
City
Tehran
Province
Tehran
Postal code
1419733171
Phone
+98 21 6105 4000
Email
asreno1358@yahoo.com

Person responsible for updating data

Contact

Name of organization / entity
Tehran University of Medical Sciences
Full name of responsible person
Faezeh Samadi
Position
MSc student in Medical-Surgical Nursing
Latest degree
Bachelor
Other areas of specialty/work
Nursery
Street address
Imam Khomeini Hospital Complex, Dr Qarib St,
Keshavarz Blvd
City
Tehran

Province

Tehran

Postal code

1419733141

Phone

+98 21 8474 2616

Fax**Email**

f-samadi@razi.tums.ir

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Yes - There is a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Yes - There is a plan to make this available

Data Dictionary

Yes - There is a plan to make this available

Title and more details about the data/document

All non-identifiable data can be provided if required.

When the data will become available and for how long

The access period starts 1 month after the results are published

To whom data/document is available

All researchers working in scientific institutions and universities who send requests

Under which criteria data/document could be used

When the copyright law is followed and data serves a relevant research purpose, the data can be used

From where data/document is obtainable

Email Ms. Faezeh Samadi at f-samadi@razi.tums.ir

What processes are involved for a request to access data/document

Within one month of reviewing the application and the applicant's conditions, the data will be sent

Comments